

primary studies of test accuracy to improve our ability to predict spontaneous preterm birth.

We thank Fujian Song, Malgorzata Adamczyk, and Pavlina Jungova for their help in extracting relevant data from Chinese, Polish, and Czech manuscripts, respectively. We also thank Julie Glanville and Stephen Duffy at the NHS Centre for Reviews and Dissemination at York for contribution to the database searches. We are grateful to Professor R Zimmermann, Professor M J Whittle, and Mr H Gee for their critical review of the manuscript and for suggestions for improvement.

Contributors: See bmj.com

Funding: WellBeing grant No K2/00.

Competing interests: None declared.

- 1 Maternal and Child Health Consortium. *Confidential enquiries into stillbirths and deaths in infancy (CESDI): 6th annual report*. London: Stationery Office, 1999.
- 2 Peters KD, Kochanek KD, Murphy SL. Deaths: final data for 1996. *Natl Vital Stat Rep* 1998;47:1-100.
- 3 Department of Health (UK). *NHS maternity statistics, England: 1989-90 to 1994-95*. London: Stationery Office, 1997. [www.doh.gov.uk/public/sb9728.htm](http://www.doh.gov.uk/public/sb9728.htm) (accessed 23 August 2001).
- 4 Stewart AL, Rifkin L, Amess PN, Kirkbride V, Townsend JP, Miller DH, et al. Brain structure and neurocognitive and behavioural function in adolescents who were born very preterm. *Lancet* 1999;353:1653-7.
- 5 Wolke D, Meyer R. Cognitive status, language attainment, and prereading skills of 6-year-old very preterm children and their peers: the Bavarian longitudinal study. *Dev Med Child Neurol* 1999;41:94-109.
- 6 Crowley P. Prophylactic corticosteroids for preterm birth. *Cochrane Database Syst Rev* 2000;(2):CD000065.
- 7 Matsuura H, Takio K, Titani K, Greene T, Levery SB, Salyan ME, et al. The oncofetal structure of human fibronectin defined by monoclonal antibody FDC-6. Unique structural requirement for the antigenic specificity provided by a glycosylhexapeptide. *J Biol Chem* 1988;263:3314-22.
- 8 Lockwood CJ, Senyei AE, Dische MR, Casal D, Shah KD, Thung SN, et al. Fetal fibronectin in cervical and vaginal secretions as a predictor of preterm delivery. *N Engl J Med* 1991;325:669-74.
- 9 Cochrane methods group on systematic review of screening and diagnostic tests: recommended methods, last updated on 6 June 1996. [www.cochrane.org/cochrane/sadtdoc1.htm](http://www.cochrane.org/cochrane/sadtdoc1.htm) (accessed 7 April 2001).
- 10 Khan KS, Dinnes J, Kleijnen J. Systematic reviews to evaluate diagnostic tests. *Eur J Obstet Gynecol Reprod Biol* 2001;95:6-11.
- 11 Honest H, Bachmann LM, Khan KS. Electronic searching of the literature for systematic reviews of screening and diagnostic tests for preterm birth. *Eur J Obstet Gynecol Reprod Biol* (in press).
- 12 Khan KS, ter Riet G, Popay J, Nixon J, Kleijnen J. *Study quality assessment (phase 5): conducting the review (stage 2). Undertaking systematic reviews of research on effectiveness*. 1-20. York: University of York, 2001 (CRD Report No 4).
- 13 Jaeschke R, Guyatt G, Sackett DL. Users' guides to the medical literature. III. How to use an article about a diagnostic test. B. What are the results and will they help me in caring for my patients? The evidence-based medicine working group. *JAMA* 1994;271:703-7.
- 14 Goldenberg RL, Iams JD, Miodovnik M, Van Dorsten JP, Thurnau G, Bottoms S, et al. The preterm prediction study: risk factors in twin gestations. National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. *Am J Obstet Gynecol* 1996;175:1047-53.
- 15 Morrison JC, Naef RW 3rd, Botti JJ, Katz M, Belluomini JM, McLaughlin BN. Prediction of spontaneous preterm birth by fetal fibronectin and uterine activity. *Obstet Gynecol* 1996;87:649-55.
- 16 Tolino A, Ronsini S, Zullo F, Pellicano M, Regine V, Nappi C. Fetal fibronectin as a screening test for premature delivery in multiple pregnancies. *Int J Gynaecol Obstet* 1996;52:3-7.
- 17 Faron G, Boulvain M, Lescrainier JP, Vokaer A. A single cervical fetal fibronectin screening test in a population at low risk for preterm delivery: an improvement on clinical indicators? *Br J Obstet Gynaecol* 1997;104:697-701.
- 18 Hellemans P, Gerris J, Verdonk P. Fetal fibronectin detection for prediction of preterm birth in low risk women. *Br J Obstet Gynaecol* 1995;102:207-12.
- 19 Crane JM, Armson BA, Dodds L, Feinberg RF, Kennedy W, Kirkland SA. Risk scoring, fetal fibronectin, and bacterial vaginosis to predict preterm delivery. *Obstet Gynecol* 1999;93:517-22.
- 20 Heath VC, Daskalakis G, Zagaliki A, Carvalho M, Nicolaides KH. Cervicovaginal fibronectin and cervical length at 23 weeks of gestation: relative risk of early preterm delivery. *BJOG* 2000;107:1276-81.
- 21 Coleman MA, McCowan LM, Pattison NS, Mitchell M. Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment. *Am J Obstet Gynecol* 1998;179:1553-8.
- 22 Coleman MA, Keelan JA, McCowan LM, Townsend KM, Mitchell MD. Predicting preterm delivery: comparison of cervicovaginal interleukin (IL)-1beta, IL-6 and IL-8 with fetal fibronectin and cervical dilatation. *Eur J Obstet Gynecol Reprod Biol* 2001;95:154-8.
- 23 Grandi C, Perego M, Briozzo G, Cassini A. Fibronectina fetal (fFN) en secrecion cervical como predictor del parto prematuro. *Rev Hosp Mat Inf Ramon Sarda* 1996;15:127-36.
- 24 Morrison JC, Allbert JR, McLaughlin BN, Whitworth NS, Roberts WE, Martin RW. Oncofetal fibronectin in patients with false labor as a predictor of preterm delivery. *Am J Obstet Gynecol* 1993;168:538-42.

- 25 Senden IPM, Owen P. Comparison of cervical assessment, fetal fibronectin and fetal breathing in the diagnosis of preterm labour. *Clin Exp Obstet Gynecol* 1996;23:5-9.
- 26 LaShay N, Gilson G, Joffe G, Qualls C, Curet L. Will cervicovaginal interleukin-6 combined with fetal fibronectin testing improve the prediction of preterm delivery? *J Matern Fetal Med* 2000;9:336-41.
- 27 Luo L, Lu Q, Wei F. [Fetal fibronectin and preterm birth]. *Zhonghua Fu Chan Ke Za Zhi* 1997;32:25-6.
- 28 Gebhardt S, Odendaal HJ. Fetal fibronectin in vaginal secretions—a predictor of preterm delivery? [letter]. *S Afr Med J* 1995;85:188.
- 29 Hampl M, Friese K, Hofmann I, Melchert F. [Quantitative determination of fetal fibronectin in cervical smears: a new marker for evaluating the risk in premature labour]. *Geburtshilfe Frauenheilkd* 1994;54:685-90.
- 30 Leitich H, Egarter C, Kaider A, Hohlgeschwandner M, Berghammer P, Husslein P. Cervicovaginal fetal fibronectin as a marker for preterm delivery: a meta-analysis. *Am J Obstet Gynecol* 1999;180:1169-76.
- 31 Revah A, Hannah ME, Sue-A Quan AK. Fetal fibronectin as a predictor of preterm birth: an overview. *Am J Perinatol* 1998;15:613-21.
- 32 Faron G, Boulvain M, Irion O, Bernard PM, Fraser WD. Prediction of preterm delivery by fetal fibronectin: a meta-analysis. *Obstet Gynecol* 1998;92:153-8.
- 33 Chien PFW, Khan KS, Ogston S, Owen P. The diagnostic accuracy of cervico-vaginal fetal fibronectin in predicting preterm delivery: an overview. *Br J Obstet Gynaecol* 1997;104:436-44.
- 34 Lijmer JC, Mol BW, Heisterkamp S, Bonsel CJ, Prins MH, van der Meulen JH, et al. Empirical evidence of design-related bias in studies of diagnostic tests. *JAMA* 1999;282:1061-6.

(Accepted 13 March 2002)

## Corrections and clarifications

### *Prolonged erections produced by dihydrocodeine and sildenafil*

In the penultimate paragraph of this "Drug point" by David Goldmeier and Harpal Lamba (29 June, p 1555) we wrongly edited out "we suggest that." The sentence should read: "We suggest that the acute opiate intake in our patients on sildenafil produced abnormally high cyclic guanosine monophosphate concentrations in peripheral nerve endings, which resulted in prolonged erections even after orgasm."

### *Obituary*

In the obituary of Richard Dyer Mudd (15 June, p 1458) we wrongly spelt the name of his son in law, John McHale. It was correct in the original draft, but unfortunately, the electronic spellcheck facility suggested changing this to Michele, and we clicked on OK by mistake. Our apologies.

### *Exponent of "male menopause" censured by GMC*

We wrongly stated at the start of this news article by Owen Dyer (13 July, p 65) that Dr Malcolm Carruthers, who was censured by the General Medical Council for serious medical misconduct, prescribed male hormones over the internet. He did not; he suggested prescriptions for GPs to fill.

### *10-minute consultation: Paraesthesia*

In this article by Badal Pal (22 June, p 1501), a late proofreading slip led to a word being wrongly inserted into the title of the accompanying box. The title should read: "Investigations [not "Phalen's investigations"] for paraesthesia in fingers and hand."

### *Consumption of seafood and preterm delivery*

When we scanned Yasuo Ishida's faxed letter "Method of cooking should be named" into our electronic system, two errors were introduced but not noticed (25 May, p 1279). In one case, a letter was wrongly inserted, and in the other a number dropped off. The sentence "Or [are we to] eat raw sashimi with snake?" should have read "with sake" (the Japanese fermented alcoholic drink made from rice). The correct zipcode for the author has a 7 in it (MO 63117).