

Primary care



This is an abridged version; the full version is on bmj.com

School of Population and Health Sciences, University of Newcastle, Newcastle upon Tyne NE2 4HH

Judith Bush
ESRC/ODPM
postdoctoral research fellow

Martin White
senior lecturer in public health

Judith Rankin
senior research associate

Division of Primary Care, School of Community Health Sciences, University of Nottingham Medical School, Nottingham NG7 2UH

Joe Kai
professor

Division of Community Health Sciences, Public Health Sciences Section, University of Edinburgh Medical School, Edinburgh EH8 9AG

Raj Bhopal
Bruce and John Usher
chair of public health

Correspondence to:
J Bush
judith.bush@ncl.ac.uk

BMJ 2003;326:962-5

Understanding influences on smoking in Bangladeshi and Pakistani adults: community based, qualitative study

Judith Bush, Martin White, Joe Kai, Judith Rankin, Raj Bhopal

Abstract

Objective To gain detailed understanding of influences on smoking behaviour in Bangladeshi and Pakistani communities in the United Kingdom to inform the development of effective and culturally acceptable smoking cessation interventions.

Design Qualitative study using community participatory methods, purposeful sampling, one to one interviews, focus groups, and a grounded approach to data generation and analysis.

Setting Newcastle upon Tyne, during 2000-2.

Participants 87 men and 54 women aged 18-80 years, smokers and non-smokers, from the Bangladeshi and Pakistani communities.

Results Four dominant, highly inter-related themes had an important influence on smoking attitudes and behaviour: gender, age, religion, and tradition. Smoking was a widely accepted practice in Pakistani, and particularly Bangladeshi, men and was associated with socialising, sharing, and male identity. Among women, smoking was associated with stigma and shame. Smoking in women is often hidden from family members. Peer pressure was an important influence on smoking behaviour in younger people, who tended to hide their smoking from elders. There were varied and conflicting interpretations of how acceptable smoking is within the Muslim religion. Tradition, culture, and the family played an important role in nurturing and cultivating norms and values around smoking.

Conclusion Although there are some culturally specific contexts for smoking behaviour in Bangladeshi and Pakistani adults—notably the influence of gender and religion—there are also strong similarities with white people, particularly among younger adults. Themes identified should help to inform the development and appropriate targeting of smoking cessation interventions.

Introduction

Recent surveys in the United Kingdom have shown that smoking is much more common among Bangladeshi men (49%) than among white (29%), Pakistani (28%) or Indian men (19%).¹⁻³ The rate is particularly high (56%) in Bangladeshi men aged 50-74.² Cancer of the trachea, lung, and bronchus is the commonest cause of death from cancer in South Asian men, and the second commonest in South Asian women.⁴ Smoking is the

principal risk factor for these cancers. In South Asian women, smoking rates are reportedly low (Bangladeshi women 4%, Indian women 1%, Pakistani women 2%)² though possibly underestimated.⁵

Detailed understanding of attitudes, beliefs, values, and behaviours in relation to smoking in minority ethnic groups is lacking. Such understanding is necessary to inform development of smoking cessation strategies that are culturally appropriate for these communities.⁶⁻⁸ We report community based, qualitative research (March 2000 to March 2002) that aimed to gain such insights in Bangladeshi and Pakistani communities.

Methods

Participatory approach

We used a community participatory approach previously developed successfully in these communities,⁹ in which members of the Bangladeshi and Pakistani communities in Newcastle (box 1) participated in study development, implementation, and analysis. After community publicity, application, and interview, 13 bilingual “community researchers” (six men and seven women) were recruited from the local South Asian population and attended a 14 week, accredited training programme in qualitative research.

These researchers were responsible for organising, recruiting, undertaking, and translating in-depth interviews and focus groups, facilitated by JB. In discussion with the research team, the community researchers also developed interview topic guides, publicity for the study, and strategies for recruiting participants and contributed to data analysis.

Research methods

The community researchers held semistructured, in-depth interviews with 37 participants and 24 focus groups (with 104 participants). Interviews and focus groups were based on topic guides, translated into relevant South Asian languages by the community researchers. Topics discussed included smoking behaviour, views on what influences smoking, and understanding of how smoking affects health.

Research participants were sampled purposively from the local Bangladeshi and Pakistani communities on the basis of ethnic group (that is, Bangladeshi or Pakistani), sex, age, smoking status, and occupation. Participants were recruited using a “snowballing”

Box 1: Bangladeshi and Pakistani communities in Newcastle upon Tyne

Bangladeshis are the most recent immigrant group among South Asians in the United Kingdom. In the 1991 census, 1292 residents in Newcastle upon Tyne identified themselves or their family members as Bangladeshi (0.5% of total population of the city), and 2913 (1.2%) identified themselves as Pakistani. Both communities are mainly concentrated in five of 26 wards in the city

In these five wards Pakistanis and Bangladeshis typically have higher levels of socioeconomic deprivation than white residents.¹⁰ Recent national surveys have also shown Bangladeshis to be the poorest and least well educated, and further disadvantaged with respect to their health¹

The dominant religion is Islam among both Bangladeshis and Pakistanis

Smoking rates among the Bangladeshi and Pakistani communities in Newcastle are broadly similar to the rates for those populations nationally¹¹

technique—whereby a small number of informants put the researcher in touch with others, who then nominate friends, colleagues, and other contacts, and so on.¹² As far as possible, focus groups contained participants of similar ages.

A total of 141 people (87 Bangladeshi and 54 Pakistani) aged 18-80 years participated. Participants were broadly typical of the Bangladeshi and Pakistani populations of Newcastle, with slight under-representation of people aged over 50 and slight over-representation of people aged 18-29. For participants' socio-demographic details, see the full version of this article (on bmj.com).

Translation

Sixty per cent of focus groups and interviews were conducted in English, the rest in Punjabi or Urdu (for Pakistanis) or Bengali or Sylheti (for Bangladeshis). All interviews and focus groups were audiotaped and transcribed verbatim with participants' permission. The community researchers translated the tapes in Punjabi, Urdu, Bengali, and Sylheti into English. About a fifth of these translations were also sent to an independent translation agency. The two sets of translations were compared for consistency; no substantial differences in meaning were identified.

Analysis

We analysed the transcripts by identifying recurring, emergent themes.^{13 14} Data generation and analysis continued until no new themes or ideas emerged. We used the NUD*IST 4 textual analysis software to help us to do this. We discussed the analysis at a meeting with local community workers and organisations.

Results

Four highly inter-related themes were found to influence views on smoking: gender, age, religion, and tradition.

Gender

Smoking in men was viewed with a strong sense of social acceptance, social bonding, and tradition and

was seen as a "normal" part of "being a man." This view was particularly strong among Bangladeshi participants. It was intimately bound up with notions of male identity. Macho and fashionable images were associated with smoking and reinforced by Indian films and popular media (box 2).

Stress was also thought to influence smoking in men. Both men and women viewed Bangladeshi and Pakistani men as having stressful lives owing to pressures associated with being separated from family and to poorly paid work. Participants thought that Bangladeshi men working in the catering industry suffered particularly severe stress as a result of unsocial and long working hours in restaurants.

In contrast, participants often regarded smoking in Bangladeshi and Pakistani women with a sense of taboo, stigma, and non-acceptance, using such words as "bad," "labelled," "tainted," "shamed," and "disrespectful." Smoking was also perceived to affect the chances of a woman marrying. Women were regarded as having fewer opportunities to smoke, both culturally and economically (box 3).

However, some men and women (and especially the younger participants) held the view that the prevalence of smoking in young Bangladeshi and Pakistani women is increasing as they become more westernised, influenced by white women and peer pressure from white children at school. Most of the female smokers who participated in the study were under 30. Motivation for young women to smoke often centred on "rebellion" or expressing independence from family members (box 3).

Age and generation

Age seemed to influence the cultural acceptability of smoking. Because of elders' respected status in South Asian society the participants viewed it as more acceptable for older men and, to a lesser degree, older women to smoke openly. In contrast, smoking in young people tended to be regarded as "disrespectful," particularly in front of elders. Thus, smoking in young people tended to be hidden from older members of the community (box 4).

Religion

Unlike alcohol, tobacco is not specifically banned or prohibited in the Islamic faith. The Koran does prohibit intoxicants and addictions, however. Most participants agreed that it was religiously unacceptable to smoke in a mosque and that the potential for

Box 2: Being a man and smoking

"Boys see their fathers smoke, their grandfathers smoke, so they think it is part of being a man" (non-smoker; participant 2, focus group of Bangladeshi women aged 18-22, English)

"I think from the old days going back hundreds of years, it was a man thing to do . . . you remember watching Indian films and you watch the hero smoking" (non-smoker; participant 1, focus group of Bangladeshi women aged 18-22, English)

"I think I smoke more when I am sitting around with friends who are smokers because you are offered one and you are offered another one and you get on talking, and you smoke more when you are socially with smokers" (current smoker; participant 1, focus group of Bangladeshi men aged 30-49, English)

Box 3: Women and smoking

“In our culture smoking is not accepted for women. It is very bad, especially from a good family” (non-smoker, Bangladeshi woman, aged 20-29, interview in Bengali/Sylheti)

“They are always frightened of their husband. No husband likes their wife smoking. Our women do not maintain a smoking habit, because women smokers are hated in our society. It is not a prestigious thing at all; rather it is a scandal in our society” (former smoker, Bangladeshi man, aged 40-49, interview in Bengali/Sylheti)

“Women smoke in the bedroom, [behind] locked doors” (non-smoker, participant 1, focus group of Bangladeshi women aged 18-29, English)
 “I don’t smoke like an everyday thing. I smoke when I’m with bad people . . . I do it often when I am angry. I do it in front of my husband more because I make him angry because he doesn’t smoke and he hates seeing people smoke” (current smoker, Bangladeshi woman, aged 30-39, interview in English)

“When there is five of them [young people] together they think ‘oh, let’s have a fag’ . . . I think a lot of them, being rebellious, they think ‘do something hidden’ ” (non-smoker; participant 1, focus group of Bangladeshi women aged 18-29, English)

Box 4: Influence of age

“Older people, they can smoke in the house because [they] are allowed. Because of their age they can smoke” (current smoker, Bangladeshi man aged 40-49, interview in English)

“These elderly women do smoke in front of their sons . . . my dad’s mother, my grandmother, they smoke in front of their sons” (current smoker; participant 1, focus group of Bangladeshi women aged 18-29, English)

“They [young people] will sneak out of the house or they will just say they are going out . . . It’s a cultural thing. It’s like respect for your elders if you don’t smoke in front of them” (former smoker, Pakistani man aged 20-29, interview in English)

Box 5: Influence of religion

“Islam, He said if anything is damaging your health, it is haram [banned or prohibited], which is sinful . . . the reason Mohammed allowed smoking and banned drinking is that, [drinking] was damaging people’s health at that time. Nowadays smoking is no different from drinking: it is more dangerous. So if you could get that to the people’s knowledge then I think most of our majority may just stop smoking” (non-smoker, Bangladeshi man, aged 30-39, interview in English)

“Alcohol has a substance that makes you . . . lose your senses . . . you don’t know what you are doing. You lose that control over yourself. So that’s why it becomes unlawful . . . when you smoke you still know what you are doing. You don’t lose your senses” (non-smoker; participant 2, focus group of Bangladeshi women aged 18-29, English)

“I have read many [religious] books. It doesn’t say smoking is unlawful. But it does say if you feel that you have become addicted to something and rely on that to make you a better person or make you feel more comfortable, then it becomes unlawful. So in other words, smoking does become unlawful to those who become addicted to it” (non-smoker; participant 1, focus group of Bangladeshi women aged 18-29, English)

women to smoke was reduced as they have a protected status in the Muslim religion.

Participants held conflicting perspectives on how religiously acceptable it is for men to smoke and to what degree smoking is permitted in the Muslim religion. Many believed that, although smoking is not banned or prohibited, it does not fit comfortably within the Islamic religion, that it “isn’t right” or is “makroo.” This

argument was used in two contradictory ways. Some used it to justify the need to ban smoking; others used it to justify the acceptability of smoking in the Muslim religion as long as the smoker was not “addicted to” or “intoxicated by” cigarettes (box 5). Non-smokers (particularly women) thought that many smokers who are addicted to cigarettes do not realise or admit to this.

Only a small number of participants felt that smoking was unacceptable in the Islamic religion because it damaged health (although the Koran states that Muslims should not allow their hands to contribute to their own destruction) (box 5).

Tradition, culture, and family

Tradition and culture also seemed to play a role in creating, perpetuating, and regulating cultural norms, acceptance, and “fashion” around smoking (box 6).

The family was felt to be an important medium through which cultural norms and values associated with smoking were shaped and negotiated. Young boys often learnt to smoke by observing male elders smoking (box 6), whereas opportunities for women were limited owing to the cultural restrictions imposed on a Muslim woman by her parents.

Our analysis also suggests generational changes in acceptability of smoking. Several participants described how their children—who had learnt at school about the risks to health from smoking—criticised their fathers for smoking (box 6). In some families, however, criticism of elders was not acceptable.

Box 6: Influence of tradition, culture, and family

“My uncle smokes and he’s in his 50s. He’s come from Pakistan, so he started from there. So my cousins are in Glasgow and they have started smoking and they are my age. It’s from working in a shop and, like I say, the fascination is there. They see old people buy cigarettes and they think what’s the fascination of it?” (non-smoker; participant 1, focus group of Pakistani men, aged 18-29, English)

“I suppose because my dad smokes as well, when you see someone else smoking in your family when you are young you kind of think that it is okay ‘cause they are doing it” (former smoker; participant 3, focus group of Pakistani men, aged 18-29, English)

“I’ve seen that teenagers, young people . . . put a lot of pressure on parents and aunties and uncles about smoking. They say that smoking is so bad for you. And the example they give is from awareness in school. I can sort of say that with my two kids, and the children I mix with in other families, there are very strong feelings, ‘stop smoking dad! It does this and that and that.’ They feel very strongly. It’s the teenagers, the young children who are telling the parents” (non-smoker; participant 5, focus group of Pakistani women aged 20-59, Punjabi/Urdu)

“When I used to smoke, my children used to complain ‘dad we can’t breath.’ They used to cough and say ‘dad is a stinky’ and ‘we can’t breath. Dad smokes and it smells.’ This is why I can understand that it does affect those people who don’t smoke. They feel they can’t breathe” (former smoker; participant 3, focus group of Bangladeshi men aged 20-49, Bengali/Sylheti)

Discussion

Although our results show some similarities with those of studies of smoking behaviour in predominantly white populations,^{15 16} they also highlight important differences, particularly the influence of a person's gender and religion. The findings must be interpreted with regard to the characteristics of our sample and the participatory nature of the research. We had a broad range of participants in terms of age, sex, occupation, socioeconomic status, educational level, and smoking status. By working with members of communities at all stages of the research, we used our participatory approach to increase the validity of our findings.⁹ The socioeconomic characteristics of Bangladeshi and Pakistani people living in Newcastle upon Tyne are broadly typical of Bangladeshi and Pakistani people nationally.¹¹ Thus, although we must be guarded, our findings are likely to be generalisable to other Pakistani and Bangladeshi communities in the United Kingdom, although local variations reflecting differing regional origins within Bangladesh and Pakistan may exist.

Comparing Bangladeshi and Pakistani populations

Despite smoking being less common in Pakistanis than in Bangladeshis¹⁻³ we found few differences in beliefs or attitudes between these two groups. Differences in smoking levels between Pakistani and Bangladeshi men may be explained largely by socioeconomic factors and social disadvantage,^{1 3 11} which, although acknowledged by several participants, are difficult to confirm in qualitative research. However, our data suggested that compared with Pakistani men, smoking in Bangladeshi men may be more deeply socially ingrained, contributing to group cohesion and identity.

Implications for smoking cessation

Currently ethnic minority groups are not given special mention in national policies on smoking cessation,^{17 18} although the Department of Health has recently launched the NHS Asian tobacco education campaign, and local smoking cessation services are increasing. Our findings and those from other studies^{2 8} suggest that substantial effort and investment is needed in culturally sensitive smoking cessation interventions for South Asian people, involving the government and national and local health agencies (in particular, primary care trusts). The Race Relations (Amendment) Act 2000, which obliges public authorities, including the NHS, to promote racial equality in access to services will underline and add urgency to this requirement.¹⁹

Appropriate targeting and involvement of ethnic minority groups and respect for cultural norms is essential.⁸ Work with Muslim religious leaders should clarify the religious acceptability of tobacco use in the Islamic faith and support the dissemination of an agreed policy nationally. Further work should develop and evaluate culturally sensitive smoking cessation interventions with South Asian communities.

We thank all the community researchers, Jean King, Terry Lisle, Zakia Chowdhury, Iain Miller, Lucy Hall, and Ana Kulkarni for help with the research; Sue Zeibland for critical comments on this paper; and all the research participants. See bmj.com for a full list of acknowledgments.

Funding: Cancer Research UK and the Department of Health. The guarantors accept full responsibility for the conduct of the study, had access to the data, and controlled the decision to publish.

What is already known on this topic

Smoking is common among Bangladeshi and Pakistani men in Britain but rare among the women

Smoking is particularly common in Bangladeshi men

Socioeconomic status is thought to influence smoking uptake in Bangladeshi men

Influences on smoking in South Asians in Britain are poorly understood

What this study adds

Smoking among Pakistani and Bangladeshi men is strongly seen as socially acceptable—a “normal” part of being a man

Smoking in Bangladeshi men is more deeply socially ingrained than in Pakistanis, contributing to group cohesion and identity

Smoking in Bangladeshi and Pakistani women is associated with a strong sense of cultural taboo, stigma, and non-acceptance

Islam forbids addiction and intoxicants, but opinions differ on whether the Muslim religion allows smoking

Culturally sensitive smoking cessation interventions for Bangladeshis and Pakistanis are needed

Contributors: See bmj.com

Competing interests: None declared.

Ethical approval: Ethical approval was obtained from Newcastle and North Tyneside local research ethics committee.

- 1 Modood T, Berthoud R, Lakey J, Smith P, Virdee S, Beishon S, eds. *Ethnic minorities in Britain. Diversity and disadvantage*. London: Policy Studies Institute, 1997.
- 2 Health Education Authority. *Black and minority ethnic groups in England*. London: HEA, 2000.
- 3 Department of Health. *Health survey for England*. London: Stationery Office, 1999.
- 4 Bhopal RS, Rankin JM. Cancer in minority ethnic populations: priorities from epidemiological data. *Br J Cancer* 1996;74(XXIX):S22-32.
- 5 Pooransingh S, Ramaiah S. Smoking amongst South Asians in the United Kingdom. [electronic response to Barratt H. UK government launches anti-tobacco campaign for Asians]. *BMJ* 2001. www.bmj.com/cgi/eletters/323/7309/359/b#16178
- 6 Bhopal R, White M. Health promotion for ethnic minorities: past, present and future. In: Ahmad WIU, ed. *Race and health in contemporary Britain*. Buckingham: Open University Press, 1993:137-66.
- 7 Bahl V. Cancer and ethnic minorities—the Department of Health's perspective. *Br J Cancer* 1996;74(suppl 29):S2-10.
- 8 Farren C, Naidoo J. Smoking cessation programmes targeted at black and minority ethnic communities. *Br J Cancer* 1996;74(suppl 29):S78-80.
- 9 Kai J, Hedges C. Minority ethnic community participation in needs assessment and service development in primary care: perceptions of Pakistani and Bangladeshi people about psychological distress. *Health Expectations* 1999;2:7-20.
- 10 White M, Bush J, Kai J, Bhopal R, Rankin J. *A study to explore the feasibility and acceptability of smoking cessation interventions among Bangladeshi and Pakistani men and women*. Newcastle upon Tyne: University of Newcastle, 2002.
- 11 Bhopal R, Unwin N, White M, Yallop J, Walker L, Alberti KGMM, et al. Heterogeneity of coronary heart disease risk factors in Indian, Pakistani, Bangladeshi, and European origin populations: cross sectional study. *BMJ* 1999;319:215-20.
- 12 Burgess RG. *In the field: an introduction to field research*. London: Routledge, 1991.
- 13 Glaser B, Strauss AL. *The discovery of grounded theory*. New York: Aldine de Gruyter, 1967.
- 14 Strauss A, Corbin J. *Basics of qualitative research (grounded theory procedures and techniques)*. Thousand Oaks, CA: Sage, 1990.
- 15 Butler CC, Pill R, Stot NCH. Qualitative study of patients' perceptions of doctors' advice to quit smoking: implications for opportunistic health promotion. *BMJ* 1998;316:1878-81.
- 16 Cook PA, Bellis MA. Knowing the risk: relationships between risk behaviour and health knowledge. *Public Health* 2001;115(1):54-61.
- 17 Raw M, McNeill A, West R. Smoking cessation guidelines for health professionals: a guide to effective smoking cessation interventions for the health care system. *Thorax* 1998;53(suppl 5):part 2.
- 18 West R, McNeill A, Raw M. Smoking cessation guidelines for health professionals: an update. *Thorax* 2000;55:987-99.
- 19 *Race Relations (Amendment) Act*. London: Stationery Office, 2000. (Accepted 14 March 2003)