

Mental health conference blocked, p 950



Advice on vitamin D, p 953



Fighting the brain drain, p 958



Obituary: AIDS pioneer Selma Dritz, p 997

EDITORIALS

941 Depression and physician assisted dying Preventing depression, not physician assisted suicide, is the priority, says Marije L van der Lee >> Research, p 973

942 Availability of inpatient beds for psychiatric admissions in the NHS

Is decreasing, and care is expensive, unpopular, and often unsatisfactory, says Scott Weich >>> Research, p 976

943 Tackling global shortages in health workers Initial success of UK government strategies in Malawi must be sustained, says Olivia Roberts >> Features, pp 958, 960

944 New MRC guidance on evaluating complex interventions

Rob Anderson assesses an update of the MRC's original guidance >>> Editorial, p 946; Research methods and reporting, p 979

946 Research methods and reporting

Trish Groves introduces a new section of the BMJ about how to do and write up research >>> Editorial, p 944; Research methods and reporting, p 979

LETTERS

- 947 Benefits of screening; Transient ischaemic attack; What happened to the polypill?
- 948 Trophoblastic disease; Technology comes to the rescue

NEWS

949 Self referral to therapy will prevent medical "merry-go-round"

Police investigate parents' role in assisted suicide

950 Osteoporosis experts publish new guidelines to fill gaps left by NICE
Giant figure represents 60 years of NHS
Israel blocks access to conference in Gaza

All MI patients in England are to have angioplasty

NICE is to confer on taking more account of patients' views

952 "Worrying" growth of drug resistant HIV in China BMA chairman quizzed about public campaign to defend general practice

953 US paediatricians update guidance on children's vitamin D intake to double previous levels Value of foundation trusts needs to be proved

954 Thai doctors say they won't treat police who use violence

Death rates from cancer in the UK are predicted to fall further

Advertisements for atorvastatin were misleading to women

955 US university plans to set up new conflict of interest office

SHORT CUTS

956 What's new in the other general journals

FEATURES

958 Fighting the brain drain

WHO wants to close differences in life expectancy between countries, but first countries will need enough healthcare staff. Karen McColl reports

960 Robinson's crusade

Mary Robinson, co-chair of WHO's working group on health worker migration policy, tells Karen McColl about a global code of practice on international recruitment of health workers

OBSERVATIONS

BODY POLITIC

962 NHS dentistry: a service with teeth Nigel Hawkes

ANALYSIS

963 Translating evidence into practice: a model for large scale knowledge translation

Changes that can improve patients' health are often difficult to get into practice, even when backed by good evidence. Peter Pronovost, Sean Berenholtz, and Dale Needham describe a collaborative model that works

RESEARCH, RESEARCH METHODS & REPORTING, CLINICAL REVIEW, AND PRACTICE See next page

OBITUARIES

997 Selma Dritz; John Andrew Carron Brown; David Wilfried Levy; Michael Myers; Roger Baron Pickford; Robin Trevor Pinto; Michael William Reece; Christopher Patrick Sames

VIEWS AND REVIEWS

PERSONAL VIEW

999 (Not) warts and all Phil Hammond

COLUMNISTS

1000 A capital idea

Des Spence

Saving lives

Trisha Greenhalgh

1001 Victorian values

Theodore Dalrymple

MEDICAL CLASSICS

1001 Diseases of the Heart and CirculationBenoy N Shah

REVIEW OF THE WEEK

1002 Sex Positive Khalid Ali

ENDGAMES

1003 Case report; Prize quiz; Statistical question; Picture quiz


MINERVA

1004 Eating fish and the likelihood of having depression, and other stories


> Purity of bottled water in the US, p 952



CAREER FOCUS PLUS JOBS AND COURSES START AFTER P 1002



Minimally invasive treatments for benign prostatic enlargement, p 966



Cytology and HPV testing in cervical cancer screening, p 969



Obesity in children, p 984



Guidelines: Prescribing intravenous immunoglobulin, p 990

RESEARCH

966 Minimally invasive treatments for benign prostatic enlargement: systematic review of randomised controlled trials

In 22 clinical trials with more than 2000 men transurethral resection was most effective and least likely to need repeating, but some men might still choose minimally invasive treatments for fewer adverse events and greater convenience

Tania Lourenco, Robert Pickard, Luke Vale, Adrian Grant, Cynthia Fraser, Graeme MacLennan, James N'Dow, and the Benign Prostatic Enlargement team

969 Long term predictive values of cytology and human papillomavirus testing in cervical cancer screening: joint European cohort study

This joint analysis of studies across western Europe concludes that, for women with negative cytology and negative HPV testing, such combined screening every six years would be safe

Joakim Dillner, Matejka Rebolj, Philippe Birembaut, Karl-Ulrich Petry, Anne Szarewski, Christian Munk, Silvia de Sanjose, Pontus Naucler, Belen Lloveras, Susanne Kjaer, Jack Cuzick, Marjolein van Ballegooijen, Christine Clavel, Thomas Iftner

973 Prevalence of depression and anxiety in patients requesting physicians' aid in dying: cross sectional survey

Among 58 terminally ill Oregonians in this study who received a prescription for a lethal drug one in six had clinical depression, and all three depressed participants died by legal ingestion within two months of the research interview

Linda Ganzini, Elizabeth R Goy, Steven K Dobscha >>> Editorial p 941

976 Retrospective analysis of hospital episode statistics, involuntary admissions under the Mental Health Act 1983, and number of psychiatric beds in England 1996-2006

Total admissions fell, case mix shifted towards psychotic and substance misuse disorders with more involuntary admissions, and private facilities increasingly plugged the gap

Patrick Keown, Gavin Mercer, Jan Scott >>> Editorial p 942

RESEARCH METHODS & REPORTING

779 Developing and evaluating complex interventions: the new Medical Research Council guidance

Evaluating complex interventions is complicated. The Medical Research Council's evaluation framework (2000) brought welcome clarity to the task. Now the council has updated its guidance Peter Craig, Paul Dieppe, Sally Macintyre, Susan Mitchie, Irwin Nazareth, Mark Petticrew

» Editorials pp 944, 946

CLINICAL REVIEW

984 Obesity in children. Part 2: Prevention and management Ruth R Kipping, Russell Jago, Debbie A Lawlor

PRACTICE

990 Guidelines: Prescribing intravenous immunoglobulin—summary of Department of Health guidelines

This is one of a series of *BMJ* summaries of new guidelines, which are based on the best available evidence; they highlight important recommendations for clinical practice

Drew Provan, Helen M Chapel, W A Carrock Sewell, Denise O'Shaughnessy, on behalf of the UK Immunoglobulin Expert Working Group

993 Commentary: Controversies in the Department of Health's clinical guidelines for immunoglobulin use

Penny Fitzharris, Miriam Hurst

994 A patient's journey: Common variable immunodeficiency After 14 months of severe illness, this patient was diagnosed with common variable immunodeficiency Abigail Reynolds-Wooding

996 Drug point: Acute psychosis caused by co-amoxiclav Claire L Bell, Bruce Watson, W Stephen Waring

RESEARCH PUBLISHED ONLINE

Prophylactic administration of parenteral steroids for preventing airway complications after extubation in adults: meta-analysis of randomised placebo controlled trials

BMJ, doi:10.1136/bmj.a1841

Tao Fan, Gang Wang, Bing Mao, Zeyu Xiong, Yu Zhang, Xuemei Liu, Lei Wang, Sai Yang

The prevention of progression of arterial disease and diabetes (POPADAD) trial: factorial randomised placebo controlled trial of aspirin and antioxidants in patients with diabetes and asymptomatic peripheral arterial disease

BMJ, doi: 10.1136/bmj.a1840

Jill Belch, Angus MacCuish, Iain Campbell, Stuart Cobbe, Roy Taylor, Robin Prescott, Robert Lee, Jean Bancroft, Shirley MacEwan, James Shepherd, Peter Macfarlane, Andrew Morris, Roland Jung, Christopher Kelly, Alan Connacher, Norman Peden, Andrew Jamieson, David Matthews, Graeme Leese, John McKnight, Iain O'Brien, Colin Semple, John Petrie, Derek Gordon, Stuart Pringle, Ron MacWalter, Prevention of Progression of Arterial Disease and Diabetes Study Group, Diabetes Registry Group, and Royal College of Physicians Edinburgh



BMJ

25 October 2008 Vol 337

The Editor, BMJ BMA House, Tavistock Square, London WC1H 9JR

Email: editor@bmj.com Tel: +44 (0)20 7387 4499 Fax: +44 (0)20 7383 6418

BMA MEMBERS' INQUIRIES

Email: membership@bma.org.uk Tel: +44 (0)20 7383 6642

BMJ CAREERS ADVERTISING Email: sales@bmjcareers.com

Tel: +44 (0)20 7383 6531

DISPLAY ADVERTISING

Email: sales@bmjgroup.com Tel: +44 (0)20 7383 6386

REPRINTS

UK/Rest of world

Email: ngurneyrandall@bmjgroup.com Tel: +44 (0)20 8445 5825 LISA

Email: mfogler@medicalreprints.com Tel: +1 (856) 489 4446

SUBSCRIPTIONS BMA Members

Email: membership@bma.org.uk

Tel: +44 (0)20 7383 6642 Non-BMA Members

Email: subscriptions@bmjgroup.com Tel: +44 (0)20 7383 6270

OTHER RESOURCES

For all other contacts: resources.bmj.com/bmj/contact-us For advice to authors: resources.bmj.com/bmj/authors To submit an article: submit.bmj.com

$\mathrm{BMI}^{\mathsf{Group}}$

The BMJ is published by BMJ Publishing Group Ltd, a wholly owned subsidiary of the British Medical Association.


The BMA grants editorial freedom to the Editor of the BMJ. The views expressed in the journal are those of the authors and may not necessarily comply with BMA policy. The BMJ follows guidelines on editorial independence produced by the World Association of Medical Editors (www.wame.org/wamestmt. htm#independence) and the code on good publication practice produced by the Committee on Publication Ethics (www.publicationethics. org.uk/guidelines/).

The BMJ is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group, or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury, or damage resulting from the use of the BMJ or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

©BM) Publishing Group Ltd 2008 All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording, or otherwise, without prior permission, in writing, of the BM)

Published weekly. US periodicals class postage paid at Rahway, NJ. Postmaster: send address changes to BMJ, c/o Mercury Airfreight International Ltd Inc, 365 Blair Road, Avenel, NJ 07001, USA. \$796. Weekly Printed by Precision Colour Printing Limited



PICTURE OF THE WEEK

Deaths from cervical cancer in the United Kingdom, shown as standard mortality ratios (SMRs). This is a map from The Grim Reaper's Road Map, published this week. This atlas analyses almost 15 million death records between 1981and 2004 to produce a series of maps showing death by cause, sex, and geographical area. (See also Research, p 969; Personal view, p 999)

THE WEEK IN NUMBERS

400 IU Amount of vitamin D that should be consumed a day by children under 18—recommended by the American Academy of Pediatrics (News, p 953)

4.3 million Number of extra health workers needed by developing countries (Feature, p 958)

655 Rise in the number of NHS dentists last year (Body Politic, p 962)

One in SiX Proportion of terminally ill Oregonians who received a prescription for a lethal drug and who had clinical depression (Research, p 973)

£23m Current annual cost of treating genital warts in England (Personal View, p 999)

THE WEEK IN QUOTES

"Dan found his life so unbearable and had tried to commit suicide three times" (News, p 949)

"We at least have to pay for the education in other countries if we are drawing from those countries" (Feature, p 960)


"Cervical screening strategies with HPV testing every six years is safe and effective" (Research, p 969)

"Few obesity prevention interventions have been shown to be effective in children" (Clinical Review, p 984)

"I joked with my general practitioner that I 'didn't think I had an immune system" (Practice, p 994)

EDITOR'S CHOICE

Larrey's flying hospital



Research, p 966

"Why do people always expect me to talk about what's wrong in the Middle East?" asked Daniel Barenboim. "This is what's right with the Middle East," he answered, indicating the orchestra he'd just been conducting through a programme of Haydn, Schoenberg, and Brahms. The orchestra was the West-Eastern Divan Orchestra, founded by Barenboim and Palestinian academic Edward Said in 1999 and made up of young musicians from Israel, Palestine, and various Arab countries. The goal was to enable a dialogue between the cultures of the Middle East. At the BBC Proms this August, the orchestra received tumultuous applause—for the quality of its playing, certainly, but also for its aspirations.

What's this got to do with medicine, you might well ask. It's a question I asked myself during the Schoenberg, as my attention began to wander. What would a medical equivalent of a West-Eastern Divan Orchestra look like? I got as far as thinking it would be a hospital somewhere, staffed by Israeli and Palestinian doctors, training Israeli and Palestinian medical students, and treating Israeli and Palestinian patients. Health care would be the beautiful music they would create together.

A glimpse at the concert programme cut short my reverie. The orchestra is not based somewhere straddling the main Middle Eastern cultures but in Seville. Its very first concert in the Middle East, in Ramallah, Palestine, had to wait until 2005. Far from being accorded any privileged status as artists, the musicians' association with the orchestra jeopardises their safety—their names had been omitted from the programme at their request.

So, not a promising model for my middle eastern medical institution, I concluded, and I dropped that

line of thought as the Brahms began. How arrogant (or just plain stupid) to think I might have anything to offer this afflicted region (p 950).

And then, two months after the concert, I read the blog of Ohad Oren, a fourth year medical student in Israel (http://blogs.bmj. com/bmj/2008/10/21/ohad-oren-ambulances-flying-over-the-middle-east). During his medical school's ceremony to mark the transition from the preclinical to the clinical years, Oren found himself reflecting on the life of the French military surgeon Dominique Jean Larrey (1766-1842).

It wasn't Larrey's flying ambulances for the speedy evacuation of battlefield casualties or his concept of triage that most impressed Oren. It was his practice of collecting injured enemy soldiers, as well as his own men, and treating them as best he could.

Oren's musings left him feeling guilty: "I was fully aware of the severe humanitarian crisis on the other side of the border, and I had not even tried to make a difference in the horrible daily scenario faced by the citizens of Gaza." So he suggests building a hospital on Israel's side of the border, a few minutes from Gaza, with many nations lending a hand. It would be named Larrey's Flying Hospital in recognition of the surgeon's idea for battlefield ambulances.

The final message of Larrey's story, as Oren points out, is that the life you save may be your own. Although captured by the Prussians at Waterloo, Larrey escaped death. It turned out that one of the soldiers whose lives he had saved was the son of the Prussian Field Marshal. Larrey was treated with respect and allowed safe passage home.

Tony Delamothe, deputy editor, *BMJ* tdelamothe@bmj.com

Cite this as: *BMJ* 2008;337:a2231

Articles appearing in this print journal have already been published on bmj.com, and the version in print may have been shortened.

bmj.com also contains material that is supplementary to articles: this will be indicated in the text (references are given as w1, w2, etc) and be labelled as extra on bmi com

Please cite all articles by year, volume, and elocator (rather than page number), eg *BMJ* 2008;337:a145. A note on how to cite each article appears at the end of each article, and this is the form the reference will take in PubMed and other indexes.

WHAT'S NEW AT THE BMJ GROUP

Register with BMJ Group Receive the latest information and updates group.bmj.com/registration

BMJ Masterclasses for Physicians 2009 - registration now open for:

Cardiology - Monday 9 February 2009, London Respiratory Medicine - Tuesday 10 February 2009, London To view the programmes or to register, please visit masterclasses.bmj.com/physicians

New systematic review from BMJ Clinical Evidence

Do we know whether self-help measures are effective for secondary Raynaud's phenomenon?

clinicalevidence.bmj.com

Evidence-Based Mental Health

Read our new blog to keep you informed of current thinking in the field of mental health.

Contribute now at blogs.bmj.com/ebmh-talk



PLUS

Career Focus: jobs and courses appear after p 1002



WHAT'S NEW ON BMJ.COM

LATEST RESEARCH

How effective are steroids in preventing problems related to intubation in critically ill patients? According to this meta-analysis of randomised placebo controlled trials, they reduce the incidence of laryngeal oedema (number needed to treat=10) and the rate of reintubation (NNT=50), with few adverse events. However, an accompanying editorial says that corticosteroids should be given only to patients at high risk of reintubation.

Indicators developed by the United States Agency for Healthcare Research and Quality (AHRQ) can be calculated using English hospital administrative data and may have potential for monitoring patient safety events, according to this case-control analysis and comparison with US data.

Eating quickly until full trebles the risk of being overweight, according to this cross sectional survey of a large sample of adults in Japan. It is not known what prompts the urge to eat larger amounts and more quickly, says the accompanying editorial, but the effects will be particularly notable in children, posing a challenge to the future health of the population.

Find out about these and other recent research studies at bmj.com/channels/research.dtl

LATEST BLOGS

Ohad Oren, a fourth year medical student from Israel, blogs about French military surgeon Dominique Jean Larrey (1766-1842), chief surgeon in Napoleon's army and an important innovator in battlefield medicine. Larrey's practice of treating injured enemy soldiers, as well as his own men, particularly impresses him, and he wants to "make a difference in the horrible scenario faced by the citizens of Gaza." His solution? "I suggest a first-time hospital, to be built on Israel's side of the border with Gaza, with as many nations as possible lending their hand. It may be named 'Larrey's Flying Hospital,'



in recognition of Larrey's marvellous idea of ambulances. The optimal location may be a few minutes' time from Gaza, in a place where medical operations and emergencies can be performed with minimal disturbances. A committee will make sure that supplies of drugs and anaesthetic agents, as well as number of beds are appropriate so as to enable proper medical treatment in all the units. Doctors from other countries may spend a few weeks' time at the hospital's wings, benefiting from an exposure to a form of medicine that, unfortunately, becomes increasingly common in our days. Medical students in Israel will train and gain knowledge at the institution, as an elective during their studies."

Join these debates and others at http://blogs.bmj.com/bmj/

Last week's poll asked Should doctors lead on rationing decisions?

You replied:

YES 155 votes (68%)

NO 93 votes (32%)

This week's poll asks
"Should developed countries
become net exporters of health
professionals?"

MOST COMMENTED ON

"Treating evidence with contempt"
Becoming Ben

Communicating about screening
Anaemia in a 17 year old student

Influence of general practice opening hours on delay in seeking medical attention after transient ischaemic attack (TIA) and minor stroke: prospective population based study

MOST READ

The prevention of progression of arterial disease and diabetes (POPADAD) trial: factorial randomised placebo controlled trial of aspirin and antioxidants in patients with diabetes and asymptomatic peripheral arterial disease

Aspirin for prevention of cardiovascular events A difficult balance

Management of travellers' diarrhoea Evidence based medicine: what it is and what it isn't

Too much information and not enough time?

BMJ Masterclasses

masterclasses.bmj.com

