cupping between the scapulæ, may be necessary. Saline purgatives, with saline medicines, ammonia, and the spirit of nitric ether, will generally effect a cure.

4. *Chronic and Latent Pleuro-pneumonia.* This affection is by no means infrequently met with in out-patient practice; and it is often one in which little, or very slow, progress is made towards recovery of lung-tissue. As this condition has been sometimes mistaken for phthisis, care in diagnosis is especially needed, lest the announcement of the more serious malady be hastily and erroneously made.

In the treatment, blisters, again and again repeated, will be called for. Internally, iodide of potassium with liquor potassæ, in large doses, will often be useful; and by those practitioners who do not entirely negative the value of mercury, except as a purgative or in syphilis, a few grains of mercury with chalk every night at bed-time may, I think, be advantageously prescribed. If the strength have failed, and indeed in most cases, cod-liver oil will be especially indicated.

A certain amount of persistent consolidation will often remain, despite of treatment, for a lengthened period; but, after many months, it may gradually give way to a restoration of fairly healthy pulmonary structure.

5. *Hæmoptysis.* Excluding those instances of pulmonary bleeding caused by tuberculous deposit, we have had one case attributable apparently to simple circulatory excitement. This occurred in a young man who had grown rapidly, but who was quite free from recognisable tubercle. The hæmoptysis was rather profuse; but it was speedily checked by dilute sulphuric acid, and he required no further treatment than the addition of quinine.

Two cases were vicarious of menstruation; and in these the hæmorrhage ceased upon the re-establishment of that function.

The third cause was referrible to hysteria, arising from ovarian irritation in a married woman without family. In this case, the hæmoptysis occurred only under the excitement of coitus, and for a time was obstinate; but it was ultimately entirely checked by the tincture of sesquichloride of iron with sulphate of magnesia. Valerianate of zinc, with compound galbanum pill, was also taken at bedtime.

[To be continued.]

FACILITY IN THE USE OF THE LARYNGOSCOPE: THE INSTRUMENT IN ITS SOCIAL ASPECT.

By GEORGE DUNCAN GIBB, M.D., Assistant-Physician and Lecturer on Forensic Medicine, Westminster Hospital.

IN studying the practical application of the laryngoscope, no better method can be adopted than an examination of a number of healthy persons as opportunity permits, and this might be carried out almost to an unlimited extent, until a thorough acquaintance with manipulation is obtained, necessary for the examination of the larynx in a state of disease. If a party, say of twenty healthy and intelligent persons—medical pupils, for instance—are submitted to inspection, there ought to be no difficulty in seeing the interior of the larynx in all, with an autolaryngoscopic demonstration into the bargain, in twenty minutes, unless some cause beyond control be present—such as pendency of the epiglottis, for example, which I have observed in eleven per cent. of all the healthy I have submitted to examination,

among both sexes and of various ages. The mere rapidity of examination will only prove how readily the mirror can be applied for inspecting a given number of healthy persons—indeed, I have examined fifty ladies and gentlemen within an hour; but it is hardly the kind of illustration to select for convincing the sceptical of the facility with which some forms of diseased throat may be looked at: for instance, epiglottic thickening, associated with ulceration both of it and the interior of the larynx, and probably dysphagia present. A case of this nature, far from uncommon, would much discourage those who might select it for their first essay.

Before my distinguished friend Czermak first came to London, I used to examine the throat, with some amount of success, with an oval steel mirror, which is figured in the first edition of my work *On the Throat*. But it was not until after I had received instruction from him, that I commenced examining parties of healthy persons, ranging in number from two or more to sixty, and this proved so useful for acquiring a complete control over the laryngeal mirror that I would advise others to practise it. Seeing the conformation and peculiarities of position of the parts in a state of health in a number of healthy people, will do more to impart a sound knowledge of the larynx, than the inspection of the same parts in disease. Next to this, if there be no intolerance to the introduction of the mirror, self-examination should be persistently studied, a process now well known as autolaryngoscopy.

My chief object in this short communication, is to urge those who may be sceptical as to the facility of application of the laryngoscope—and I think they are fewer and fewer every day—to look at the laryngeal mirror, firstly, as a social instrument, and employ it in their family circle amongst the young and old. An explanation beforehand of what it reveals will, amongst the young especially, create a desire to know how their own vocal cords look; and this feeling is so contagious, that even young children will surround the manipulator's chair with a very urgent request that they be not passed over. A good preliminary to this, is an autolaryngoscopic demonstration, with some vocal illustration, as the air of a song. Any one who can learn to do this will have no difficulty in examining cases of disease.

HOMICIDE BY A DELIRIOUS PATIENT. In the Berlin Charité there were four patients, suffering from delirium, fastened down in their beds. While they were all apparently asleep, the nurse left the ward, when one of them got loose and springing out of bed, seized a stool, with which he attacked the three other poor wretches. One of these he killed on the spot, another died in half an hour, and the third remains in a hopeless state.

PAYMENT OF MEDICAL WITNESSES AT QUARTER SESSIONS. At the late sessions at Athy, the barrister, Thomas Lefroy, Esq., stated that he had been in communication with the law officers of the crown on the subject of payment to medical men for attendance as crown witnesses at quarter sessions. The Attorney-General agreed with him that medical men should be paid liberally, but that there was no direct legislation on the subject; and that the matter was under the consideration of the law officers; and he was only waiting for information from England to have the question settled. In the meantime, his own view was that medical gentlemen should be paid as liberally for attendance at quarter sessions as at assizes; and he would direct that in future *two guineas* should be paid to them for each day's attendance as crown witnesses. (*Leinster Express*.)