mortality of the second spouse, as suggested by Rees and Lutkins.¹

None of the index patients in this study died at other sites—that is, in the street, etc—so it is not possible to consider the effect of such unexpected bereavements on the survival rates of their spouses. There was no difference, however, in survival rates between those spouses who were first aware of the nature of the patient's illness only after the death or for less than a month beforehand and those who had known for a longer period.

I would like to thank Dorothy Bannon and Felicity Craven for their help in tracing the bereaved spouses; Dr R A Dixon for statistical assistance; and Mr R Tiddy, electoral registration officer, and Mr H

Skidmore, director of housing, for their help in tracing. The Medical Care Research Unit is supported by a grant from the DHSS.

References

- ¹ Rees, W D, and Lutkins, S G, *British Medical Journal*, 1967, **4**, 13.
- ² Cox, P R, and Ford, J R, *Lancet*, 1964, **1**, 163.
- ³ Young, M, Benjamin, B, and Wallis, C, *Lancet*, 1963, **2**, 454.
- ⁴ Ward, A W M, *Terminal Care in Sheffield 1971-72*, unpublished PhD thesis, 1975.
- ⁵ Ward, A W M, and Bannon, D G, *Lancet*, 1973, **2**, 619.
- ⁶ Registrar General's *Quarterly Return, England and Wales*, No 498. 1973, 2nd quarter, p 35.
- ⁷ Clayton, P J, *Archives of General Psychiatry*, 1974, **30**, 747.

Letter from . . . Canada

The open hospital ajar

PETER J BANKS

British Medical Journal, 1976, **1**, 702-703

The Canadian doctor has always regarded the right to admit and treat his patients in hospital as an essential part of his professional birthright. This has been reiterated in every CMA statement on health insurance from the 1930s onwards. The reason is obvious. In earlier years, with poor communications, vast distances, and inclement weather, a small community would build and support a hospital as a bait to obtain a doctor. Every medical veteran, with two fluid ounces of encouragement, can regale his juniors with horrendous tales of medical melodrama—the desperate emergency with no help within a hundred miles, the fight to the hospital at night with the weather 50° below and a full blizzard. In comparison, Robert Service appears parochially suburban. A surprising number of the stories are true.

Later it was in the public interest to avoid a medical monopoly within a hospital. In some provinces there is even legislation to prevent a doctor from being frozen out of the public hospitals by his medical colleagues. Change came first to the big cities of the east, moving steadily west, and east to the Maritimes, paced by the development of university hospitals with closed teaching beds. With them came the classical town-gown confrontations. In the larger community hospitals the specialists began building restrictions to limit the practice of their non-specialised colleagues and now the ultra-specialists are trying to do the same. In the rural areas the general practitioner is still king. The hospitals are small, the facilities variable, and any attempt by parsimonious government to close these hospitals in the name of efficiency or economy has always been met with resolute public outcry. After all, the hospital payroll is often the biggest in town.

But a Canadian town can double or treble its population in as many decades and its hospitals grow with it. The variegated cutters usually move in first and, in the interests of high surgical standards (generously bolstered by personal self-interest), they soon set up credentials committees to limit the field. The physicians have a more difficult time, but the multiplication of

special diagnostic techniques gave them an edge, and now, with the rapid development of specialised units for coronary care, intensive care, renal dialysis, metabolic disease, or anything else that human ingenuity can devise, they are rapidly coming into their own. The general practitioners, feeling the pressure, metamorphosed into family doctors, developed a hopefully prestigious college of their own, and lobbied for departments of family medicine in the teaching centres and in the large community hospitals. One beloved euphemist in the wild west advertised to the public that he was a “general specialist.”

As a result, general practice, particularly out of hospitals, is now more than holding its own. As always, the real reasons are economic. Firstly, the public, tired of being bounced from specialist to specialist, demanded an entry into the health care system through their very own family doctor. Secondly, the provincial fee schedules were manipulated to make general practice fiscally rewarding as well as just hard work. The schedules were also altered to pay consulting fees only for work referred by family doctors, thus discouraging the specialists from providing direct personal service “off the street.”

Precarious balance

In the hospitals the balance remains precarious. The family doctors admit their cases and visit them. Consultants are called in by them subject to the requirements of the local hospital bylaws. Major surgery is progressively done only by specialists, and the specialised units are staffed exclusively by experts. The effects of this mix are both good and bad.

The benefits include the continuous education of all: general practitioners by specialists and, particularly concerning the individual patient, specialists by family practitioners. A large hospital may be well run with only a handful of junior, salaried doctors. This is economical. The intern staff get plenty of experience and there is a place in the community for the good ones at the end of their term of office. The specialists and consultants cannot keep their junior colleagues out of open competition and therefore they have to give good service, keep up-to-date, and stay humble. Successful surgeons sometimes avoid this last requirement, but that is genetically universal. The patients get the benefit of continuity of care from their own doctors combined with the skills of their specialist colleagues.

Victoria, British Columbia

PETER J BANKS, MD, FRCP, consulting physician

The bad effects include a nightmare for the hospital administration. Administrators like to remain in control; with a staff of several hundred doctors some of whom attend the hospital only infrequently, this is difficult. Standards are hard to monitor and, where there are several hospitals in town, a doctor, at cross purposes with one administration, may shift his practice to another. There exists the possibility of multiple mutual back-scratching relationships within the institution. Occasional conflicts arise about who is doing what to whom and when. In such an open hospital continuous medical audit of performance becomes an absolute necessity and this is very time-consuming if it is to be done properly.

The overall result of the open hospital system is that there is every incentive for the standards of medical care to improve. Family doctors working in such hospitals take their knowledge with them into the community. They cannot refer away their mistakes. They follow them into hospital. The specialist, and particularly the consultant, faces tough competition and, if his work falls off, so does his income.

Strength of Canadian medicine

Between the small rural hospitals, on the one hand, and the closed university hospitals, on the other, the large community

hospitals remain the strength of Canadian medicine. It is here, however, that the balance is unstable. Governments at all levels are looking for every way to reduce costs. Hospital construction is slowing and in some provinces they are already closing some down. The pressure for beds and work increases, particularly in the cities where doctors and their wives like to make their homes. In the name of redistribution of medical resources the perennial "I'm all right Jacks" try to limit the competition in an effort to obtain security. They now find an ally in the politicians. In British Columbia this year the College of Physicians and Surgeons has passed a regulation that immigrant doctors must practise in Northern British Columbia, and the Minister of Health applauded the decision. The Department of Human Rights are up in arms and I hope their point of view prevails. You either have a free system of open hospitals or you don't. Regulations to limit competition must remain minimal, otherwise the whole argument for fee-for-service payment for hospital specialists goes out the window and with it their independence and the open hospital.

In a wide open democracy like Canada with an uncontrollable press such a challenge to medical democracy will only give strength to those who wish to bring about their own particular brand of cultural revolution, and we have enough of them already.

Problems of Childhood

Squint

BRIAN HARCOURT

British Medical Journal, 1976, 1, 703-705

Squint and strabismus are synonymous terms used to describe conditions in which there is a tendency for the two eyes not to be simultaneously directed towards the object of regard. They result from some derangement of the binocular fixation reflexes which normally enable the eyes to be used together without strain, allowing stereoscopic vision. When the stimulus to maintain binocular single vision overrides the tendency for the eyes to become dissociated the strabismus is said to be latent, and this gives rise to eyestrain. When the eyes cease to fixate together the squint has become manifest. Squints usually arise in early childhood when the binocular reflexes are being acquired. If appreciable latent deviations are included as well as manifest deviations then squint has been reported as affecting 6-8% of children examined at the age of 6. Strabismus arising de novo in adult life is much rarer and then quite often indicates serious systemic disease.

Paralytic squint

Disorder of the motor side of the fixation reflexes affects the action of the extrinsic ocular muscles and leads to squint

on account of some limitation in the range of ocular movements. Such a squint is termed paralytic or incomitant and is most important as a sign of neurological disorder. Its distinguishing feature is a variation in the angle of squint in different directions of gaze. For instance, a left lateral rectus palsy due to sixth cranial nerve weakness produces a convergent squint which is maximum on looking towards the left and may be entirely absent on right lateral gaze.

Concomitant squint

Much commoner is concomitant squint in which there is no limitation in the movements of the eyes so that the squint is equally present in all directions of gaze, although its angle may vary between near and distance fixation. This type of squint is caused by derangement of the sensory side of the binocular fixation reflex or of the central co-ordinating mechanism. When an eye is blind or at least has very poor central vision there is no stimulus for fusion of the two retinal images so that the eyes drift into an uncoordinated rest position. In adults that is a position of divergence, but owing to strong accommodation in childhood such a defective eye usually exhibits a convergent squint. Sometimes the cause of the visual defect may be obvious from external ocular examination—for instance, dense corneal scarring. But in other patients the affected eye may appear normal and the presence of a squint may then be the first indication of very serious intraocular disease. For example, squint is the presenting sign in at least a quarter of all cases of retinoblastoma.

General Infirmary, Leeds 1

BRIAN HARCOURT, MB, FRCS, consultant ophthalmic surgeon