MR KLEIN: The medical profession also has an important educative role in trying to persuade nurses and ancillary workers that, for example, the woman who stabbed her baby should not be in prison but in a mental hospital. The medical profession does not carry conviction in psychiatry because it has interpreted leadership in a terribly narrow sense of "We take the clinical decisions and that is what leadership means." Actually leading a team means fighting its battles. You do not just tell them what to do but also kick up a fuss on their behalf.

To return to the main theme, isn't Dr Clare's paper saying that psychiatrists are very peripheral to psychiatry? For most of the patients most of the time it is the ancillary and nursing staff who are most important. To take the recent report on St Augustine's, what struck me was that here was a sort of closed community run by nurses: the doctors didn't really come into it. If that is the right way of organising things then the responsibility has to be put where the work is. If the nurses do 99% of the work in the chronic long-stay sector, providing the care, determining the environment, then shouldn't they be formally allowed responsibility? Isn't that partly what the whole argument is about? When you look at the various inquiries in the psychiatric and handicapped long-stay sector in recent years, how many of them were instigated by doctors? Not many. Surely, a sense of responsibility implies a duty to do something when things go wrong.

Appointments of speakers

- (1) Dr Stephen Lock, MB, FRCP, editor, *British Medical Journal*.
- (2) Professor Roger Dyson, BA, PHD, director of adult education, University of Keele.
- (3) Dr Anthony Smith, MA, BM, deputy editor, *BMJ*.
- (4) Mr Barry O'Donnell, FRCS, FRCSI, consultant paediatric surgeon, Our Lady's Hospital for Sick Children, Dublin.
- (5) Dr J R Bennett, MD, FRCP, consultant physician, Hull Royal Infirmary.
- (6) Dr David Guèret Wardle, PHD, MRCP, senior lecturer, Northwick Park Hospital, Harrow.
- (7) Miss Elizabeth Winder, SRN, nursing officer, renal unit, Guy's Hospital, London.
- (8) Dr Robert Lefever, MA, MB, general practitioner, London.
- (9) Mr Rudolf Klein, MA, professor of social policy, University of Bath.
- (10) Dr Anthony W Clare, MPHIL, MRCPsych, lecturer, Institute of Psychiatry, London.
- (11) Revd Dr Alastair V Campbell, MA, BDTLD, senior lecturer, Department of Christian Ethics and Practical Theology, University of Edinburgh.
- (12) Dr Evelyn Adey, MB, MRCP, community physician, child health, London.
- (13) Mr Desmond Browne, MA, barrister.

Where Shall John Go?

Boston, USA

ANTHONY E YOUNG

British Medical Journal, 1977, 2, 1642-1645

Most of the countries which John has so far been invited to consider have been, and will remain, unusual targets for a British doctor. Many will seem impossible because of language barriers or academic and clinical unsuitability. So it will do him no harm to turn his sights this week down the heavily trodden path that leads to Boston, Massachusetts, USA. That is what I did, and I have found it valuable, not only for academic and clinical insights, but for many subtler (and in the long term) more useful revelations that come from living in a country apparently so like the UK, yet in fact totally different.

Why Boston?

Bostonians like to refer to Boston as "The Hub," by which, of course, they mean the hub of the civilised world. This particular affectation may approximate to the truth so far as their medical institutions are concerned. Thus in this small city there are at least 100 foreign doctors on postdoctoral fellowships and

similar posts, many of whom are British. Why should Boston medicine be so eminent? It is probably a matter of motive and opportunity; motive is complex. In Boston, the American habit of aggressive self-advancement has been grafted on a long tradition of intellectualism. Even Dickens, who was no enthusiast for America, wrote in his *American Notes* (1843) that in Boston "the almighty dollar sinks into something insignificant amidst a whole pantheon of better gods." The aggressiveness of the intellectual habits of Boston has a very alien feel for one familiar with the gentler traditions of Britain, but it is thereby all the more stimulating for the visitor.

Opportunity is no less important than motive. Boston harbours a preposterous number of doctors. Since, in America, a doctor can sustain himself comfortably on relatively few patients, and since a free market system puts few pressures on that system to spread doctors evenly around the country, many doctors stay on in Boston. Since they are, by most standards, underemployed, they have both the opportunity and incentive to spend time on the details of medicine and medical research. The fact that relatively few university or hospital staff have irrevocable tenure of their posts adds piquancy to the continuing desire for noticeable achievements. To these things are added the substantial momentum of the universities.

The dominant institution is Harvard University, its medical school and associated teaching hospitals. Geographically, these are in two main parts. In downtown Boston is the megalithic Massachusetts General Hospital; confident, self-

St Thomas's Hospital Medical School, London SE1
ANTHONY E YOUNG, FRCS, lecturer in surgery

sufficient, and so densely staffed that at times almost everyone of importance in American medicine seems to have come from there.

In uptown Boston is the medical school campus with the preclinical departments, special institutions like the Sidney Farber Cancer Center, the Joslin Clinic for Diabetes, the Harvard School of Public Health, and the Countway Medical Library. The patients here are divided among many contiguous institutions, among which the most important are the Children's Hospital Medical Center, the Peter Bent Brigham Hospital, the Beth Israel Hospital, the Boston Hospital for Women, and the New England Deaconess Hospital.

In addition to Harvard, there is Boston University and Tufts University (both of which have medical schools) and the Lahey Clinic.

Who might want to come?

The answer is lecturers, senior registrars, and registrars in all specialties. Since it is the very detailed study of clinical material rather than the management of large numbers of patients that is peculiar to Boston the place is most suitable for those with an academic bent. Appropriate posts are clinical and research fellowships, and also instructor and associate posts. Hiring and firing is a flexible business in America, no less so in medicine. The would-be visitor, therefore, is unlikely to find a post by looking at the advertisements in American journals. Jobs must be arranged by personal contact, though some are filled on a regular basis by rotation from various British hospitals. Senior registrars or lecturers from the UK in popular specialties such as

general surgery or medicine will find they can come only as clinical or research fellows. These are nominally training posts. In "shortage" specialties, such as anaesthesia and radiology, the British graduate may be able to come as an instructor, or even as an assistant professor, and will have the pleasure of turning the tables on his general medical and surgical colleagues by being paid twice or three times as much as they are. The visa required for any of these posts will usually be an "exchange visitor" visa (J1), but will occasionally be an H1 visa ("distinguished merit and ability").

Research and clinical work

If you are coming to a purely research post with no clinical contact, all you will need to get for your visa—from the institution that you are going to—is form DSP66. If, however, your post will include any clinical contact, then life becomes much more complicated. Recent amendments to the law in the USA (Health Professions Educational Assistance Act) have made it almost impossible not only for a doctor to immigrate into the USA, but also to fill any clinical training posts. How the new laws will be interpreted in relation to clinical fellowships, and to research and teaching posts with clinical contact, remains to be seen. Nevertheless, all those who come to such posts will be required to sit the "visa qualifying examination" (VQE). This replaces the old "ECFMG" and will be longer and harder.

Boston is ideal for the British graduate wanting a year's research, as there are high-budget, high-technology programmes in almost every subject—a kind of research not always available

FIG 2—Old Boston in the winter.

in the UK. Although there has been a reduction in research funding over the last few years, research here remains, by British standards, lavish. Clinical researchers are so numerous that discussions and idea swapping, fuelled by the inevitable coffee and doughnuts, can happen daily without the need to travel far. The tying of available money to particular projects, and the rigmarole of seeking Human Studies Committee approvals make the pursuit of personal research at times very difficult.

Clinical fellowships allow close scrutiny of the methods and habits of one or a few physicians or surgeons, but, where the care of patients is concerned, the fellow is often in limbo, for he may be concerned with the care of the patient, but *providing* it is left to the interns, residents, and attending physicians (consultants). This status is especially frustrating for surgeons, as only rarely will they find themselves holding a knife. Doctors in associate posts usually have full clinical responsibilities. By contrast, researchers have difficulty in getting clinical experience, partly because residents may resent their intrusion, and partly because British-style ward rounds are uncommon. So-called "grand rounds" are just formal presentations in auditoria.

Living

Boston is without a doubt an agreeable place to live. A particular attraction of the city is its humane scale. Large enough to support that cultural index, a symphony orchestra; old enough to be spared the astringent character of other American cities, yet small enough to walk around; a very "European" city, in which no Briton will feel uncomfortable. Most of the city is surrounded by well-planned, attractive suburban towns, where the predominant view is of white painted, woodframed houses, built now just as they were 200 years ago, surrounded by unfenced lawns set in the dense woodland that seems to cover the whole of Eastern Massachusetts.

The cost of living is high. It is said that the only place in the USA more expensive to live is Honolulu. At first sight one wonders how it can be so when petrol is \$0.60 a US gallon, beef \$1.50 a pound, and sound California wine \$2.00 a bottle. But try to insure a car (up to \$1500 a year), park it (\$3.00 a morning), or get a mechanic to fix it (\$20.00 an hour) and you soon discover how. Before I came to the USA I was told that one needed "\$12 000 to survive, \$16 000 to be comfortable, and \$20 000 really to enjoy oneself." In retrospect, this proved to be the only accurate piece of advice among the many offered.

A feature of American life is that nothing is free. Perhaps that is just a reflection of basic American philosophy, but it means that everything from art galleries to high school jamborees costs at least \$1.00. An extra expense is furnishing a house, as furnished property is extremely difficult to find.

New England reflects in miniature the huge swings of climate experienced by much of North America, but none the less the winter is long and cold. Last winter the snow lay on the ground from December until the end of March with temperatures that rarely rose above freezing and often fell to near 0°F. Spring was precipitate and April saw both snow and temperatures in the 80's. The summer is hot and often humid. Fall, the perfect season, is mild and sunny and New England is overpoweringly beautiful as it comes ablaze with the autumn foliage of maples and oaks. New Englanders complain of their climate, but for the Briton, inured to overcast skies, this seems a strange complaint as winter, summer, spring, and fall the sun shines almost every day. A source of amazement to the British visitor is the accuracy of weather forecasts, accurate enough for weekend recreations to be planned well in advance.

American way of life

To the outsider, eating in America appears to be a religious activity, a sort of tribute to the Good Life. Its shrines are MacDonald's, Friendly's, Howard Johnson's, and all the other fast-food places. Its sacraments are the double-egg cheeseburger, blueberry pie, peanut butter and jelly sandwiches, and hot fudge sundaes. Americans refer to it all as "glop" or "junk" food, but life remains one long snack. It is easy to damn American food,

FIG 3—Printed with the kind permission of *Private Practice*.

and equally easy to fall into their obese ways. Aside from the "glop" there is good food to be had in Boston. Seafood is a must. Lobsters, swordfish, bluefish, and scrod must all be tried. Clam chowder on winter days, and charcoal-broiled steaks at summer cookouts, are a healthy staple. The less said about American beer the better.

The American language is a variant of English. The differences are quickly appreciated, though the medical abbreviations take some time to interpret. There are, however, pitfalls. A surgical fellow recently at the Lahey Clinic from St Bartholomew's would customarily exclaim, as he left the operating room, that he was "dying for a fag." The horrified looks which this comment attracted he attributed to anti-smoking sentiment . . . until a colleague quickly explained that in America a "fag" is a male homosexual prostitute.

There is no shortage of entertainment in and around Boston. What you do depends on what you can afford. If you are rich, you can spend your winter weekends downhill skiing in Vermont or New Hampshire, and the summer sailing off Cape Cod—at night attending the ballet or the theatre. More likely you will have to "make do" with cross-country skiing, skating, and tobogganing in the winter, canoeing on the Charles River or cycling in the summer; at night, going to the movies or having a cookout with friends. Because petrol is so cheap in America, you can rediscover that lost British habit of "going for a drive."

Health care services

I came to America disenchanted with the NHS, expecting to find a system free of bureaucracy and sensitive to the needs of patients. To my surprise, I found doctors here beset by a bureaucracy more pervasive than the NHS. In addition to federal, state, and institutional surveillance, there is the burden of accounting departments, the form filling for Blue Cross/Blue

Shield, perpetual efforts to making things "cost-effective." In the US, a doctor's judgment in relation to the care of his patient is in no way as sacrosanct as it is in the UK. The PSROs (Professional Standards Review Organisation), the Bed Utilisation Committee, the chief of service, and hospital administrators are conspicuously peering over your shoulder (see figure.) In some cases, second opinions are mandatory before a patient is allowed to undergo surgery. But, for all this, doctors here do not seem to feel as oppressed as we do in the UK. This is partly because they do not yet have the politicians as heavily on their backs, but it also must result from their comfortable incomes and, in the hospitals I saw, the very successful and happy marriage of private practice and clinic (welfare) practice under one roof. Patients in America seem more knowledgeable and less phlegmatic about their diseases than Britons, and it is the habit here to explain things fully and more frankly (though I have not noticed that this has led to less anxiety in the patients). Medicine in Boston is in abundance: there is an expert in everything, a test for everything, and no waiting lists; and doctors are readily available to their patients. The consultants' parking lot is full on Saturdays and Sundays. There are incessant lectures and seminars and "grand rounds." With all this fire power brought to bear, do the patients here get better care than in, say, London? My impression is that more often than not they do, but not infrequently I suspect that they do less well because there are side effects to the blitzkrieg, particularly overinvestigation and overtreatment. These, of course, are matters of opinion, but I have found, for example, chronic renal dialysis of patients in their 80s, and intensive cytotoxic therapy for those with terminal adenocarcinoma particularly difficult to accept. But, for all that, Boston medicine must be among the best in the world, and thus a good yardstick with which to judge the NHS. The making of that comparison is perhaps the most important feature of a year spent in the USA, for, as Kipling observed, "What should they know of England who only England know".

Is there any hazard from asbestos on ironing boards?

Occupational exposure to inhalation of asbestos dust particles may cause cancer of the lung, mesothelium, and possibly gastrointestinal tract. In those heavily exposed the risk is considerable. As with other carcinogens, however, the risk is proportional to the dose and becomes indiscernible when exposure is very low. People living down-wind from asbestos plants or secondarily exposed to asbestos—for example, when laundering dusty overalls—are known to be at increased risk but there is no hard evidence that any exposure less than this is hazardous.

For an ironing board asbestos pad to constitute a cancer hazard it would have to be broken up into particles that are then rendered airborne. This does not normally happen, and it would be unreasonable to be concerned about the odd fibre that might from time to time become detached from the surface. If, however, for any reason an asbestos pad flakes or becomes fragmented it should be put carefully in an airtight plastic bag and disposed of immediately. Asbestos is used on ironing boards to prevent fire and, unless an adequate alternative to its use for this purpose can be found, it would be foolish to risk early death by fire rather than what is almost certainly a negligible risk of developing cancer at a later date if the odd fibre is rubbed off the surface.

What is the precise cause of pain in muscles when acute stiffness sets in after unfamiliar exercise, and what is the best treatment for this?

This interesting and rather difficult question does not lend itself to a very precise answer. Unaccustomed exertion generates a dull aching muscle pain that may persist for days in the absence of any other symptoms and, in particular, in the absence of any impairment of blood supply. It is usually attributed to overload and injury of muscles

and tendons, and when the exercise becomes habitual then hypertrophy of the muscle and its attachments and associated ligaments and tendons reduces the likelihood of damage and the pain gradually diminishes and disappears.^{1 2} The best treatment, in the absence of any cause such as polymyositis or other inflammatory processes, is reassurance and carefully graded exercise together with simple analgesics, such as aspirin, for the pain. Hot baths are traditionally considered beneficial also.

¹ Rodbard, S, *American Heart Journal*, 1975, **90**, 84.

² Rodbard, S, *Headache*, 1970, **10**, 105.

What equipment and medication is necessary to treat vasovagal shock after insertion of an intrauterine contraceptive device?

This should be prevented by care and gentleness in insertion, observation of the patient's reactions during the various procedures, and a willingness to desist in the face of all except the most minor difficulty. Rarely does the patient faint without warning. The warning should be heeded. If the patient really must have an intrauterine device inserted it can be done under anaesthesia. Treatment is by removing the device, not perhaps because it is dangerous in itself but because it is the proximate source of the anxiety that has been generated, and it is important to diminish this. Then the legs might be raised about 20°. This at least prevents the doctor or nurse from rushing to other treatments and keeps them occupied. The patient will then recover and have no further anxieties from misjudged oxygen administration and adrenaline injections, though these two should perhaps always be available. Heaven forbid that any other resuscitative measures should need to be considered, but external cardiac massage and artificial respiration of some sort should be within the competence of any doctor.