Discussion

Over 29 hours 8.16 g intravenous lignocaine and 0.9 g disopyramide by mouth were administered. Toxicity in this case caused conduction disturbance, prolonged QT interval, and ventricular fibrillation. The ventricular fibrillation (fig 1b) is unusual, as it appears to turn over on itself and is known as "twisting points," or torsade de pointes, and is associated with a prolonged QT interval² from whatever cause. Isoprenaline has been suggested for the management of torsade de pointes and prolonged QT interval,² but ventricular fibrillation recurred with a very small dose. One 10 ml bolus of 10% calcium gluconate corrected the disturbance of rhythm and conduction. This has not been reported. The ECG abnormalities were corrected and ventricular irritability disappeared by giving intravenous calcium and potassium and stopping antiarrhythmic treatment.

Antiarrhythmic agents are commonly used. Recognising the

ECG changes that are associated with toxic concentrations of these agents is essential to avoid life-threatening arrhythmias. Stopping treatment immediately, correcting electrolyte abnormalities, and overdrive atrial pacing were used successfully in this patient.

I thank Dr D E Jewitt, director, cardiac department, King's College Hospital, for permission to report this case.

References

- ¹ Harrison DC. Should lidocaine be administered routinely to all patients after acute myocardial infarction? *Circulation* 1978;**58**:581-4.
- ² Krikler DM, Curry PVL. Torsade de pointes, an atypical ventricular tachycardia. *Br Heart J* 1976;**38**:117-20.

(Accepted 26 October 1979)

Medical Education

Medical education in London

SIR JOHN ELLIS

In October 1941 the Government outlined plans for a post-war hospital policy. It was to provide a co-ordinated, regionalised, largely State-funded hospital service with special arrangements for educational grants to teaching hospitals. In March 1942 the Government set up an interdepartmental committee under Sir William Goodenough to inquire into the organisation of medical schools and their facilities for clinical teaching and research and to recommend how they should relate to the future hospital service.

When the Goodenough Committee reported in 1944 it came out clearly and categorically with the recommendation that medical students should be educated as well as trained. It recommended a preregistration year to be followed by further postgraduate training. It considered whether it would be better: (a) for teaching hospitals to continue to run the medical schools; (b) for the teaching hospitals to be run by the university; or (c) for equally independent schools and hospitals to work together. It opted for the last and recommended that each of the 12 London schools become (as in fact the London School of Medicine had always been and St Bartholomew's had succeeded in becoming by Royal Charter in 1921) an independent corporate body, with strong university representation on its council of governors, able to deal on equal terms with the teaching hospital, and thus marry the needs of care with those of education.

The Goodenough Report was read by few, which was not altogether surprising because although it only cost three shillings and sixpence and was worth every penny, most people in May 1944 were more concerned with the Allied invasion of Normandy. None the less, those recommendations of Goodenough

which required parliamentary legislation were implemented along with the National Health Service. In 1948 the London teaching hospitals became State hospitals, but each under a board of governors responsible direct to the Minister of Health—and the London medical schools became independent corporate bodies, each with its own council of governors empowered to run its finances and own its premises. Also, overnight, the National Health Service solved one of the two requirements for postgraduate training—how to pay the trainee—by providing large numbers of junior hospital posts in which young doctors could practise under supervision while earning what was euphemistically called a salary. The other requirements—training programmes and facilities—did not occur to anyone at the time—except perhaps the trainees. But they were there, not always recognised as such, but getting what training they could—thousands of them—and so without any announcement and really without anyone realising what was happening, Britain embarked on a two-stage preparation for medicine. The third, intermediate stage of preregistration training was implemented in 1953.

In 1957 the General Medical Council abandoned its system of controlling standards by prescribing a minimum timetabled curriculum and issued new recommendations urging the schools to instruct less and educate more, and giving them freedom (which it said should be equally well regarded as a duty) to experiment with the course.

Changes in the provinces and London

Frustrating though it is for young and old alike, while medical education is quickly altered by changes in medical practice, deliberate changes to improve it are inevitably a slow business which proceeds at different speeds in different places. The provincial schools in 1948, comprising both university and hospital, were well situated for the joint advance of both, and

*Based on the Schorstein Memorial Lecture delivered at the London Hospital Medical College on 18 October 1979.

were able to profit from a long period through the '50s and '60s during which the country was investing in university education. There was a slight hitch owing to the fear that we were making too many doctors (less than 2000 per annum), and the Willink Committee recommended a reduction in medical school places. No sooner had this begun than the error was realised, and the University Grants Committee (UGC) found itself faced with the need to expand medical education at the fastest rate compatible with the maintenance of standards. There was great pressure to start new schools. Lord Taylor of Harlow, a Government minister at the time, was adamant that no fewer than 24 new medical schools should be started at once. To the UGC, however, the need to maintain quality was as great as the need to increase quantity, and maintaining quality required nothing less than the modernisation of every medical school so as to provide it with the facilities and range of staff it would need. Such provision could not be made many times over for schools taking 70 or so students per year. Schools would have to be bigger—at least twice as big as hitherto, at least 150 per annum.

The decision was taken to combine modernisation and expansion by rebuilding existing schools to about twice their previous size. There would be few new schools. I was a member of the UGC's medical subcommittee at the time, and I still believe the right decision was taken.

The first wave of expansion began about 1960, with the aim of rebuilding to the new requirements and size all the provincial medical schools. It has progressed steadily and a most substantial national investment has been made. In most cases a second teaching hospital has been created and a range of associated hospitals. The universities have appointed large numbers of academic clinical staff. Innovations in curricula and teaching methods have been made and the problems of handling large intakes of students have been encountered. In all cases the university has been the undisputed arbiter of medical school policy and an effective collaborator with teaching hospitals and region in planning health care in accordance with the needs of education, training, and research.

But the situation in London developed very differently. From 1948 onwards the schools depended on Government funds, allocated by the UGC to the university and dispensed by the court. Much attention was paid at the university to ensuring a common standard, by regulations governing the medical curriculum and by common external examinations. University governance, however, included little opportunity for participation by the medical schools as such. The schools' forum remained where it had been, outside the university, in the Conference of Deans. Inside the university the faculty was divided into boards of studies—a series of parallel bodies concerned with subjects, with all schools represented in each. This is a system well designed to conserve the interests of subjects rather than to provide the cohesion of the course as a whole. It is a system certain to ensure that the schools move together in convoy—but the speed of a convoy is that of the slowest ship.

In 1948 the 12 undergraduate medical schools assumed their new independent status as corporate bodies, and the boards of governors of teaching hospitals their new role. No doubt all would have gone well had school and hospital wanted the same things, albeit for different reasons—as to all intents and purposes they had for the preceding 100 years.

But the schools needed the wherewithal to adapt their education to modern medicine. They needed space, new kinds of learning and teaching space, and above all space for research. They needed academic units in pathology and especially in the clinical subjects. And they were geared to general medicine and general surgery, not to specialties. They needed a very great deal which only the boards of governors could make possible, by implementing slowly over a long period a hospital policy elaborated in close collaboration with the school.

Such collaboration was not too difficult to achieve in the provinces, where teaching hospital governors could meet with the local university, a visible, tangible, altogether credible

institution with a well-known and steadily growing clinical professoriate. To the board of governors of a London teaching hospital, however, the university was no more than some unseen entity spoken of by the few spokesmen of the hospital's own medical school. Moreover, each school had only a very few clinical professors but a very large number of part-time clinical teachers, the consultants of the hospital, whose views on medical education were often related more closely to the past than to the present or the future. And, of course, students were no longer of any importance to the hospital's governors. Much of what they used to do, dressings and so on, were not needed any more—and State hospitals could afford to employ porters.

To make matters worse few teaching hospitals had or could elaborate a policy. Most had an ethos—to preserve standards by selecting the types of care to be given, thus providing a centre of excellence. That ethos can lead to a clearcut policy only if a hospital is able to build and expand without reference to others, which few in London could do at the time. Inevitably, therefore, the development of most London teaching hospitals was decided by factors outside both hospital and school.

The demands of specialties

The Health Service found itself faced with a rapidly increasing demand for specialised services. It could not elaborate them at anything near the same speed. It could, however, transport those needing them to those few hospitals which had them. Thus the London teaching hospitals, which for so long had served their local population, and which had now been set aside to serve the needs of education, began instead to bear the brunt of the specialised services for their regions, opening their doors to more and more people from far afield. Unable to expand, they became less and less available to the local population. General medicine and general surgery were in ever-increasing conflict with the new specialties. Both suffered—general units became smaller and contained an ever-greater element of a special interest—specialised units had insufficient beds and facilities to cope with the increasing demands upon them. Conflict rather than collaboration characterised the relationship of school and hospital.

This difficult situation was complicated still further by the development from 1948 onwards of the Postgraduate Federation, aiming to provide a university institute in each major specialty in a postgraduate single-specialty hospital. The idea was to improve the provision in London of postgraduate training for visitors—and also, of course, to advance each specialty by academic endeavour.

In the '40s it was not likely that any general hospital would provide growing space for the academic advance of any specialty. It seemed essential to protect each tender young institute by potting it out separately. But by the '60s no specialty could easily thrive in isolation, some were already pot-bound, and in each a monopoly situation had developed. Meanwhile the general teaching hospitals were denied the unimpeded growth so necessary to them. The University of London as a whole absorbed a sizable part of the UGC's medical cake, but once divided about 30 times no single place could do much with what it could get. London remained a muddle.

Meanwhile postgraduate training had grown greatly in quantity and very little in quality. The ever-increasing number of young doctors aiming at hospital medicine were on average spending 13 postgraduate years before becoming consultants. During that time they found their way from job to job, often from town to town, usually without a guide. Little deliberate training was given—and little formally organised educational activity was available. They worked extremely hard, for long hours, in poor conditions, for such low pay that most could make both ends meet only by taking on extra work—usually by taking over general practices at night, weekends, and holidays. In this period junior hospital doctors suffered greatly, and their seniors, to their shame, did little to put this right.

But 1961 to some extent marked a turning point. With the Christchurch Conference came a clearer understanding of the stages of medical education—undergraduate, graduate, postgraduate, and continuing. The concept of “postgraduate medical centres” was accepted, and between 1960 and 1970 nearly 300 were established in England and Wales. Equally important was a change of attitude in the Department of Health towards these stages of medical education—away from a firm belief that they were no concern of the NHS to an active engagement in them. As a result, apart from improvement in pay, came study leave, money for hospital libraries, and support for continuing education and for vocational training schemes. But still there were no training programmes, no approved posts, no means of ensuring adequate facilities, no method of establishing and maintaining standards, and no single body with any statutory responsibility for postgraduate medical education.

So in the middle 'sixties two major problems stood out—the organisation of postgraduate training and London—and until some solution to the latter was found there could be no further increase in the number of student places. It was clear that no existing body could solve these problems. The obvious and only course of action was a Royal Commission, and one Wednesday afternoon in 53 Philpot Street, across the road from this College Hall, a memorandum to that effect was written. In the autumn of 1965 the Commission went to work under the chairmanship of Lord Todd, and in April 1968 it reported. Its main contention that the preparation of a doctor should be a three-stage process came as a shock only to that portion of the profession who had failed to notice that the process had been steadily evolving over the past 20 years.

Todd's recommendations

In July 1969 the Government announced its preparedness to implement the report. It could not, of course, command universities to provide a flexible undergraduate course, or London University to reorganise—but it alone could fund such things, fund postgraduate development, make vocational training for general practitioners mandatory, and make the General Medical Council responsible for postgraduate training. It was ready to do so, and then the profession asked for time. It claimed that it was being rushed into accepting revolutionary ideas which it had not had time adequately to consider, since Richard Davies had first advocated them in 1759, William Goodenough in 1944, the Cohen Report a few years later, and the General Medical Council in 1957 and 1967.

However, while the profession caught up on its reading, and the Merrison Committee went over the same ground again, and came to the same conclusion, and while Britain entered the Common Market, the reorganisation of postgraduate training went on, as recommended by Todd, but with a rigidity that was not intended and is not desirable. It has improved, though there is a long way to go yet. There has been little study of the processes of training, its duration is still very arbitrarily determined, and most of us have yet to learn that our capacity to train a single individual is finite. In some jobs senior registrars linger on frustratingly, repeating the same clinical experience, but lacking the necessary increase in responsibility, long after they have absorbed the last morsel of training their trainers have to offer.

So ten years ticked by, with the medical schools and the General Medical Council waiting for legislation which would make vocational training for general practice mandatory and free them from the legal constraints laid down in the days when medical schools turned schoolboys into general practitioners. It came at last, in 1978.

Over the same ten years London looked at the Todd proposals for London, with frank distaste.

In regard to London, Todd made six major recommendations. (1) The number of preclinical places should be increased from around 800 to 1200 in the first instance—so as to allow maximal

educational use to be made of the country's largest single concentration of medical resources. (2) The number of schools should be reduced from 12 to 6, by pairing them—so as to allow preclinical departments of a viable size and each school to have access to a full range of clinical departments with academic staff. (3) Each paired medical school should come into association with a multifaculty college—so as to enable teachers in medical schools to come in contact with teachers in other university disciplines and vice versa. (4) Postgraduate institutes should come into association with the paired medical schools—so as to end the isolation of the former and provide the latter with academic staff in specialties. (5) Money should be provided forthwith to start filling the gaps in academic staffing. (6) General responsibility for the implementation of the complete plan for London should be placed in the hands of a committee with representation of the University, the UGC, and the health authorities and with an independent chairman and members—and the committee “should remain in being long enough to ensure that, in future developments, short-term convenience is not allowed to nullify long-term planning.”

Not surprisingly, contact with non-medical university departments still held no attractions for those who had chosen to work in medical schools which lacked it. The Institutes argued that they were centres of excellence, which was true, and that, therefore, they should be left alone, which was a non-sequitur, and should be provided with all they needed in money, manpower, and buildings—which was wholly impracticable.

The increase in student numbers has been implemented over the past decade. Each of the 12 schools has expanded, some more than others. All have a preclinical entry of around 100 per year, but this is something they will not be able to maintain unless the total number of student places in London is increased above 1200. Almost before the ink was dry on the Todd Report it was decided to rebuild St George's and Charing Cross as complete and independent schools each to take upwards of 160 students per annum. Once they are able to do so there will be only some 880 left to divide between the remaining 10.

The committee to implement change in London was found unacceptable—but the need for one has been confirmed by the regularly repeated establishment of different kinds of top-level combinations of health authorities, UGC, and university. The present one is called the London Health Planning Consortium. It does not have an independent chairman.

The Senate appointed a Todd Steering Committee, which wrestled manfully with different permutations of twinning—concentrating on long-term capital development and firmly ignoring immediate functional relationships. Its greatest success was, therefore, in ensuring that long-term planning nullified short-term progress.

Joint policy committees were established between pairs of schools, but few felt the need for functional twinning—with the exception of St Bartholomew's and the London. These two decided that they could do more together than they could do separately. They now have joint academic units in seven subjects and joint staff or joined activities in a number of others. And this collaborative effort has enabled each school to make other developments which would otherwise have been impossible. Equally important, the two schools have been able to collaborate jointly with the health authorities of the area and region.

The remaining Todd recommendation—money forthwith—attracted surprisingly little attention until schools had drawn up their development proposals for the 1972-6 quinquennium and realised that the 3% for development which they were told they might expect would scarcely allow them to stand still. The Conference of Metropolitan Deans then requested the university to ask the UGC for the funds recommended by Todd. The UGC replied by allocating large sums for clinical academic development in the schools, and the implementation of this one recommendation has changed the face of London. As a result, at the London the Medical School has increased by some 16 professors and 32 senior lecturers in clinical and pathological

and allied subjects, including joint appointments. The same sort of development has gone on across the London schools during the 1970s, and they have become university medical schools to an extent they never were before. This new educational capacity has been matched by changes in revised regulations for the MB degree, and by changes in university organisation to allow representation of the schools as such.

Dealing with London's muddle

For the first time university medicine in London has been able to speak with a single coherent voice to organisations such as the health service and draw attention to the fact that its medical schools have changed and in such a way as to make a great difference, not only to medical education, but to the health resources available in London. Till then the Department of Health and the Thames regions had no way of knowing that by one appointment after another, in one place or another, a whole new army of clinical personnel, of high quality and widely ranging special expertise, backed by university scientific departments in medical schools and multifaculty colleges, had been added to the resources of London.

Over the same period a no less dramatic change has overtaken the teaching hospitals. They have lost their boards of governors, and the Health Service which had forced them to become specialty centres has since 1974 required them to resume their responsibilities as district hospitals.

The resulting combination of district care on the one hand, and a range of interdependent specialty units containing academic staff on the other, spread over a complex of hospitals, the whole backed up by well-developed common support services able to reach deep into university departments, comprises a university medical centre. It is necessary for medical education. It is necessary for the solution of clinical problems which cannot be solved in other district hospitals but which occur in ever increasing numbers. It is necessary to make progress in health care. But this complex of university and NHS facilities can never be provided in every district or even area throughout the country. They can exist only where there is a university, and even were limitless money and manpower available there would be a limit to the number of such centres which could remain viable in close proximity to each other.

London now has 12 university medical schools and 12 university medical centres and numerous university post-graduate institutions. The additional moneys which have brought about the change were recommended for the academic development of six paired schools—but when they came they came to all, in varying quantities, and without reference to any kind of overall plan. The result, it must be faced, is a bigger muddle than Todd set out to try to solve in 1965, compounded by collapse of the national economy and all the other difficulties that has brought in its train.

But the deterioration has brought one great advantage, for whatever is proposed now as the solution to the problem of London will be proposed to people who cannot possibly fail to see that there are problems. Ten years ago that was not so. London's past success had given it a slight touch of the Mohamed Ali syndrome. So London stuffed its unacceptable problems under the carpet, sat a steering committee on the middle of it and joint policy committees round the edge, and went on regardless. Now inevitably a decade later, as the 30 or so university medical institutions collectively face independent bankruptcy, the carpet has been pulled smartly away—revealing the same old problems which have gone a bit mouldy and grown some new ones, as things do after 10 years under a carpet.

The temptation now, of course, is to hack the quickest way through to financial solvency, without waiting to think what should be saved of the best from the past, nor stopping to consider what might be best for the future. That would be a tragedy, because there are features of the old hospital medical schools that can continue to be of the greatest benefit to medical

education, and in the various parts of London everything needed for medical schools appropriate to the twenty-first century is at hand to a degree that cannot easily be matched anywhere else in the country.

A twenty-first century school will need to relate to a Health Service complex serving a local population of over half a million, preferably in a compact geographical area, including specialised as well as general hospitals. It will need close contact with the non-medical elements of a university—just as they will need close contact with it. It will have to have an entry of at least 200 per annum. How such a school could be created and function in London is easily visualised.

The BLQ model

Let us suppose that the Medical Colleges of St Bartholomew's and the London have one academic board. It could relate to the University of London exactly as the two academic boards now do. It could relate also to the present area—with its 600 000 local population and 500 000 commuters—even more effectively than now. It could relate to the academic board of Queen Mary College.

The courses to be offered in, let us call it the New Medical School, would be designed by the academic board so as to use all the teaching resources of St Bartholomew's and the London and Queen Mary College, and all the clinical resources of the area. There would not, I hope, be one single curriculum but a number of different options. All students would, I hope, have the opportunity for a period of study in depth during the course.

The potential would be enormous, in patients, staff, and facilities. But making the necessary resources available is one thing. Arranging them in appropriate programmes or curricula is another—but much the most important is personalising the course, making the right programmes, the right teachers, and the right resources available to the individual student at the right time. This is what is so difficult in large schools. A separate educational organisation is required—non-teaching but tutorial. It could easily be provided here by maintaining within the New Medical School the present colleges, not as medical schools but as colleges, like those at Oxford and Cambridge, each responsible for the personal care and development and discipline of half the total student body—using, as tutors, fellows drawn from NHS and academic staff. The colleges would revert once more to exactly the same functions they fulfilled in the heyday of the hospital medical schools, including the provision of residence and the maintenance of those classic London organisations the clubs unions—providing those opportunities for extracurricular contact between seniors and juniors which are so important in the preparation of doctors.

The equally necessary contact between medicine (staff and students) and the non-medical faculties can be realised by concentrating the basic medical sciences at Queen Mary College alongside Mile End Hospital, and adjoining the joint academic units of community orientated subjects (general practice, gerontology, obstetrics, and epidemiology) which are now being planned as the first phase of BLQ.

The New Medical School would be the size of the medical faculty of a provincial university, but experience has shown that a medical school is very different from a faculty of law or engineering or anything else. It is very much more expensive, and, unlike any other faculty, it has to relate, daily in the most intimate way, with a government service. From the payment of cleaners to the appointment of senior staff, and above all in the patient care given by its own staff and students, the medical school has to work with the National Health Service. And it has to have premises in or alongside a wide variety of hospitals and health service facilities. The modern medical school must have, as the London schools alone now have, its own finance department, its own administration, and its own council of governors. In so doing it would retain what only the London schools now have—members of the lay public participating in

the preparation of doctors. Our New Medical School would be in federal relationship with Queen Mary College—a combination equal in size to many a university outside London.

A standard for the twenty-first century

I cannot see any difficulty in bringing to reality the example I have given. It could begin tomorrow. Neither its start nor its success need depend on capital expenditure. All that is needed is the willingness to capitalise on the availability in the East End of London of all that is required to create a medical school and university appropriate to the twenty-first century. In how many other parts of London, or Britain, it is equally possible to do the same I am not in a position to say. Of this, however, I am sure—just as in the past the London schools were able to provide medical education wholly appropriate to the time, to a standard unsurpassed elsewhere, so they can again, because they will be able to unite university and hospital in a special way.

Medical education will need more and more in the future that which only a university can provide. But it will also need something else which has in the past been inculcated better by the hospital schools of London than by any other means. One can call it a sense of service, and it has something to do with

that grossly overused and now hopelessly confusing word "caring."

This, in the end of the play, is what medical education is all about. The wards of London teaching hospitals, altered a little from time to time, have been filled night and day for hundreds of years with all the suffering and courage, the hopes and fears, known to mankind. Generations of men and women have given of their best to help others. A tradition of service has been built up, not just limited to the comfort of the individual, but concerned for the betterment of man. No student seeking knowledge and skill should be able to avoid it.

The schools that were born of the old hospital charities and run by them for a hundred years are now a main repository of that tradition. They must not lose it, nor need they, now that it can be combined with the search for quality that is the purpose of academic freedom in a university.

They have only to refuse ever to think of themselves as centres of excellence. Instead the relentless endless pursuit of excellence must be their driving force.

"The Schorstein Memorial Lecture traced the story of medical education in London from the foundation of medical schools in the voluntary hospitals in the late eighteenth century. It described how these became unique and highly successful hospital medical schools, taken over and run by hospital charities until 1948."

Reading for Pleasure

Two weeks in another place

B T JACKSON

Like most busy surgeons, I imagine, I have far too little time for non-professional reading. Almost invariably I relax with a book for 20 minutes or so at night before turning out the light, but this enables me to read only a smallish number of books during the course of a year, despite my fairly rapid reading speed. It is with special delight, therefore, that each summer I look forward to a fortnight away from London, hospital, and telephone, during which time I can laze in the sun, cool off with a swim in warm water (aided of course by the regular imbibition of iced drinks), and indulge in reading voraciously for pleasure.

The day before the holiday starts I make a prolonged visit to a local bookshop that is especially well stocked with paperbacks. Hardbacks, of course, are too bulky and too heavy to take abroad in large numbers—to say nothing of their expense—which probably accounts for my acute feelings of guilt if suntan oil gets on their pages. After the delight of choosing comes the delight of deciding which are for the hold and which are for the hand baggage, an increasingly important consideration now that airport delays are so annoyingly frequent (18 unexpected hours in Malaga airport last year enabled me to get through two extra novels). And then we are away—this year to the colourful and scenic island of Madeira.

In-flight reading is regularly interrupted by drinks and meals, so lightweight adventure stories seem just the thing. This year

I chose Clive Cussler's *Iceberg*, largely because I had previously read and enjoyed the same author's *Raise the Titanic*, an imaginative escapist fantasy with a nice tinge of sex and violence. On this occasion, alas, I was disappointed because the story seemed to be almost all sex and violence with only the merest hint of escapist fantasy. The final pages, however, produced a glow of nostalgic pleasure as the action took place in the subterranean tunnels of the Pirates of the Caribbean, the showpiece of Disneyland, California. Readers who have been to Disneyland and taken the 20-minute boat ride through this superbly animated Madame Tussaud's will know exactly what I mean. Those who have not have a treat in store—do not miss it on any account.

In the sunshine

Day one in the sunshine called for more serious fare and Alastair Cooke's *Six Men* provided sheer delight. Six exquisitely phrased, irresistibly readable short portraits of notables personally known to and admired by Cooke—show-business personalities (Chaplin and Bogart), a politician (Stevenson), a journalist (H L Mencken), an academic (Russell), and royalty (Edward VIII). The subjects lived and breathed again.

For many years I have been conscious of being less than knowledgeable about the conditions and circumstances of the first world war. Many years ago the film *All Quiet on the Western Front* made a vivid impression on me, as did, in a rather

St Thomas's Hospital, London SE1

B T JACKSON, MS, FRCS, consultant surgeon