PRACTICE OBSERVED

Emergencies in the Home

Chest pain and cardiac arrest

DAVID RAWLINS

The first problem in managing severe chest pain is that of diagnosis. The main differential diagnosis is between myocardial infarction, pulmonary embolism, and dissecting aneurysm. Usually the history has to be relied upon in the diagnosis at home since signs are not helpful for diagnosis in the early stages of these illnesses, and investigations are not often of great value. Myocardial infarction is the commonest diagnosis and typically the patient gives a history of severe, gripping retrosternal chest pain radiating across the chest and often to one or both arms. It may radiate to the neck or jaw; often causes sweating and may cause vomiting; and may be preceded by short-lived attacks over the previous day or two.

In pulmonary embolism the pain, which is usually central, is often associated with marked dyspnoea. If pulmonary infarction has occurred the pain is typically unilateral, sharp, and worse with breathing and coughing. There may be a history of a deep vein thrombosis or of a recent operation. A dissecting aneurysm causes even more severe pain that usually radiates to the centre of the back and may travel down the spine. It is not common. Other rarer forms of chest pain are usually not so severe. Severe angina may be a problem and should be managed as myocardial infarction. Pericarditis does not usually present such a acute picture. Cardiac hysteria may be impossible to differentiate from myocardial infarction, unless one has a deep knowledge of the patient and family. Even so most doctors will err on the side of caution for the first attack and treat it as though it were an infarction. One must leave the possibility of acute abdominal conditions that may present with chest pain.

Initial management

The initial management should be adequate pain relief. A narcotic drug—heroin or morphine—should be given intr-

venously until the pain is relieved. Some doctors advise giving very small doses of 3-4 mg, but although you do not need to give more than is required for pain relief, I find that I usually need to give 10-15 mg. You should give it slowly so that you can stop when the pain is relieved. If the patient has delayed calling the doctor for a long while a mild analgesic may suffice, the pain having subsided naturally. If narcotics are not available buprenorphine is a powerful analgesic and is said to be as effective as narcotics. Relieving the pain of a dissecting aneurysm may prove to be very difficult, or nearly impossible.

Further management

In assessing patients the most important factors are pulse rate and rhythm, blood pressure and shock, and signs of heart failure.

Bradycardia—A pulse below 50/min in non-athletes responds well to 0.3 mg of intravenous atropine. If necessary, more can be given—up to 0.9 mg. This may also reduce shock and limit the final size of the infarction. If the patient is not shocked and is normotensive he may do well without being given atropine.

Tachycardia—More than 150 beats per minute is either supraventricular or ventricular tachycardia, the latter being much more serious. It will respond to intravenous lignocaine, 2-5 ml of a 2% solution. The accurate diagnosis of tachycardia—or of any arrhythmia—depends on the electrocardiograph.

Heart failure. This is usually acute left ventricular failure and is best treated with intravenous diuretics, such as frusemide (Lasix) or bumetanide (Burinex).

Vomiting—Cyclizine is available combined with morphine for an intravenous injection, or a similar antiemetic may be given separately.

Hypotension and shock are often associated with one of the above and should be treated appropriately. There is no specific treatment of proven value.

Antiarhythmic drugs—None of these have been proved to reduce mortality if taken routinely as a preventative measure.

Coleford, Bath
DAVID RAWLINS, MA, BA, general practitioner

MYOCARDIAL INFARCTION

Further treatment for myocardial infarction depends on your assessment of all aspects of the problem. There is no evidence that these patients do any better in a coronary care unit than at home (though they appear to do worse in the general wards). Most doctors, however, would wish to admit to hospital those with bradycardia and other severe arrhythmias. Also one needs to admit those patients who cannot be looked after at home, owing to lack of family or nursing or medical support and care. I think that if a patient has been admitted to a coronary care unit for his first myocardial infarction it is probably best to admit him for his second, as he will miss that high technology if treated at home. When a patient is told he can stay at home he often gives a sigh of relief—and may be saying, "Thank heavens, it's only a small one."

Investigations in the early stages are not likely to be of much use because six hours after the onset of pain Q waves have only appeared in the electrocardiographs (ECGs) of only half the patients investigated. There usually are no other changes before this, however, though they may not be specific. Cardiac enzymes may take longer to become raised. One should arrange for ECGs to be taken, however, and for blood samples to estimate cardiac enzymes. If the patient is kept at home the general practitioner must be willing and able to stay for a while, preferably until at least two hours after the onset of symptoms. He should be willing to revisit the same day if necessary and on a daily basis for the next few days. It is best to get the patient moving after not more than two or three days in bed. Patients with pulmonary embolism or dissecting aneurysm should always be admitted to hospital.

Cardiac arrest—The most hazardous time is the first few minutes after the onset of symptoms. After this the chances of cardiac arrest diminish rapidly. Three-quarters of those who die in the first 48 hours are dead in four hours; half of them die in the first hour. If you are called and attend soon after the onset of pain you are likely to encounter cardiac arrest.

The best treatment for cardiac arrest is rapid defibrillation. If a cardiac monitor or ECG is not available blind defibrillation should be attempted. Conducting jelly should be applied to the defibrillator paddles, which should then be placed on the chest, one over the mid-sternal region, the other over the apical region. Any assistant should stand away from the patient as the first shock of about 200 joules is given. If this is unsuccessful cardiac massage should be applied while the machine is recharging, and then a second shock at the same power—200 joules—should be given. If this is unsuccessful a third attempt at 400 joules should be made. This should be done before any other attempts at resuscitation are made. If the third attempt is successful, they will not be needed; if not, they are unlikely to be successful. The problem is that defibrillators are costly and uncommon. Very few general practitioners can afford the £750-VAT that the

cheapest (Pantridge) model costs, and no other agency has shown much interest in supplying them to the general practitioner. A few ambulances are equipped and almost all district general hospitals and most cottage or general practitioner hospitals have them.

If a defibrillator is not available, a sharp blow on the chest may occasionally be successful and is certainly worth trying. If it is not successful, cardiopulmonary resuscitation—cardiac massage and some form of ventilation such as mouth-to-mouth—should be started in the hope that the patient might be defibrillated later.

Cardiac massage—If the patient's heart stops he will rapidly lose consciousness and then stop breathing. The more rapidly resuscitation is attempted, the more likely it is to be successful. Cardiac massage is best given with the patient on a firm surface. The heel of the hand should depress the patient's lower sternum 1½-2" at a rate of about 60 per minute. A short, sharp thrust is most effective, and the recovery phase should be as long as possible so that the heart can fill. You should continue for five compressions before you attempt to inflate the lungs. If you are alone you can go on for 15 beats before inflating the lungs. If cardiac massage is successful and produces an adequate circulation the patient will regain consciousness and start to breathe spontaneously. I do not think that anyone can continue cardiac massage on a struggling patient for very long. If the patient remains unconscious, and provided the pupils do not become dilated and fixed, it may be possible to transport him to a defibrillator but the chances of a full recovery diminish with every minute.

Ideally, every general practitioner would carry a defibrillator and be confident in its use, and every ambulance would be equipped with one. If possible, while one or two people attempt cardiopulmonary resuscitation another establishes an intravenous line giving sodium bicarbonate 1 mEq/kg per kg body weight to help correct the acidosis. Half this dose should be given every 10 minutes. If resuscitation from ventricular fibrillation is successful, the patient should be started on lignocaine.

The "cave coronary"

This cause of sudden death, although it does not usually occur in the home, should be briefly mentioned. A bolus of food—commonly meat—gets stuck in the trachea. Usually middle-aged men who have been talking while eating and drinking are affected. The victim, who is speechless, will often grab at his throat and be terrified. The quickest and best treatment is to get behind the victim, encircle his chest or upper abdomen with your arms, and give a sudden sharp squeeze, expelling the bolus with a blast of the victim's expired air (the Heimlich manoeuvre).

I should like to thank Dr R D Thomas, consultant cardiologist at the Royal Hospital, Bath, for his advice.

THOUGH I have endeavoured to render this Treatise plain and useful, yet I found it impossible to avoid some terms of art; but those are, in general, either explained, or are such as most people understand. In short, I have endeavoured to conform my style to the capacities of mankind in general; and, if my Readers do not flatter either themselves or me, with some degree of success. On a medical subject, this is not to edify a matter as some may imagine. To make a few of learning is easier than to write plain sense, especially in a science which has been kept at such a distance from common observation. It would, however, be no difficult matter to prove, that every thing valuable in the practical part of Medicine is within the reach of common abilities.

(Bach's Domestic Medicine, 1786.)

Beyond the Surgery

General practitioner at school

H G BARNES

Since 1969 I have been school medical officer to the Newcastle Royal Grammar School. I succeeded Dr Andrew Smith in a job the pattern of which he set. He had followed the first school doctor, a paediatrician appointed by the board of governors on the advice of Sir James Spence, the first Nuffield professor of paediatrics. The brief then was that of adviser and consultant—a figurehead with little regular medical work with the pupils and staff. A new headmaster in the early 1960s recognised the value of regular sessions by the school doctor: Andrew Smith filled this bill with distinction. I was appointed when he left to devote more of his time to university teaching. For me this appointment was a pleasure and a challenge. I had spent seven happy years at the school as a boy in the 1930s. I had been influenced greatly by an outstanding headmaster and stimulating staff, as had my close friends. I was glad that I now had an opportunity to be part of an institution I respected. Perhaps I could repay some of the debt I felt I owed for the education I had received and the friendships I had made.

The Newcastle Royal Grammar School is a day school and like many of the well-known grammar schools was founded in bluff King Harry's reign. There are 1000 boys and 70 staff, with 40 visiting and clerical staff. The school functioned under the direct grant system until 1976 when, like many similarly placed, it elected to become independent. Predictably it thrives; competition for entry is as keen as ever, and the school plays an important part in the educational, cultural, and sporting life of Newcastle.

I started with a feeling of anxiety and strangeness in my new role. My office was a small room that I shared with the physical education master. I visited the school on two afternoons a week (I still do), and on those afternoons I managed to clear a space on the desk amidst spotwatches, gym-vests, sport shoes, jockstraps, embrocation, rugby balls, and other impediments. The chaos and sweaty aroma of this office did nothing for my medical image nor for my own enjoyment of the job. A determined request for more suitable accommodation was received sympathetically, and within a term I was installed in a smart new office in the gymnasium—weights, horses, mattresses, and fencing fobs lying away for cough, washbasin, desk, and filing cabinet.

Looking after 1000 boys

But what of the job itself? Why have a doctor for a school of 1000 apparently healthy boys? I am sure that a portion of what I do is repetitively, boring, and probably unnecessary, yet the contact I make with the boys when I examine them on entry is valuable in establishing early rapport. A record is made of

Tynemouth, Tyne and Wear NE26 4JN
H G BARNES, MA, FRCS, general practitioner

previous illnesses and immunisations and family background, and each boy is examined briefly. A search into the entrance of the inguinal canal for a missing testicle, particularly on a cold winter's day, produces astonishment on the face of the boy concerned, a smugger, and a protective hitching-up of underpants. I examine about 220 boys each year, and this occupies me fully for two terms.

The local authority sends a nurse and secretaries in the summer term to help with the BCG programme. Getting consent forms signed by parents for this onslaught on their sons, and mustering those to be inoculated takes my organisational ability. In 1980 medical demands competed with the athletic sports, so BCG jobs were administered between the heats of the long-jump and the 100 metres. Before my appointment I had never witnessed a Heat test nor performed a BCG inoculation. A visit to my local chest physician ensured that I knew the technique of administering the dose and the few contraindications. With paediatric help it is not difficult to administer 100 doses in an hour.

I wish I could achieve more health education. Those in the first form, aged 11-12, have a lecture on sex, and arrive at the lecture theatre aglow with anticipatory pleasure and excitement. At first I wondered how on earth I would talk about sex to a room of noisy schoolboys. I use a film loaned from the local authority, which is fairly explicit, though dated, but leaves me with time to answer questions and rectify mistaken ideas. I reckon the boys to be well informed and able to express themselves quite well about the subject. Katherine Whitehead, born by "reading the rude bits in the Bible during sermons," and our generation learnt in the back of a car after the prefects' dance. If there was time enough small group seminars would be much more valuable, and I wonder if the school doctor is necessarily the right person for the job. I am convinced the Williams Committee was right in recommending much more sex education in schools and that this should be aimed at prepubertal children.

The 13 years olds are shown the film "20th century focus on smoking," which is presented so well by Dr Kildare of the Royal College of Physicians, Professor Charles Fletcher. About 10% of the boys by their own admission are already smoking four to five cigarettes a day. Discussion of the hazards and illnesses brought about by smoking must have some dissuading effect. A pathological specimen of carcinoma of the lung borrowed from a friendly pathologist and passed around the room is certainly a successful tactic if measured by the noise of a fainting boy sliding under the seat.

For school-leavers (this year 113 went to university, 15 with Oxbridge awards—I quote these figures to underline my natural anxiety on how to pitch a talk on health to intelligent young adults) we hold a health symposium. I talk to them about contraception, bravely holding up for their inspection samples of the pill, the coil, the cap, the sheath, and guard the samples well as the room empties after the talk: twice the Durex disappeared. I am aware I am too late in my educative efforts so far as some are concerned: 12% of girls under 16 have already had intercourse. I would have more impact and effect if I had the

also expected to give advice about their own children whom I do not know and have never met, the menstrual irregularities of their wives, and the genetic excesses of their parents-in-law. In return I am helped with my French (I have a daughter living in France), given new recipes (I like to try my hand at cooking), and, most important, am offered warm friendship by a group of professional people whose company I enjoy and whose knowledge I respect.

General practitioners as doctors to other schools will no doubt achieve more than I. Obviously those who are doctors to boarding schools and whose pupils are registered patients will have a closer relationship and have greater responsibility, but I suspect that there are few who enjoy the job more than I. For I am lucky that my relationship is founded on a broad base. I was happy as a pupil myself, as was my son, and I was invited to be school doctor when a few of those who taught me were still teaching. I have made good friends with colleagues whose interests lie outside medicine, and with other doctors doing the same job who are members of the Medical Officers of School Association. And I am stimulated and have pleasure in being aimed a thriving community of boys whose talents in music, drama, science, sports, and in many other activities never cease to astonish me.

Medical Records

History of our records

IAN TAIT

I think that medicine, for a learned profession, is sadly neglectful of its own history. A historical perspective can help us to see why it is that things are as they are and indicates the direction in which it is right for us to move. The history of our records in general practice has much to teach us.

It sometimes seems that our present record system is assumed to be an inevitable fact of life and therefore unalterable. The truth is, of course, that it is the consequence of decisions, compromises, and chance events. It is not inevitable. It is bound to change, and we have to try to see how we got where we are and what we now have to do to achieve the kind of records we need. This article summarises the main events and influences that have created our present record. It also seeks to identify the main reasons for our apparent inability to introduce changes in our record-keeping system when these were seen to be required and will try to indicate what lessons the history of our records has to guide our efforts in the future.

Beginnings

We can trace the origins of our record system to Lloyd George's National Insurance Act of 1911. Under that Act the

Aldersburgh, Suffolk
IAN TAIT, MA, FRCS, general practitioner

male working population between the ages of 16 and 70 were compulsorily insured. General practitioners were invited to provide medical services for insured patients. The Government realised the potential value of the statistical information about the health of the working population that could be made available as a result of the medical care given under the terms of the Act. For this reason the Act included a clause that imposed upon general practitioners who participated in the scheme an obligation "to keep such medical records as might be required of them under their conditions of service."

TIM BOXES

In 1913 a form of record was introduced for this statistical purpose. At the end of the year the doctor was required to return this record for analysis. For our purposes, the only interesting thing about this record is that tin boxes were provided in which to keep them. These records were in use until 1917, when they were given up as a temporary wartime measure. After the first world war the question of what kind of record should be kept by general practitioners had to be reconsidered. An advisory committee (the Rolleston Committee) was set up in 1920 with the following terms of reference:

"To consider and advise the Minister of Health and the Scottish Board of Health as to the form of medical record to be prescribed under the conditions of service for medical practitioners."

The report of this committee makes fascinating reading, but I cannot here quote from it at length. Perhaps the most important conclusion was that the purpose of the record should be first and foremost to help the doctor improve the quality of care he gave to his patient, and that it should therefore be a permanent record kept by the doctor on whose list the patient was registered at the time. But the committee were unable to agree on a precise design for the record. In the end they had to content themselves with the most general of statements:

"We consider, therefore, that on the whole the most advantageous system will be to require such notes to be kept for every case treated, and that it should therefore be a permanent record kept by the doctor on whose list the patient was registered at the time. But the committee were unable to agree on a precise design for the record. In the end they had to content themselves with the most general of statements:

Hence the responsibility for deciding what kind of record was appropriate for these functions was thrown back on to general practitioners. One firm recommendation was made, however: it was advised that a medical record envelope should be introduced and that "the record envelope should be of practically the same form and size as the old record cards, so that the cabinets which had been in use for keeping these may continue to be so utilized."

Thus it was that the size of the record that we now have was decided because of the size of the metal cabinets provided for doctors joining the National Insurance Scheme in 1911—records which were, in point of fact, intended for an entirely different purpose than their present function as a permanent record for a lifetime of medical care. Nevertheless, the design of our present record envelopes is still almost identical to that recommended by the Rolleston Committee in 1920. We may not have the tin boxes but we still have the envelopes.

IT WAS LEFT TO US

When the National Health Service was introduced in 1948 the record system that already existed in general practice was accepted virtually unaltered as the system to be used throughout the Health Service. The regulations contained in the Act relating to the keeping of records once again put the responsibility on to general practice to decide what kind of records should be kept. It is salutary to read these regulations and to realise how we have failed to respond to the invitation given to us.

"A practitioner is required to keep records of the illnesses of his patients and of his treatment of them in such form as the Minister may from time to time determine after consultation with an organisation which is in his opinion representative of the general body of medical practitioners.

The clinical record should contain all information that would normally be considered by general practitioners as necessary both to the doctor and to the other practitioners who may subsequently be responsible for the care of the patient to enable proper and necessary treatment to be given. This information should be of such a nature as to help in reviewing the progress of the case or likely to be of help on some future occasion."

Executive Council Notice 113 (Ministry of Health, 1953)

It is clear from this statement that the primary purpose of the record is to provide the clinician with the necessary background information for the efficient care of his patient. The Minister may have power to require, but it is made evident that he can only act in response to the informed opinion of general practitioners themselves. General practice has been slow to accept responsibility for the form of its own records. Criticism of the record and proposals for its reform have, however, been presented with increasing frequency and cogency during the past 10 years.

704

recommended the introduction of A4 records," but by the time they did so the potential cost seemed so large to the Department of Health that while accepting the joint committee's interim report in principle it pointed out that a widespread change to the new style records would depend on the availability of funds. In fact these funds have never been made available. Doctors who could accommodate A4 records and wished to use them were invited to request them through their Family Practitioner Committee (FPC). A small minority of practices did so.

In May 1977 a second interim report was produced by the joint committee. It confirmed that there was no likelihood of the early introduction of A4 records. Furthermore, although A4 files would continue to be supplied to those doctors who had already received them, they would not be supplied to any other practice, even if it was prepared to meet all expenses for storage. The problem of reform of general practice records was back on the drawing board.

Position now

Despite all the thought and effort that has gone into the problem the truth seems to be that there appear to be no firm plans for the reform of general practice records. The great majority of doctors continue to be supplied with the NHS envelopes (FP 5) and cards (FP 7 & 8). Summary cards, blue or pink according to sex, are supplied on request but very few doctors seem to use them. In England only those doctors who originally requested them can use A4 files and receive replacements when they need them. In Scotland, however, any general practitioner can obtain A4 files for his practice, including the insert sheets originally suggested by the joint committee. It is estimated that about 40% of Scottish practices now use A4 files, but there is no standard way of doing this.

The set-up appears chaotic. Where do we move from here? I think we should first be sure of what we want to preserve. We should surely try to keep a standard form of record for use by all general practitioners. This record follows the patient throughout his life and could document all important medical and life events relating to his health. Since it is likely to move from doctor to doctor, a standard design for the record is clearly an advantage for patient care. Also, for purposes of research that may become possible with automated systems of data analysis, a standard record of this sort would be immensely valuable. Secondly, we should remember that however imperfect our present records may be they are supplied to us free of charge. We wish to improve our records but we wish to preserve the present arrangements by which they are supplied for us by the FPC.

The way ahead . . .

In seeking to find the way to improve our records I think we should remind ourselves of the legislation on which this whole question rests (ECN 113 1953). The essential points are that we have to keep records but the type of records we are required to keep depend on advice received by the Minister from the profession. The ECN also states that the clinical record should contain all the information that would normally be considered by general practitioners as necessary for proper and necessary treatment to be given. The problem seems to be that general practitioners have never been able to agree about the function of records and the type of information that should be included. We have certainly failed to give the Minister unequivocal and proper advice.

The joint committee that was to advise on the future of

Early reformers

During the early 1960s defects in the record system were recognised and suggestions for their correction presented. Dr Walford¹ of Felstead suggested a special continuation card of a distinctive colour—a summary continuation card—which should be used to convey the patient's history from one doctor to the next. On this summary card should be entered important illnesses, laboratory reports, and certain personal details that have a profound effect on the medical life of the patient. He also advocated fixing continuation cards in chronological order; separating treatment from the body of continuation notes; and using diagnostic statements written in capitals above and to the right of each episode of illness. Many other doctors made useful suggestions for reform, but none resulted in any significant change in general practice records.

By the late 1960s the major problem for the record seemed to many people to be the inability of the envelope to contain letters and reports so that they were accessible. Instead of attending to what could be done to make recording on the present records more satisfactory, it was thought that a new size of record was needed for the whole of general practice. This view was supported by the Report on the Standardisation of Hospital Medical Records, which advised the universal use of A4 size record sheets in the hospital service.

Cormack in 1971² reported on an important study of general practice records. He identified the two worst faults of the record system: firstly, the absence of a place to record important background information set aside from day-to-day recording; secondly, that letters have to be folded—often more than once—to fit the envelope. In 1967 Dr Loudon and his colleagues in Wantage got support for the trial introduction of A4 records into two local practices. In this project it was accepted from the start that only a minority of records would be converted to A4 files. With support from the Department of Health and Social Security the project was extended to a selection of general practices throughout the country. The result of this trial suggested that general practitioners would welcome the introduction of A4 records.

A general belief in salvation through A4 records seemed to be in the air at the time. The annual conference of representatives of medical committees, jointly held with the representatives of practice records in 1971 and passed a highly significant resolution:

"that as a matter of policy the future medical records should be of a size to contain unfolded pages of A4 size and should be made available to those doctors who wish to use it . . . provided that a firm undertaking is given by the Department of Health to finance all consequent alterations to equipment and premises arising therefrom."

The qualifying conditions should be noted. This resolution committed the General Medical Services Committee (GMS) to negotiate with the government for a change to a total A4 system for general practice and at the same time to get it paid for, whatever the cost.

NO FUNDS, NO CHANGE

In 1971 the Ministry of Health set up a working party on the redesign of medical records in general practice. Its terms of reference were:

"To consider the replacement of medical records existing in general practice by folders suitable for A4 size records; to recommend on the design of such folders and their contents; and to advise on the problems arising in general practice from the phased introduction of the new folder and the conversion of the existing records."

The long labours of the joint committee ended in nothing. They

general practice records is now no longer viable. Lots of individuals have good ideas for reform, but action can be taken on them unless they are presented in an agreed and co-ordinated manner by the profession. The GMS (in the absence of any alternative clear directive), continues to ask for A4 records and to do so with increasing frequency. It no longer really believes in the possibility of getting them. Our history shows us that we have to agree among ourselves what type of records we want and then make sure that our representatives argue our case for us. We now need an organisation to co-ordinate our ideas about reform and to translate them into action, whether this is educational, political, or financial.

... starts from where we are now

We know that the two major faults of our present records are the absence of a place to record important background information and folded letters. If we are to get the profession to agree we must start where most doctors are likely to remain—with the existing record envelope and its insert cards. We need to agree a design for some structured cards that are suitable for storing important background information. These could then be supplied for us in addition to existing continuation cards. Next, we must realise that the great benefit of A4 files is not for the doctor's recording but for storing letters and reports without having to fold them. This becomes really important only where the volume of letters is large—which may be about 10-15% of case notes in most practices. It is perfectly possible to use A4 files to store letters and continue to use existing cards for the doctor's recording. If this is done, A4 files need to be used only for the thick notes. Nearly every practice would have room to have A4 files for 10-15% of their patients. Why are general practitioners in England still unable to obtain them? The answer lies somewhere in our history, and it's high time we changed that situation.

As a starter then I think our history suggests that we should concentrate on agreeing on a design of several suitably structured background data cards which could then be supplied free to all doctors. Secondly, general practitioners in England should stop asking for total conversion to A4 records, which they cannot get and probably don't even want. They should instead make sure that the doctors who want to use them are able to get them. Finally, we are told we are about to enter the computer age in general practice. Let us learn a lesson from the sad history of A4 records. They were once able to be the solution to all our problems, but there are no magic answers. Computers certainly will not be able to help us unless we have got our present records into better shape. We must decide what kind of information we need in general practice today and design records that are capable of providing it. Computers cannot do this for us; they can only help us to make that information more easily available once we have obtained it.

References

1. Interdepartmental Committee on Insurance Medical Records. *Report* (London: HMSO, 1960; Rolleston Committee).
2. Walford PA. *General practice records*. Newsletter. College of General Practitioners 1955 July.
3. Cormack JCC. *The general practitioner's use of medical records*. Scottish Health Services Studies No 15. Edinburgh: Scottish Home and Health Department, 1971.
4. Joint Working Party on Re-Design of Medical Records in General Practice. *Interim report* (London: HMSO, 1977).
5. Report of Conference of Representatives of Local Medical Committees. *Br Med J* 1971;ii, suppl 17.

Pitfalls in Practice

Situation vacant

II: The "doctor's right hand"

JOHN OLDROYD

This article is based on an anecdotal presentation made for vocational training in general practice by the MSD Foundation. Further information about the tape-side programmes on which this series is based is available from the MSD Foundation, Tavistock House, Tavistock Square, London WC1.

Dr Brian Bumble, a general practitioner in Muddhamptonshire, hired a receptionist when his wife announced that she no longer had time to answer the practice telephone. Having a proper receptionist suited his image of himself as a member of the Royal College of General Practitioners, and besides he could get 70% of the cost back from the family practitioner committee (FPC) and declare the other 30% as a tax expense. An advert in the local paper drew three replies, two of which were unsuitable. The third was from one of his own patients, whom he hired after she had successfully interviewed him over a cup of tea in her cottage.

Nerve centre of the practice

We pick up our tale two years and a day after the Monday morning on which Mrs Prudence Pratler joined Dr Bumble's practice. The regular attendants at the surgery in Deerford Ham had noted some striking changes in the practice administration when they arrived. Instead of being expected just to walk into the waiting room and take their turn for the summoning buzzer to sound, they must first present themselves to Mrs Pratler at her counter in the lobby. This is clearly the nerve centre of the practice. The redoubtable Prudence is surrounded by the files containing the medical records, a variety of registered post plants and other indications of Prudence's squatter's rights, and the practice telephone. This instrument is well known to the patients for interrupting them while they are parading to give their name, rank, and number, and the reasons for their presence. Abandoned, they hear Prudence settle down to obtain from the caller all the details the feels necessary to sort the frivolous from the serious.

Dr Bumble was not at all sure whether he approved of the new system or not. To his advantage he was protected from having to interrupt his consultations to deal with so-called urgent messages, and his visiting lists each day were so arranged that he had time for nine holes on his half day, but he had the

Secretary for London Local Medical Committees, Tavistock House North, London WC1H 9HT
JOHN OLDROYD, MR, FRGP, secretary

706

Machine Company. He doubted even if Brian could afford his firm's accounts, reduced as it was to such an old friend and golfing colleague.

After this disturbing meeting Brian had a heart-to-heart session with Mrs Pratler, explaining the need for accuracy in recording and the need for a thoroughgoing unpleasant evening at home the day before. His wife had held an "at home" for her inner circle of the Goat Fanciers' Society, preventing him from watching the golf on television. He had been on duty for the rota that night and two visits had ensured that he had had little sleep. In the morning surgery he had more than the usual share of the "while I'm here, doctor" syndrome. At surgery end he turned to the morning mail and in among the hospital reports and requests for repeat prescriptions was a letter from the FPC.

A puzzling letter

Dr Bumble was poorly prepared for the shock that was in store for him two years and a day after Mrs Pratler had started employment. He had had a thoroughly unpleasant evening at home the day before. His wife had held an "at home" for her inner circle of the Goat Fanciers' Society, preventing him from watching the golf on television. He had been on duty for the rota that night and two visits had ensured that he had had little sleep. In the morning surgery he had more than the usual share of the "while I'm here, doctor" syndrome. At surgery end he turned to the morning mail and in among the hospital reports and requests for repeat prescriptions was a letter from the FPC.

Dear Dr Bumble,
Our records show that no claim has been received from you for the past three quarters in respect of ancillary staff. Up to 31 March 1980 you had claimed for Mrs Pratler, who performed qualifying duties. We understand that Mrs Pratler is still in your employment and would remind you of para 52.13 and 52.14 of the Statement of Fees and Allowances, which clearly state that claims for repayment should be submitted quarterly.

Claims submitted after the end of the quarter following the quarter to which they relate will not be accepted for payment. If there is good reason for this delay the FPC has powers to consider such claims in consultation with the local medical committee.

Perhaps you could inform me if you intend to submit such claims with your accompanying reasons.

Yours sincerely,
Samuel Spooner

Samuel Spooner
Administrator

Brian Bumble was puzzled. No claim since the last year end? Of course, Spooner had known that Mrs Pratler was still in her post. There had been unpleasantness at Christmas between him and Prudence when he had had to call twice for his regular prescription for Senokot, but these were passing thoughts as Brian realised that the staff arrangements, which were Mrs Pratler's responsibility since their "chat," had gone wrong. Unfortunately Prudence had chosen that moment to enter the surgery with the doctor's mid-morning cup of tea.

Bumble, Mrs Pratler, this letter from the FPC says that you haven't been claiming repayment for your wages.

PRATLER: I didn't know I had to, doctor.
BUMBLE: But I told you last year that you are in charge of all the wages and staff affairs.

PRATLER: Not about that you didn't. How can I be expected to know

feeling that his life was being much more organised for him than his wife had ever achieved at home.

An incident or two

It had not been a year without incident. There was the time when Bumble faced his first threat of a service committee hearing, owing to Prudence having decided that it was quite unnecessary for him to visit a patient with abdominal pain and a late period when requested. Fortunately his colleague on rota duty that evening had responded and diagnosed the ectopic pregnancy that Prudence had confidently and intuitively known by telephone as being one of those things "we girls have to put up with."

Then there was the collapse of the romance between young Fleur Pretty and the constable posted to Deerford Parva from County HQ, which had all the hallmarks of Prudence's new-found power. Bumble had arrived home one lunch-time to find his wife Barbara chatting to Mrs Waterworth who was Fleur Pretty's aunt. Apparently Fleur's mother was delighted about the romance being off because she knew that as nice as PC Trotter was it was a shame he could never sire Mrs Pretty's grandchildren owing to his unfortunate accident. This presumably referred to the unfortunate blow during the Police Rugby Championship which had produced a scrotal haematoma requiring surgical drainage at the hospital. It was Prudence who had arranged the hospital admission and she was often the boon companion of Mrs Pretty in the restorative part of the Trades and Social Club after the regular Wednesday night swing circle.

Cash—petty and otherwise

In fairness, Dr Bumble had always been meaning to talk to Mrs Pratler, or the "doctor's right hand," as she now referred to herself, but it had never seemed convenient. In Bumble's mind, at any rate, these matters were not as overpowering as the subject of petty cash. Mrs Pratler felt early on that she should have charge of a petty cash box for meeting day-to-day expenditure, such as her own and the cleaner's wages, the tax, national health insurance, postage, and flowers for the waiting room. In many ways she was like Dr Bumble and used her purse as the source for such funds.

The petty cash book was made up whenever it occurred to her, and a similar vagueness applied to the rest of the practice accounts. Unfortunately, as the local accountant, Paul Pedant, had told Brian a week or two back, the Bumble books and balance sheet had occupied more time than year than the combined efforts of Pedant Associates for the Muddhampton Bottle Washing

about such things unless you tell me about them? You never take an interest in such things.

BUMBLE: But I did tell you about them that morning we had with the petty cash and so on . . . I suppose you've forgotten all that. [Brian has missed the point as usual.]

PRATLER: Does that mean I'm not good enough for you? [Yet again Dr Bumble was losing control. He felt genuinely aggrieved and he saw his opportunity to end the unsatisfactory state of affairs that had arisen.]

BUMBLE: Well, if that's the way you feel, do you think it would be better if you went?

PRATLER: Oh, no I'm sacked now, am I?

BUMBLE: [Resignedly] Yes.

PRATLER: What about my wages?

BUMBLE: Take what's due and also an extra week in lieu of notice.

Mrs Pratler left with a brave face, returned with the petty cash box, counted out two weeks' wages in front of Brian, and left the surgery.

It is worth noting that:

- (1) no job description had been properly made;
- (2) no statement of contract had been made, which should have covered periods of notice and disciplinary procedures;
- (3) Mrs Pratler had been in continuous employment for over 52 weeks at more than 16 hours a week;
- (4) she had committed two errors where she could rightly have been dismissed: (a) accepting responsibility beyond her job, and (b) breach of confidentiality;
- (5) no advice or advice from the Advisory Conciliation and Arbitration Service followed;
- (6) the item providing dismissal was not necessarily her fault;
- (7) during his last interview with Mrs Pratler, Dr Bumble should have been clear in his mind about just what action he proposed to take before speaking to her;
- (8) despite Mrs Pratler's unsuitability, when it was clear that she could not deal with the bookkeeping adequately, Dr Bumble should have remembered that each principal can obtain up to 70% reimbursement for two whole-time equivalents. He should have considered appointing someone to share the duties with Mrs Pratler.

Unfair dismissal

Prudence may have gone, but she was not forgotten. A week after Dr Bumble had dismissed Mrs Pratler he received a letter informing him that she had applied to the Industrial Tribunal that her dismissal was unfair. In the event, Dr Bumble's fashion Brian took no notice of these papers for several weeks. He was far too involved in the complexities of tax and national health insurance deductions and sending out a P60. Consequently, when he did think of doing something about it, it was too late. The regional office of the BMA was very helpful in advising him that the time had passed when he could acknowledge receipt of the original notice. Fourteen days is the limit. They pointed out that this meant that he had lost his opportunity of taking further part in the case but said they would be only too willing to advise him if he had a similar problem in the future.

Thus he was precluded from:

- (a) asking further particulars of the application;
- (b) asking for witness orders;
- (c) asking for orders for discovery of documents;
- (d) submitting written representations;
- (e) being heard, or represented, at the hearing;
- (f) applying for a review of the decision.

If Dr Bumble had known more about his rights and duties as an employer instead of relegating such matters to the bottom of the pile of papers in his in-tray he might have avoided defeat at the hands of Mrs Pratler.

This is the second of six articles on employment staff.