PRACTICE OBSERVED

1435

Sex Problems in Practice

Vaginismus

ELIZABETH STANLEY

Vaginismus, the commonest cause of the non-consummated marriage, is the involuntary spasm of the muscles surrounding the outer one-third of the vaginal barrel that occurs when any kind of vaginal penetration is attempted. Penetration then becomes almost impossible but if attempts are made with force, severe pain usually results. Vaginismus can be diagnosed with certainty only on vaginal examination, as histories suggesting its presence or absence may sometimes be misleading.

Primary vaginismus

Primary vaginismus is one of the best examples of a truly psychosomatic disorder in which the mind and the workings of the body are inextricably linked. There are many predisposing factors, the commonest of which is a rigid, restrictive, "Victorian" type of upbringing causing guilt and anxiety about sex. Usually sex was never mentioned in family life, and nudity was considered vulgar. Sometimes vaginismus is a result of a history of sexual trauma in childhood, and a background of religious orthodoxy is not unusual. An apparently high quality of the general relationship in most non-consummated marriages is striking. This, however, may mask covert power struggles within that relationship that may need to be explored since, in part, overcoming vaginismus requires the woman to be able to "let go" and give up control, essentially her vaginal musculature, but perhaps also in other aspects of her life. Typically the husband is a "gentleman" in every sense of the word. He is non-aggressive and "un-pushy," displaying much tenderness and concern towards his wife. Often she is above average in physical attractiveness, neat and tidy in appearance, and is (in so many ways) a very "nice" woman. These characteristics are not

unrelated to the non-consummation of the marriage. A psychoanalytically-oriented view of women with vaginismus is described elsewhere.¹ Usually the couple has chosen to save sex until marriage, and although the woman almost certainly will not have masturbated she may nevertheless be highly orgasmic but seldom through direct clitoral stimulation. It may be as long as 10 or even over 20 years before the couple seek help, often stating that the only reason they wish to consummate their marriage is because they want to have a baby.

Whatever the apparent reasons for non-consummation, by the time help is sought the woman's overriding concern is fear of penetration. She may simply be frightened of pain, experienced during past attempts at penetration. She may be fearful that she is too small, or that the penis will get stuck inside, tear her apart, or do irreparable damage. She is likely to have a highly negative attitude towards her genital area, regarding it as unattractive, unmentionable, or a dirty and disgusting part of her body. Ignorance about sexual anatomy is great, and even if some accurate information has been acquired this does not prevent the woman from having quite irrational and seemingly bizarre fears and fantasies about what she is like "inside." For example, she may feel that her vagina is a rigid but fragile tube, continuous with her intestines or leading directly into the abdominal cavity. She may believe that there are large holes, inches in diameter, connecting the vagina with the uterus and fallopian tubes. For many women who are ignorant about their bodies and unsure of their sexuality the greatest fear is that of the unknown.

Secondary vaginismus

This is usually a consequence of dyspareunia caused by physical traumatic childbirth, surgery to the genital region, post-menopausal atrophic vaginitis, or by gynaecological pathology such as endometriosis. Eradicating the organic problem may on its own be enough to resolve the vaginismus, but sometimes further treatment along the lines of that used in primary vaginismus may also be necessary.

Departments of Obstetrics and Gynaecology and Psychiatry, St George's Hospital Medical School, London SW17 0BZ.
ELIZABETH STANLEY, MRC, LAC, Lecturer in human sexuality

1437

her vaginal muscles, while we stress that the attitude and kind of movement most likely to allow painless acceptance of the finger is one of "letting go" and giving up control of her vaginal muscles. If merely told to tighten or loosen these muscles, she will respond with a blank expression of "What on earth do you mean?" More easily understood is this: "If you're dying to pee but there's no loo in sight, what movements will you make to stop yourself wetting your pants?", which requires this same perineal tightening movements. Asking her to simulate the action of trying to evacuate her bowels when constipated will convey to her how to bring about the loosening action. It may seem counterproductive to use these analogies in view of the "dirty" feelings such women have about their genital area, but this can provide a valuable entrée to just such a discussion, focusing on the separateness of the excretory and reproductive/sexual parts of her body.

Once contractions and relaxations of the muscles are sensed by the examining finger, whichever movement is felt is immediately fed back to the woman. To begin with she is usually not aware of what her vagina is doing, but, with the help of this feedback gradually a link seems to be formed between her brain and her vagina, so that the finds she can tighten and loosen at will. Then, each time the muscles loosen, the finger is introduced more deeply, but very slowly, often no more than a few millimetres at a time. Any sudden movements or undue pressure against tightly contracted muscles will trigger the spasm again and give good reason for the pain she will then experience. Eventually the finger can be fully inserted, and this may take anything from a few minutes to a few hours, depending on the severity of the vaginismus. Once achieved, the woman is typically incredulous, but delighted and relieved.

Next it may be appropriate to go through the "guided tour" described elsewhere.¹ In this, the woman looks at her genital region with a mirror, identifies the various parts of her anatomy as best she can, and is encouraged to describe her feelings about this experience and what she sees in the mirror. These feelings can then fruitfully be discussed, and accurate information then given about her genital anatomy. (Three-dimensional models—obtainable from Jim Jackson, 33 Rickdale Ave, Cambridge, Mass USA—or failing that, good pictures, can be invaluable at this point.) The "guided tour" can sometimes be used earlier, but I find it is best used once the woman has begun to feel that she is making some progress. Initial feelings of disgust soon give way to fascination, and putting into words any negative feelings evoked may provide the first step towards developing a more accepting and positive attitude towards her genitals. This can be followed by the woman exploring her vagina with her own finger, either squatting down on the floor or standing up with one foot on a chair. The doctor often needs to guide her finger to the introitus and give her constant encouragement to keep pushing her finger in that little bit further. Most women experience great anxiety initially, but this gradually diminishes as the exploration proceeds. It is also a good idea to ask her to tighten and loosen her vaginal muscles on her own finger so she can more readily appreciate the significance of these movements. Once again, her feelings about this procedure need to be discussed when it seems relevant. For some women, having "de-friends" with their vagina and knowing it can accept one's finger without pain, sufficient confidence will have been gained for them to proceed directly to intercourse. For others, though, further intermediate steps are needed, through which they can gain confidence that they can also accept into their vagina something approximately the length and diameter of their husband's erect penis.

Traditionally, glass or plastic dilators have been used for this purpose, but they have several drawbacks. Although supplied in graded diameters, most are shorter than the average erect penis and the woman is as fearful of its length as its diameter. Also,

the use of the word "dilator" in her presence may reinforce her ideas that she is "too small," and, that apart, the term "dilator" is a misnomer in the context of treating vaginismus. Painless penetration by the penis does not come about through any process of vaginal dilation but as a result of the woman gaining voluntary control of her vaginal musculature. The only form of "dilatation" that might be necessary is stretching the hymen, and this is best done by the woman's own fingers. Hymenectomy is seldom indicated but is frequently performed in the treatment of vaginismus. It rarely resolves the problem, and may leave the woman more firmly convinced than ever that her problem is due to some anatomical abnormality. Instead of dilators, Vaginal Trainers (obtainable from Downs Surgical Ltd, Church Path, Mitcham, Surrey CR4 3UB) may be used. These consist of a set of three sterilisable instruments, the largest of which is the size of an average erect penis. A fourth larger size is also now available.

When needed, the next step is to repeat the procedure described for the gradual introduction of one finger, using graded trainers or dilators. Usually the woman prefers the doctor to be the first to insert the trainer, but as soon as possible she should be encouraged to do this herself. When she has achieved this stage the trainer can be used at home and she will feel ready to take the trainer home to practice with daily until she feels sufficiently confident to attempt intercourse. This may be preferred with the woman on top, because this gives her greater control, but many choose to try the first time in the "conventional" position. To begin with it is suggested that little or no thrusting of the penis should take place, only increasing this as the woman gains sufficient confidence to tolerate such movement. Sometimes the man has previously had or develops erectile difficulties at this stage, which can be managed using the kinds of treatment described in previous articles.^{1,2}

It has been debated whether or not the husband should be present during treatment. It is often advantageous for the woman to have some time on her own, with the doctor as the "permission giving" parent whom she badly needed in adolescence to allow her to claim and value her sexuality. I personally find it invaluable, however, to have the husband present near the beginning and end. At the beginning it can help him appreciate the nature of the problem, and at the end he can introduce the trainer into the vagina himself, thereby gaining some idea of the initial resistance to penetration that has to be overcome even in a relaxed vagina. This is not always understood, and can sometimes perpetuate the non-consummation even when the vaginismus has been overcome.

Mild vaginismus may be resolved in one or two visits, but severe cases can take considerably longer and may be best referred for specialist help. Although not all may choose to treat or feel capable of treating the non-consummated marriage, for those who do, the rewards can be great, especially when the "announcement of birth" card arrives in the post a year or so later!

References

- 1 Masters WJ, Johnson VE. *Human sexual inadequacy*. London: J & A Churchill, 1970.
- 2 Friedman LJ. *Virgin wives*. London: Tavistock Publications, 1962.
- 3 Miles H, Hardy SJ. *Psychosomatic problems*. London: Granda Publishing, 1979.
- 4 Kaplan HS. *The new sex therapy*. New York: Quadrangle/The New York Times Book Co, 1974.
- 5 Stanley E. Principles of managing sex problems. *Br Med J* 1981;282:1200-2.
- 6 Townsend LFD. *Contraception and sexual life*. London: Tavistock Publications, 1970.
- 7 Diamond RJ, Scaram J. *Conception, birth and contraception*. London: Hodder & Stoughton, 1969.
- 8 Stanley E. Dealing with fear of failure. *Br Med J* 1981;282:1281-3.

1436

Incidence and outcome of treatment

Non-consummated marriages due to vaginismus are surprisingly common. In one survey in 1962 of 700 consecutive cases of infertility 41 (6%) were due to non-consummation because of vaginismus. Of 301 couples or individuals referred to me with sexual problems during the past six years, 13 (4%) were cases of vaginismus; a further 16 were seen in the preceding eight years. In all 31 women vaginismus was overcome during the treatment period, and of the 27 couples who were happily married consummation followed in every instance.

Of the four who did not follow treatment with intercourse, two had no current partner (one was divorced before and one after treatment—for reasons other than non-consummation), one was unmarried though living with her partner but was severely phobic to touch, and the last, who attended treatment without her husband's knowledge, was lost to follow-up.

From these results it seems that the likelihood of a successful outcome through treatment is very high indeed, particularly in happily married couples. This bears out the findings reported by others.¹⁻⁴

Presentation

Although sometimes help is sought specifically for the non-consummation often the problem of vaginismus is presented indirectly to the doctor, declaring itself only by subtle clues offered by the patient, which are sensitively recognised and pursued by the doctor. For example, requests for oral contraceptives with vehement rejection of other methods that involve the woman touching her genital region should prompt further inquiries. Internal tampons are almost never used by women with vaginismus, and this can be a useful clue elicited in routine history taking, although current medical concerns about the use of tampons may ultimately reduce the value of this diagnostic indicator. Sometimes vaginismus comes to light only when the woman seeks contraceptive advice or help for other gynaecological problems, but bitterly resists vaginal examination using excuses like, "I haven't washed before coming here," or "I haven't changed my underpants today," or "My period is on (or due)."

If she can be persuaded to get on to the examination couch she may leave her underpants on; she may appear pale and sweaty and complain of nausea. Access to the vulva is frequently prevented by involuntary adductor spasm of the thighs, and even if this can be overcome, inserting even the tip of one finger will be prevented by the involuntary vaginal muscle spasm. So rigid is the resistance that it is tempting to think one has discovered an imperforate hymen or some congenital anomaly of the vagina, but I have only found one such abnormality that required surgical intervention. The woman may arch her back with her head disappearing over the end of the couch as she desperately tries to avoid the examining finger. She may even reach down and grab the doctor's hand with a vice-like grip to push it away from the vulva.

Treatment

Treatment requires a psychosomatic approach in which the woman's fears and fantasies about her body and her sexuality need to be understood and sometimes interpreted in a simple and straightforward way, and in which she is taught how to bring her vaginal muscles under voluntary control.

PSYCHOLOGICAL COMPONENT

Throughout any consultation it is important that we remain sensitive to and accepting of the woman's emotional feelings, no matter how difficult or apparently trivial we may find them. Constant praise needs to be given for every bit of progress that

is made, however small. To her each new step is as fearful as the last, and even getting up on the couch is a major achievement which needs to be openly recognised as such. It may be tempting to dismiss her fears and try to calm her (or ourselves?) with statements such as "It's all right. There's nothing to worry about," which for her is clearly not true, or "Don't be so silly. You know I'm not going to hurt you," which is a put-down of the highest order. Instead we need to accept her fears, and possibly encourage her to experience their full range. This ultimately she can feel that she has faced up to the worst and survived. It may often be helpful to ask her to exaggerate her bad feelings, which may bring enormous relief when she finds that either she cannot or that the worst is not really as bad as she had expected.

Putting into words her fears and fantasies can be remarkably therapeutic. Even if she knows what these are, however, and can appreciate their irrationality, she may not mention them for fear the doctor will think she is silly or even mad. If we can "give permission" for her to have irrational thoughts, this can be most helpful. Usually, however, the woman is not consciously aware of such thoughts and feelings, and this is where the "fantasy trip" described in a previous article in this series¹ can help. While she is on the examination couch with treatment in progress, however, frequently her fears and fantasies become more accessible to her conscious awareness.²

SOMATIC COMPONENT

Although it is convenient to consider the treatment of vaginismus under two separate headings, this is an artificial distinction as the psyche and the soma are merely two parts of a whole. Unless this is appreciated and all that was discussed above is continued as an integral part of teaching the woman those specific techniques that will enable her to overcome her adductor spasm and vaginismus, the value of our help may be minimised. Nevertheless, the essence of these techniques is simplicity itself.

Adductor spasm

The means of helping the woman overcome the adductor spasm that prevents access to the introitus relies on the principle of antagonist and protagonist muscle action. Having demonstrated that access to the vulva is impossible while her knees are drawn tightly together, she is asked to put her hands on the belly and tendons of her adductor muscles and appreciate how tense they are. A game may then be played, whereby the doctor pushes her knees together as hard as possible, while she tries to push her knees apart against this pressure. Gradually she is allowed to "win," and she is again asked to feel her adductor muscles. She will be amazed at their contrasting degree of softness and relaxation compared with before. This procedure is continued until reasonable access to the vulva is obtained, and the woman feels ready to move on to the next step.

Vaginismus

It is important that before each new step we tell the woman exactly what we are going to do and why we are going to do it. It is explained that to begin with we are just going to place your finger at the entrance of the vagina, but as yet are not going to attempt to insert it. On simply touching the vulva hairs she may well recoil, and complain that it hurts. Whenever she says, "It is hurting," check with her to see if it is really pain or just an unpleasant sensation. Usually it is the latter, unless you are pushing too firmly against the tightened muscle, which is undoubtedly painful. When one finger can be placed at the introitus pressure may then gradually be increased until an apparently imperforate barrier is met. At this point the woman can be taught specific movements that will tighten and loosen

1438

Medical Records

VI: Middle-sized group practice

PETER TOMSON

Over the past five or six years we have structured our notes using the FPF/6 envelope so that information is easily found, so that we have control over prescribing, and so that we are stimulated to remember and often prescribe more fully. We have designed and used new cards, some of which had to be printed at our expense. This is a small cost compared to changing olden and notes and the savings in time and buildings. We feel sure we are able to help patients more because of the range of information available at each consultation and we have some evidence that we look after patients with hypertension and diabetes "better" and that we offer more preventive medicine, but we have no proof of this.

"There is no life of a man, faithfully recorded but is a heroic poem of his art." THOMAS CARLYLE.

Having achieved some sort of order out of the chaos of notes, we now realise how impossible it is to practice good medicine with unstructured notes. The improvements we have made in our record system are due to a combination of decision debated by the partners and a process of less conscious evolution. We decided against A4 records on the grounds of cost, shortage of filing space, and a concern about the durability of paper as opposed to cards. We have an open mind about computers, but even if we decide to use one later the information needed to feed it will still have to be found and structured first. Good manual records could be a first step to good computerised records. Our practice consists of 11 500 patients, and the team comprises four full-time doctors, two part-time doctors, and a trainee. We practise in an Edwardian house with a waiting-room built on. We serve an overgrown village and some surrounding farms. We are helped by a practice manager who is a nurse, a business manager, two nurses, one secretary, and six receptionists, all of whom are part time. We have two attached nurses, two attached health visitors, and two health visitor aids, and a marriage guidance counsellor attends once a week. The filing is on shelving by the lateral wall method.

Why we decided to change our records

I will not elevate what was an accidental and evolutionary process into something grand. I remember the feelings of dissatisfaction—with the old records, not being able to find information, repeated history taking, taking women who had had a hysterectomy about their periods not knowing that drug patients were meant to be taking. For some years I had attempted to make some sort of medical and family history on new patients, but my listings got buried in a mass of notes so that I had begun to create summary cards.

Abbott Langley, Hertfordshire
PETER TOMSON, MA, FRGP, general practitioner

By chance, I went to Dr Wood's lecture in the Senate House some years ago. There I learnt that I was a fraud, incompetent, bogus, unearner, and was prescribing unsafe medicine because I had no data base about my patients and insufficient available information to treat patients efficiently and carefully. I also learnt that there was hope and that problem-oriented medical records were the road to salvation. I immediately got his book, but it seemed much too high powered and complicated for our needs, so, guided by Dr Ian Tait of Aldeburgh, we created a system which would work for ordinary general practitioners.

What were our aims?

I think our aims were to have records containing basic information about our patients which is easy to find, and to be in control of repeat prescriptions and prescribing. Later we evolved aims about preventive medicine so that when we see patients we are stimulated to see that we "have not left undone those things that we ought to have done" about their blood pressure, smoking, weight, cervical cytology, rubella, and immunisation.

How did we do it?

We decided not to wait for A4, which may never come (cards last longer, and constrain the writer), but to adapt the present system. For some years our staff had treasury tagged cards (naples tear secretaries' finger nails on cards) and stapled our letters together (treasury tags pull out of paper). For this exercise you need a staple extractor, a large hole-maker for doing piles of cards, and each doctor

PATIENT HISTORY & PROBLEM CARD					Height	Weight	Temp	Pulse	BP
Present	Past	Family	Social	Allergies	5' 6"	120	98.6	72	110/70
1. (Current problem)	2. (Past problems)	3. (Family history)	4. (Social history)	5. (Allergies)					
6. (Immunisation)	7. (Vaccines)	8. (Other notes)	9. (Other notes)	10. (Other notes)					
11. (Vaccines)	12. (Other notes)	13. (Other notes)	14. (Other notes)	15. (Other notes)					
16. (Vaccines)	17. (Other notes)	18. (Other notes)	19. (Other notes)	20. (Other notes)					
21. (Vaccines)	22. (Other notes)	23. (Other notes)	24. (Other notes)	25. (Other notes)					
26. (Vaccines)	27. (Other notes)	28. (Other notes)	29. (Other notes)	30. (Other notes)					
31. (Vaccines)	32. (Other notes)	33. (Other notes)	34. (Other notes)	35. (Other notes)					
36. (Vaccines)	37. (Other notes)	38. (Other notes)	39. (Other notes)	40. (Other notes)					
41. (Vaccines)	42. (Other notes)	43. (Other notes)	44. (Other notes)	45. (Other notes)					
46. (Vaccines)	47. (Other notes)	48. (Other notes)	49. (Other notes)	50. (Other notes)					
51. (Vaccines)	52. (Other notes)	53. (Other notes)	54. (Other notes)	55. (Other notes)					
56. (Vaccines)	57. (Other notes)	58. (Other notes)	59. (Other notes)	60. (Other notes)					
61. (Vaccines)	62. (Other notes)	63. (Other notes)	64. (Other notes)	65. (Other notes)					
66. (Vaccines)	67. (Other notes)	68. (Other notes)	69. (Other notes)	70. (Other notes)					
71. (Vaccines)	72. (Other notes)	73. (Other notes)	74. (Other notes)	75. (Other notes)					
76. (Vaccines)	77. (Other notes)	78. (Other notes)	79. (Other notes)	80. (Other notes)					
81. (Vaccines)	82. (Other notes)	83. (Other notes)	84. (Other notes)	85. (Other notes)					
86. (Vaccines)	87. (Other notes)	88. (Other notes)	89. (Other notes)	90. (Other notes)					
91. (Vaccines)	92. (Other notes)	93. (Other notes)	94. (Other notes)	95. (Other notes)					
96. (Vaccines)	97. (Other notes)	98. (Other notes)	99. (Other notes)	100. (Other notes)					
101. (Vaccines)	102. (Other notes)	103. (Other notes)	104. (Other notes)	105. (Other notes)					
106. (Vaccines)	107. (Other notes)	108. (Other notes)	109. (Other notes)	110. (Other notes)					
111. (Vaccines)	112. (Other notes)	113. (Other notes)	114. (Other notes)	115. (Other notes)					
116. (Vaccines)	117. (Other notes)	118. (Other notes)	119. (Other notes)	120. (Other notes)					
121. (Vaccines)	122. (Other notes)	123. (Other notes)	124. (Other notes)	125. (Other notes)					
126. (Vaccines)	127. (Other notes)	128. (Other notes)	129. (Other notes)	130. (Other notes)					
131. (Vaccines)	132. (Other notes)	133. (Other notes)	134. (Other notes)	135. (Other notes)					
136. (Vaccines)	137. (Other notes)	138. (Other notes)	139. (Other notes)	140. (Other notes)					
141. (Vaccines)	142. (Other notes)	143. (Other notes)	144. (Other notes)	145. (Other notes)					
146. (Vaccines)	147. (Other notes)	148. (Other notes)	149. (Other notes)	150. (Other notes)					
151. (Vaccines)	152. (Other notes)	153. (Other notes)	154. (Other notes)	155. (Other notes)					
156. (Vaccines)	157. (Other notes)	158. (Other notes)	159. (Other notes)	160. (Other notes)					
161. (Vaccines)	162. (Other notes)	163. (Other notes)	164. (Other notes)	165. (Other notes)					
166. (Vaccines)	167. (Other notes)	168. (Other notes)	169. (Other notes)	170. (Other notes)					
171. (Vaccines)	172. (Other notes)	173. (Other notes)	174. (Other notes)	175. (Other notes)					
176. (Vaccines)	177. (Other notes)	178. (Other notes)	179. (Other notes)	180. (Other notes)					
181. (Vaccines)	182. (Other notes)	183. (Other notes)	184. (Other notes)	185. (Other notes)					
186. (Vaccines)	187. (Other notes)	188. (Other notes)	189. (Other notes)	190. (Other notes)					
191. (Vaccines)	192. (Other notes)	193. (Other notes)	194. (Other notes)	195. (Other notes)					
196. (Vaccines)	197. (Other notes)	198. (Other notes)	199. (Other notes)	200. (Other notes)					
201. (Vaccines)	202. (Other notes)	203. (Other notes)	204. (Other notes)	205. (Other notes)					
206. (Vaccines)	207. (Other notes)	208. (Other notes)	209. (Other notes)	210. (Other notes)					
211. (Vaccines)	212. (Other notes)	213. (Other notes)	214. (Other notes)	215. (Other notes)					
216. (Vaccines)	217. (Other notes)	218. (Other notes)	219. (Other notes)	220. (Other notes)					
221. (Vaccines)	222. (Other notes)	223. (Other notes)	224. (Other notes)	225. (Other notes)					
226. (Vaccines)	227. (Other notes)	228. (Other notes)	229. (Other notes)	230. (Other notes)					
231. (Vaccines)	232. (Other notes)	233. (Other notes)	234. (Other notes)	235. (Other notes)					
236. (Vaccines)	237. (Other notes)	238. (Other notes)	239. (Other notes)	240. (Other notes)					
241. (Vaccines)	242. (Other notes)	243. (Other notes)	244. (Other notes)	245. (Other notes)					
246. (Vaccines)	247. (Other notes)	248. (Other notes)	249. (Other notes)	250. (Other notes)					
251. (Vaccines)	252. (Other notes)	253. (Other notes)	254. (Other notes)	255. (Other notes)					
256. (Vaccines)	257. (Other notes)	258. (Other notes)	259. (Other notes)	260. (Other notes)					
261. (Vaccines)	262. (Other notes)	263. (Other notes)	264. (Other notes)	265. (Other notes)					
266. (Vaccines)	267. (Other notes)	268. (Other notes)	269. (Other notes)	270. (Other notes)					
271. (Vaccines)	272. (Other notes)	273. (Other notes)	274. (Other notes)	275. (Other notes)					
276. (Vaccines)	277. (Other notes)	278. (Other notes)	279. (Other notes)	280. (Other notes)					
281. (Vaccines)	282. (Other notes)	283. (Other notes)	284. (Other notes)	285. (Other notes)					
286. (Vaccines)	287. (Other notes)	288. (Other notes)	289. (Other notes)	290. (Other notes)					
291. (Vaccines)	292. (Other notes)	293. (Other notes)	294. (Other notes)	295. (Other notes)					
296. (Vaccines)	297. (Other notes)	298. (Other notes)	299. (Other notes)	300. (Other notes)					
301. (Vaccines)	302. (Other notes)	303. (Other notes)	304. (Other notes)	305. (Other notes)					
306. (Vaccines)	307. (Other notes)	308. (Other notes)	309. (Other notes)	310. (Other notes)					
311. (Vaccines)	312. (Other notes)	313. (Other notes)	314. (Other notes)	315. (Other notes)					
316. (Vaccines)	317. (Other notes)	318. (Other notes)	319. (Other notes)	320. (Other notes)					
321. (Vaccines)	322. (Other notes)	323. (Other notes)	324. (Other notes)	325. (Other notes)					
326. (Vaccines)	327. (Other notes)	328. (Other notes)	329. (Other notes)	330. (Other notes)					
331. (Vaccines)	332. (Other notes)	333. (Other notes)	334. (Other notes)	335. (Other notes)					
336. (Vaccines)	337. (Other notes)	338. (Other notes)	339. (Other notes)	340. (Other notes)					
341. (Vaccines)	342. (Other notes)	343. (Other notes)	344. (Other notes)	345. (Other notes)					
346. (Vaccines)	347. (Other notes)	348. (Other notes)	349. (Other notes)	350. (Other notes)					
351. (Vaccines)	352. (Other notes)	353. (Other notes)	354. (Other notes)	355. (Other notes)					
356. (Vaccines)	357. (Other notes)	358. (Other notes)	359. (Other notes)	360. (Other notes)					
361. (Vaccines)	362. (Other notes)	363. (Other notes)	364. (Other notes)	365. (Other notes)					
366. (Vaccines)	367. (Other notes)	368. (Other notes)	369. (Other notes)	370. (Other notes)					
371. (Vaccines)	372. (Other notes)	373. (Other notes)	374. (Other notes)	375. (Other notes)					
376. (Vaccines)	377. (Other notes)	378. (Other notes)	379. (Other notes)	380. (Other notes)					
381. (Vaccines)	382. (Other notes)	383. (Other notes)	384. (Other notes)	385. (Other notes)					
386. (Vaccines)	387. (Other notes)	388. (Other notes)	389. (Other notes)	390. (Other notes)					
391. (Vaccines)	392. (Other notes)	393. (Other notes)	394. (Other notes)	395. (Other notes)					
396. (Vaccines)	397. (Other notes)	398. (Other notes)	399. (Other notes)	400. (Other notes)					
401. (Vaccines)	402. (Other notes)	403. (Other notes)	404. (Other notes)	405. (Other notes)					
406. (Vaccines)	407. (Other notes)	408. (Other notes)	409. (Other notes)	410. (Other notes)					
411. (Vaccines)	412. (Other notes)	413. (Other notes)	414. (Other notes)	415. (Other notes)					
416. (Vaccines)	417. (Other notes)	418. (Other notes)	419. (Other notes)	420. (Other notes)					
421. (Vaccines)	422. (Other notes)	423. (Other notes)	424. (Other notes)	425. (Other notes)					
426. (Vaccines)	427. (Other notes)	428. (Other notes)	429. (Other notes)	430. (Other notes)					
431. (Vaccines)	432. (Other notes)	433. (Other notes)	434. (Other notes)	435. (Other notes)					
436. (Vaccines)	437. (Other notes)	438. (Other notes)	439. (Other notes)	440. (Other notes)					
441. (Vaccines)	442. (Other notes)	443. (Other notes)	444. (Other notes)	445. (Other notes)					
446. (Vaccines)	447. (Other notes)	448. (Other notes)	449. (Other notes)	450. (Other notes)					
451. (Vaccines)	452. (Other notes)	453. (Other notes)	454. (Other notes)	455. (Other notes)					
456. (Vaccines)	457. (Other notes)	458. (Other notes)	459. (Other notes)	460. (Other notes)					
461. (Vaccines)	462. (Other notes)	463. (Other notes)	464. (Other notes)	465. (Other notes)					
466. (Vaccines)	467. (Other notes)	468. (Other notes)	469. (Other notes)	470. (Other notes)					
471. (Vaccines)	472. (Other notes)	473. (Other notes)	474. (Other notes)	475. (Other notes)					
476. (Vaccines)	477. (Other notes)	478. (Other notes)	479. (Other notes)	480. (Other notes)					
481. (Vaccines)	482. (Other notes)	483. (Other notes)	484. (Other notes)	485. (Other notes)					
486. (Vaccines)	487. (Other notes)	488. (Other notes)	489. (Other notes)	490. (Other notes)					
491. (Vaccines)	492. (Other notes)	493. (Other notes)	494. (Other notes)	495. (Other notes)					
496. (Vaccines)	497. (Other notes)	498. (Other notes)	499. (Other notes)	500. (Other notes)					
501. (Vaccines)	502. (Other notes)	503. (Other notes)	504. (Other notes)	505. (Other notes)					
506. (Vaccines)	507. (Other notes)	508. (Other notes)	509. (Other notes)	510. (Other notes)					
511. (Vaccines)	512. (Other notes)	513. (Other notes)	514. (Other notes)	515. (Other notes)					
516. (Vaccines)	517. (Other notes)	518. (Other notes)	519. (Other notes)	520. (Other notes)					
521. (Vaccines)	522. (Other notes)	523. (Other notes)	524. (Other notes)	525. (Other notes)					
526. (Vaccines)	527. (Other notes)	528. (Other notes)	529. (Other notes)	530. (Other notes)					
531. (Vaccines)	532. (Other notes)	533. (Other notes)	534. (Other notes)	535. (Other notes)					
536. (Vaccines)	537. (Other notes)	538. (Other notes)	539. (Other notes)	540. (Other notes)					
541. (Vaccines)	542. (Other notes)	543. (Other notes)	544. (Other notes)	545. (Other notes)					
546. (Vaccines)	547. (Other notes)	548. (Other notes)	549. (Other notes)	550. (Other notes)					
551. (Vaccines)	552. (Other notes)	553. (Other notes)	554. (Other notes)	555. (Other notes)					
556. (Vaccines)	557. (Other notes)	558. (Other notes)	559. (Other notes)	560. (Other notes)					
561. (Vaccines)	562. (Other notes)	563. (Other notes)	564. (Other notes)	565. (Other notes)					
566. (Vaccines)	567. (Other notes)	568. (Other notes)	569. (Other notes)	570. (Other notes)					
571. (Vaccines)	572. (Other notes)	573. (Other notes)	574. (Other notes)	575. (Other notes)					
576. (Vaccines)	577. (Other notes)	578. (Other notes)	579. (Other notes)	580. (Other notes)					
581. (Vaccines)	582. (Other notes)	583. (Other notes)	584. (Other notes)	585. (Other notes)					
586. (Vaccines)	587. (Other notes)	588. (Other notes)	589. (Other notes)	590. (Other notes)					
591. (Vaccines)	592. (Other notes)	593. (Other notes)	594. (Other notes)	595. (Other notes)					
596. (Vaccines)	597. (Other notes)	598. (Other notes)	599. (Other notes)	600. (Other notes)					
601. (Vaccines)	602. (Other notes)	603. (Other notes)	604. (Other notes)	605. (Other notes)					
606. (Vaccines)	607. (Other notes)	608. (Other notes)	609. (Other notes)	610. (Other notes)					
611. (Vaccines)	612. (Other notes)	613. (Other notes)	614. (Other notes)	615. (Other notes)					
616. (Vaccines)	617. (Other notes)	618. (Other notes)	619. (Other notes)	620. (Other notes)					
621. (Vaccines)	622. (Other notes)	623. (Other notes)	624. (Other notes)	625. (Other notes)					
626. (Vaccines)	627. (Other notes)	628. (Other notes)	629. (Other notes)	630. (Other notes)					
631. (Vaccines)	632. (Other notes)	633. (Other notes)	634. (Other notes)	635. (Other notes)					
636. (Vaccines)	637. (Other notes)	638. (Other notes)	639. (Other notes)	640. (Other notes)					
641. (Vaccines)	642. (Other notes)	643. (Other notes)	644. (Other notes)	645. (Other notes)					
646. (Vaccines)	647. (Other notes)	648. (Other notes)	649. (Other notes)	650. (Other notes)					
651. (Vaccines)	652. (Other notes)	653. (Other notes)	654. (Other notes)	655. (Other notes)					
656. (Vaccines)	657. (Other notes)	658. (Other notes)	659. (Other notes)	660. (Other notes)					
661. (Vaccines)	662. (Other notes)	663. (Other notes)	664. (Other notes)	665. (Other notes)					
666. (Vaccines)	667. (Other notes)	668. (Other notes)	669. (Other notes)	670. (Other notes)					
671. (Vaccines)	672. (Other notes)	673. (Other notes)	674. (Other notes)	675. (Other notes)					
676. (Vaccines)	677. (Other notes)	678. (Other notes)	679. (Other notes)	680. (Other notes)					
681. (Vaccines)	682. (Other notes)	683. (Other notes)	684. (Other notes)	685. (Other notes)					
686. (Vaccines)	687. (Other notes)	688. (Other notes)	689. (Other notes)	690. (Other notes)					
691. (Vaccines)	692. (Other notes)	693. (Other notes)	694. (Other notes)	695. (Other notes)					
696. (Vaccines)	697. (Other notes)	698. (Other notes)	699. (Other notes)	700. (Other notes)					
701. (Vaccines)	702. (Other notes)	703. (Other notes)	704. (Other notes)	705. (Other notes)					
706. (Vaccines)	707. (Other notes)	708. (Other notes)	709. (Other notes)	710. (Other notes)					
711. (Vaccines)	712. (Other notes)	713. (Other notes)	714. (Other notes)	715. (Other notes)					
716. (Vaccines)	717. (Other notes)	718. (Other notes)	719. (Other notes)	720. (Other notes)					
721. (Vaccines)	722. (Other notes)	723. (Other notes)	724. (Other notes)	725. (Other notes)					
726. (Vaccines)	727. (Other notes)	728. (							

needs a small hole-maker for occasional use and treasury tags. None of this seemed very expensive.

The next step was to make summaries. These can be made on the National Health Service summary cards, but I decided to design our own (fig 1). This was mainly for the obverse side which provides a structure for recording preventive medicine and family history, so that the information is easily found. It seems easy—"We made summaries." It is hard, time-consuming work. We decided to make our own problem sheets and not to delegate this to the staff. While 90% of the problem could be picked up by well-trained staff, some, I think, would only be appreciated by a doctor. Would a lay secretary recognise that a diet of Fowler's solution in childhood created a risk of skin and lung cancer in later years, or would she include a history of work in an asbestos factory, and how it decided when to record a history of depression? It is difficult enough to provide guidelines for the doctor.

I set myself the task of doing four envelopes a day—two easy and two difficult—and the task has taken five years. A summary can take anything from two minutes to 20 minutes and requires getting out all the cards and past letters. Summaries were made of problems—that is, symptoms were not upgraded to diagnoses without justification. They included physical, psychological, social, and behavioural problems. One of the problems of making summaries is that patients' lives are exposed on the front page, and as I tend to share summaries with patients to make sure I have got them right, some discretion is needed.

In the course of sorting through the old letters, much dust is thrown away. I have I've thrown vital information away? Well, not to my knowledge. Who looks through 50 letters in the course of a

consultation? (Irretrievable information is useless.) Will the lawyers get me? Well, I hope not. Do we really need four letters about a haemorrhaphy—won't one do? Perhaps the hospital has copies, anyway. Am I ever going to want to know about a normal haemoglobin in 1962? If I have time I will write it in red ink under the appropriate date. After about six years' 90% of my patients seem to have some sort of summary problem and I now could not practice without this, so when I see the next patient's summary has not been done, even if he is not on my personal list, I do it before I see him.

My patients and I disagreed (or rather it became obvious) that we had immense gaps of knowledge about our patients, so fairly early we devised a "data base card" (fig 2)—rather a jargon name I fear—and this was evaluated by the Watford Training Group.¹ We persuaded all new patients to fill this in themselves and they did it remarkably well. The card is given in an envelope to the patient by the receptionist, whose enthusiasm is vital for success. This questionnaire does not excuse us from getting to know our patients, nor from taking proper histories when we first meet, but it does make both these tasks very much easier. Often what is left out is more important than what is put in. Seeing no information about one parent suggests that there has been a tragedy or divorce in the family and allows tactful inquiries to be made. The cards are then incorporated and placed directly behind the problem sheet; the family history remains easily available, but does not update. We also think it is important to involve patients in their own care, and this card serves as an introduction to this philosophy. So we gradually developed a system that would provide more information about our patients, and we structured it so that we could find it at a glance.

Control of practice seemed to be the next problem. We use a drug card (fig 3). You will notice it states in handwriting how often the

FIG 2—Data base card (two sides with one fold out) (4.31 x 100; 140.25 x 1000).

FIG 3—Drug record card (two sides) (2.30 x 100; 119.55 x 1000).

patient is to be seen. This should be incorporated in any new design. The prescription secretary fills in the repeat prescription card (fig 4) with the date and the appropriate letters. This system takes time to set up, but once it is running it saves much time, and the staff would strike if it were dropped. Our next move is to provide a card for patients to carry, and this we hope will make life even easier for the secretary; no more requests for "little white tablets," and we also hope it will increase compliance.

At about this time we became aware that we were looking after many people with chronic diseases and some sort of system to record this seemed essential. For patients with diabetes and hypertension we designed flow sheets (figs 5 and 6). This enables us to see why we are treating the patient, how we are doing it, what our treatment goal is, and whether we are achieving it. Again these sheets take a little time to initiate, but once done there is no fumbling through the notes to see what it is all about, even if it is not your patient. Structured cards like antenatal cards encourage us to do "that which we ought to do," reminds us to weigh patients, to check the vision, arrange estimation of electrolytes at appropriate intervals, and other things that are easily forgotten or postponed.

FIG 5—Hypertension flow sheet (two sides with two fold out) (6.05 x 100; 51.75 x 1000).

FIG 6—Diabetic flow sheet (two sides with two fold out) (6.05 x 100; 51.75 x 1000).

Do we write differently in the notes? Yes, I do, and so do some of my partners. I use the SOAP format: S = subjective = C/O = what the patient complains of; O = objective = OE = on examination; A = assessment; P = plans, investigations, treatment, and education, and what the patient is told.

S and O are not innovations, but are shorter. A is the exciting bit, because it commits us to something, may be only a "P," but it encourages honesty and it enables partners, trainees, health visitors, and nurses (they all use the notes, both to read and to write in), to have some idea what our ideas are, if any. I think P is important and worth a little more trouble than we usually give it, particularly with regard to the information given to the patient. It is sometimes also important to make an overall treatment plan, and I tend to use a high lining pen to emphasise it. I also like to have all possible information in a chronological order on the current continuation card, so I write in my pathology results in red ink. If sequential time is sufficient, the x-ray examination reports are typed on to a gum-backed roll of paper fed into the typewriter. They are then cut up and stuck on the continuation cards in the correct chronological place. This again increases the retrievability of this information and decreases the bulk of the letters (the original form is destroyed).

Two paragraphs I mentioned partners. Do all partners have to conform to problem-oriented medical records? No, we all have it with varying amounts of enthusiasm. We all like the idea, but some seem more obstinational than others. Nobody seems to mind if problem cards

are made for their patients; anyway, they can always destroy them! All patients on repeat prescriptions have proper repeat prescription cards, and the staff like to see them. We can rest, but not very much less, and we enjoy surgery time more. We also use some free ideas. We put stickers on the spines of the notes of all patients with diabetes, hypertension, thyroid disease, gastroenteritis, and epilepsy. This enables our practice manager to fill in her spare minutes once a year by looking along the shelf, picking out the notes, and checking that all the hypertensives, diabetics, and epileptics have not fallen by the wayside and deflated and that we have bothered to check the blood of our post-gastroenteritis patients. The stickers come free from Winthrop. We do have a modified morbidity index, but the stickers on the spines of the notes is a method of identifying patients with chronic disease, which saves much time. We also have an age register that we use for cervical smear campaigns and genetic surgery, but it would not be our first priority.

PREVENTIVE MEDICINE

Prevention is our latest enthusiasm. Orange stickers in the bottom right-hand corner of the envelope of all female patients aged 15-35 reminds us to check on the rubella status and to take appropriate action. A green sticker (fig 7), by kind permission of Broughton, reminds us to offer flu vaccine to all patients with diabetes, cardiac disease, and bronchitis (the stickers are put on by all doctors and by the repeat prescription secretary). This green sticker also reminds us

FLU VACCINE	
1980	1985
1981	1986
1982	1987
1983	1988
1984	1989
Smoking yes/no	
22mm	

to ask about smoking. A round green sticker has the date of the last cervical smear on it and what the interval to the next smear should be. Again this reminds us at a glance to do what is necessary. I am beginning to look instinctively at the back of the summary card and check that the blood pressure is known, that actually have their height as well as their weight recorded. Next time we redesign the cards there will be a space to remind us about tobacco and alcohol. For the moment I try to remember to record this information always in the same place.

Would we do it differently?

Not essentially; some cards I would redesign, partly because knowledge has changed—for example, urine concentrations should be included in the hypertensive work-up—and partly because attitudes have changed with more emphasis on weight, blood pressure, and smoking. I would not wish to change to A4; I am fond of our cards; they last and are big enough. For three patients have I tried to make shorter problem lists; it is not the size, it is the structure that matters. Perhaps A4 folders would be nice for the letters, but not for the cards.

Are there disadvantages?

Insurance forms are easier to fill in, but more likely to contain information about illnesses that would affect the insurance premiums adversely. The easier it is to find information the more important confidentiality becomes. This means better education of the staff and greater security.

Has it all been worth while?

Yes, without a doubt. A glance at the problem sheet and the family history does orientate me before I see the patient and reminds me to ask about problems other than that presented, and occasionally we pick up important lapsed follow-ups of anaemia and so forth. One patient's life may have been saved. In the course of making a problem summary I discovered he had worked in the rubber industry. Urine cytology showed abnormal cells and cystoscopy showed an early papilloma which has been "cured."

I hope the quality of my problem solving is helped by the commitment to the A of the SOAP. I hope that fewer patients are confused by different messages by different doctors, and that treatment plans are more consistent. I am sure that fewer prescriptions go astray and that patients are reviewed more regularly. When we last checked we found that about 90% of our patients with diabetes and hypertension had been seen within the past six months. Most of our patients who have had thyroid disease were found to be euthyroid. I think about 70% of our women patients who might conceive are known to be immune to rubella. I certainly check more random blood pressures. Yes, again, it is worth while, and I would not go back to being without structured notes. But it has been a struggle because time had to be found from lunch and leisure—which is now saving time. The rest of the team also like it, particularly the trainees, locums, nurses, and health visitors.

What of the future?

I suppose we must attempt 100% completion of the summaries and 100% coverage of aspects of preventive medicine. We

certainly need repeat prescription cards for the patients as well as cards for our notes. The burning need for me is to structure our knowledge about families. This is available for some of our new patients, but is very scarce for our old patients. We attempt to keep personal lists, but often find that partners are seeing members of the same family and I forget I have seen others of the family and this knowledge may not be available to me during the consultation. I have become increasingly aware of the importance of the rest of the family and their interaction in health and in ill health. Perhaps a family summary card with a family tree kept in the mother's notes is one answer. Perhaps also someone can tell me how to do it. I suppose family filing would help, but the staff are frightened of the difficulties of finding notes and losing them in a society where family mobility is increased.

I agree with Dr Weed that we need good records to practice good medicine. At one time I wondered whether records got in the way and became more important than the patient. Now I feel that they are the essential background to efficient, caring general practice and they certainly make life easier for me, and I think they help the patient.

I am grateful for the help and enthusiasm of our team in creating records and in writing this review.

All cards shown in this article may be obtained from General Practice Supplies, Freeport, Bushey, Watford W02 1PF, at the prices given plus post and packing.

References

- 1 Wood L.L. Medical records, medical education and patient care. Cleveland, Ohio: Case Western Reserve University Press, 1969.
- 2 Tait I, Stevens J. The problem oriented medical record: general practice. *J R Coll Gen Pract* 1973;23:311-5.
- 3 Wilson D. What we set out to do. *J R Coll Gen Pract* 1980;30:421.
- 4 Murray M, Sydenham D, Winkler R. A questionnaire as a data base in problem oriented records. *J R Coll Gen Pract* 1974;24:572-5.
- 5 Stott NCH, Davies RHF. The exceptional potential in primary care consultation. *J R Coll Gen Pract* 1979;29:201-5.
- 6 Hyman RJA. Family medicine. Nijmegen: Dekker & Van de Vegt, 1979.

A night at the opera: RSM meeting on delivering primary care in inner cities

SUE BURKHART

Did someone plant the two people in the audience one of whom warmly supported and the other who vehemently rejected the four alternative solutions for improving primary care in inner cities that were presented at the Royal Society of Medicine recently? I suspect not, but Dr Luke Zander, president of the section of general practice, could hardly have hoped for better grip for his mill. The question before the meeting was: "What are the four alternative solutions for improving primary care in inner cities? Or do we need new ways—ways that might be considered inappropriate elsewhere, say in the country?"

British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR
SUE BURKHART, staff editor

General practitioners who work in the inner city face some large obstacles in trying to treat a shifting population of patients, many of whom are single, in poor social conditions. The social services are oversubscribed and a lot of primary care is given in casualty departments of hospitals that are set up for high technology medicine. To add to these problems is the fact that a high percentage of general practitioners are single-handed and elderly and live outside the areas they practise in. Thus they use deputising services a lot to cover for them in the evenings and on weekends.

With this reality for background, the question was addressed by a general practitioner in private practice in London, Dr Robert Lefever; by an advocate of introducing nurse practitioners on the North American model to general practice, Dr Anne Bowling of the Institute for Social Studies in Medical Care; by Mr Peter Carr, a director of Debenhams, a retail

chain that is going to rent space in its Oxford Street store to general practitioners; and by the director of a subscription service, Mr Raymond Francis of Medcover.

Upset that this meeting had concerned itself with these approaches, some of the audience said that they had got the wrong opera. Others had got the wrong performance—what should have been discussed were the problems of general practitioners working in the inner city. Someone said that the proposals made by the speakers would do nothing to close the gap in health standards between the different social classes, and in fact they would benefit only those who could afford to pay.

The NHS model does not work

Ten years of practising in the National Health Service and a visit to the United States to see how medicine was practised had convinced Dr Lefever that people in the inner city here do not get good quality primary care. He had set up a private practice that offered extensive diagnostic facilities and allowed his staff to carry out a wide range of duties—both ideas from the US. This enabled him, for example, to give an x-ray examination in his office and give a quicker diagnosis. With a shifting population in London—40% of the residents patients on his list change every year—immediate diagnosis is very important. And his radiographer was getting a lot of satisfaction out of her job by performing other duties such as audiometry testing. Surprisingly, about a quarter of Dr Lefever's patients are from social classes IV and V. Many stayed with him when he left the NHS, while more of his patients who were professionals left, saying that he had "abandoned them."

Nurse practitioners

Will general practitioners some day agree to let their nurses perform more procedures than they do now—perhaps even take a medical history and do a physical examination, as nurse practitioners in the US are trained to do? The results of studies in the US and Canada had persuaded Dr Bowling that introducing nurse practitioners to general practice here should improve primary care. Nurse practitioners spent more time with patients, were more "caring," were less likely to break appointments, and did more counselling and health education. In some cases doctors were freed to concentrate on patients with more complicated conditions, and working together in this new way doctors and nurses saw more patients than before.

The longest course of study for nurse practitioners cost half as much as a doctor's training. But doctors and nurses come to terms with the role conflicts? And was it true that if a doctor carried out the procedures—for example, syringing a patient's ear—this helped to make the relationship between the doctor and patient closer?

Luring general practitioners back to town

Debenhams department store wanted to rent some of its floor space to people who had been forced out of town by high rents and rates. Sales density would increase over the next 10 years, thus freeing floor space. When considering who might use this space Debenhams had done a survey of general practice, finding that people who worked in town and lived outside usually had to take time off to see their general practitioner, many of whom were in the suburbs. Debenhams also knew that doctors wanted to improve their services. They decided to offer space to general practitioners. The idea, Mr Carr said, was to offer space in town for branch surgeries to serve patients who work in town and get home after the surgery has closed, and to provide better premises for general practitioners working in town who could

not afford to improve their surgeries. Debenhams had never intended to offer medical services to their customers—but they hoped that the scheme would attract more customers. The BMA would have to approve the design of the premises and inspect the sites.

Home-ing in

Running a general practitioner deputising service that had logged in 30 000 home visits a year was convincing evidence to Mr Francis that such a service was needed to cover for general practitioners on weekends and evenings. But what had struck him was the laxity of some of the doctors working in deputising services in attending to patients. He thought that patients deserved better than that. So about a year ago he had started a new type of service—Medcover—a private scheme for home visits, which had never been intended to compete with general practice or to denigrate the NHS. In fact, after about 700 home visits made so far not one complaint had come from a general practitioner that the doctor-patient relationship had been harmed, while the relationship between doctors and patients participating in Medcover was better than in the deputising service. Who was willing to pay £60 (including the whole family) to join and £5 for each home visit? A lot of people over 65 years were and a lot of people with young children. About a quarter of the subscribers were from social classes IV and V. In his view Medcover was a partial solution to what did not damage the continuity of care. If the BMA would meet them Medcover would be willing to discuss three things: nothing but the deputising service; a patient who was a subscriber; registering the approval of the general practitioner; and sending all records about home visits to the general practitioner within 24 hours.

Although the audience on the whole thought that these four proposals for improving primary care in inner cities were missing the point, Dr Zander pushed the discussion to a close by suggesting that general practitioners think about whether these solutions affected the care they were now giving and whether such services should be integrated to ensure continuity of care. But is changing the way primary care is provided in the inner city the answer? Or does the real solution lie in drastic social changes that can only be brought about by political will and greater resources? And should medicine lead the way in the drive for improvement?

Clinical Pointer

Because of a special interest in the problem, I have been counselling parents who have recently been bereaved as a result of one of their children dying from the "sudden infant death syndrome." I would like to draw the attention of your readers to a particular problem which has arisen in three cases where the father has had a vasectomy performed shortly after the birth of the deceased child. In each case the vasectomy has led to considerable adult distress to the parents and requests for the procedure to be reversed. Although the sudden infant death syndrome is not a common event in individual practices as a cause of infant mortality in the first year of life, it ranks very highly and is tremendously distressing for all concerned. I urge those people who counsel parents about vasectomy to suggest delaying the procedure at least until the youngest child is a year old. It is particularly pertinent to mention this at this time because there seems to be a trend towards vasectomy of younger parents.—B D WALKER, general practitioner, Worthington, Cumbria.

We will be pleased to consider for publication other interesting clinical findings in general practice.—ED, BMJ.