Thinking About the Unthinkable

Death of a daughter

CYRIL JOSEPHS

I remember learning early in my medical career that a doctor is as credulous as anyone else. Superstition has it that a doctor who specialises risks developing some pathological condition commonly seen in his specialty. The heart specialist gets heart disease, the ENT surgeon becomes deaf, and so on. Quite foolish, of course, but there are many examples to support the claim. A neurologist of some fame did develop parkinsonism, and an expert on kidney disease and hypertension did die of hypertension. Coincidence, of course. Perhaps suffering from a condition insures a more than average interest in that condition, so that the physician who has diabetes becomes an expert on diabetes.

Soon after qualifying I developed an interest in paediatrics and had ambitions of becoming a paediatrician. When our first child was born I feared she might have congenital heart disease or some such handicap. I had always wanted a daughter, probably because I had three brothers and no sisters. I clearly remember asking somewhat bashfully if I could examine the newborn infant even though I had been reassured that she was beautiful in appearance and normal in all respects. No cleft palate, imperforate anus, or spina bifida; heart normal; not even an Erb's palsy or excessive squint. The staff looked on tolerantly while I completed my examination; they quite understood my anxiety, they said. Labour had been rapid but otherwise uneventful, and my wife was well.

Looking back over many years, without having kept any diary of events, my memory is vague regarding exactly when I first suspected that something was seriously wrong. When my daughter was a few weeks old vomiting became a severe problem. Life in our home revolved around the infant, who had to be fed twice at every feed. The first bottle she would vomit immediately, the second would keep down. In those days feeding babies was considered a difficult art, and paediatricians (even budding ones) concocted all sorts of complicated formulas for "humanising" cows' milk. Despite the vomiting, our daughter thrived to a degree, and when we took her to see a paediatrician because I suspected pyloric stenosis we were told she was far too well-nourished and that nothing was wrong. Overanxious parents, especially the father, who had done just too much paediatrics for competence but too little for confidence. I hoped that my wife felt reassured, but she knew early on that I was unhappy and thought that something was amiss. How hard I tried in those early weeks to convince myself that I was over-anxious, I will not dwell on the tracks we tried to reduce the vomiting except to say that we tried them all. Any success was short lived, and I seemed to spend my life making feeds: my wife spent her life giving them.

London SE21. CYRIL JOSEPHS, MD, FRCP, general practitioner

Worries not ill founded

When our daughter was about 4 months old the first real blow came—suddenly and unexpectedly. It was my habit to sit by the cot late at night watching, and trying to convince myself that my worries were ill founded and that my daughter merely had a feeding problem. On the night in question, as I sat by her side in the quiet of her nursery, she had what I thought was a typical "salam" attack. In those days, to my knowledge, such attacks were not well known or described in the books. I had been taught about them by my chief, a paediatrician whom I greatly admired and respected. The "salam" attack is a spasm that usually occurs between 1 and 9 months and mostly before 6 months. It is typically a sharp flexion movement of the trunk that causes the infant to jerk-knife momentarily, head on chest, arms held in front. I had been taught that it was a sign (and not a cause) of severe mental retardation, and I still believe so.

Seeing that attack, which lasted only a second or two and which was not repeated, gave me one of the worst moments of my life. I tried immediately to put it out of my mind but found this impossible, even though I never saw her have another spasm. For the first time I thought our daughter might have brain damage. I sat by her side that night with what seemed an eternity, going over and over in my mind every possible explanation that would prove my fears ill founded. I well remember poring over my textbooks, seeking other explanations for the phenomenon—but getting no help. I slept hardly at all that night and went to my practice next morning with a heavier heart than I had believed possible. Soon afterwards I discussed my anxiety with my wife with complete frankness. I suggested that we sought further advice. On this occasion the paediatrician told us he found nothing wrong and felt confident that development, though slow, was within the normal range. She would grow up normally and get married one day. There was definitely no suggestion of brain damage. A short while afterwards she was admitted to hospital for observation for a few days. On her discharge we were told for the first time that something was wrong but that no firm diagnosis had been made.

Throughout those early months the child remained healthy looking and most attractive. As I watched the appearance of the tell-tale signs of retarded development: inability to sit for long or to hold the head up firmly, poor coordination of movement, and many others—signs that I had seen so often with other people's children—I came to accept the inevitable and to plan ahead so far as I could. Many friends and relatives remarked how beautiful she was and always. I remembered the writing of Sir Robert Hutchison, who stated that "the more healthy and natural looking the child is, the worse is the prognosis as regards mental development." As Dr Langdon Down said, "The prognosis (contrary to what is often thought) carries with it the child is comely, fair to look upon, and winsome." Those were dark days indeed. As the months went by the diagnosis became clearer and the child was obviously retarded to a great degree. She never failed to walk, never gained control of her bowel or bladder; in fact, in my words, remained "a complete

cabbage." She remained attractive with a surprisingly unblemished complexion, still an object of delight and affection to relatives and neighbours.

Support, trust, and candour

A word or two about my wife's role in all this. Without her unflinching support and trust I would have found matters well-nigh unbearable. I was, by all accounts, a very nervous man at home all day with our daughter, who needed full time attention. It was my wife who bore the full brunt of the onslaught—let such it was. We employed a daily help, which eased my wife's burden to a degree, and enabled her to get out for short spells without having to take the large part which her on every shopping journey. Each evening it was my job to wheel the pram round and round our block for what seemed an eternity, since that seemed to calm our constantly fractious child and to soothe her gradually to sleep. She would then be removed gently from pram to cot with a fervent prayer that she would not awaken and would give us a few hours respite. Nights were disturbed with incoherent crying and in her months developed epilepsy, which was difficult to control. It was after a succession of fits that she died.

Social activities were almost non-existent. Holidays were nightmares, as we could not indulge in the luxuries of hotels. We managed to find a small apartment at the seaside on ground level, with a patch of lawn overlooking the sea where we could place the pram while we relaxed, albeit imperfectly. Often we took walks separately. The nights were the same as at home. Yet I think such small breaks in our routine were of value.

Throughout those months of great stress we had discussed the prospects as calmly and firmly as possible. I have never regretted my candour in outlining to my wife what the future held for us and have always greatly appreciated her complete faith in my judgment and tact acceptance of the situation. I came to appreciate my paediatric experience as we both firmly eschewed the suggestion, often made to us by others, that matters could improve. Not for us the exaggerated delight expressed by other parents in the same plight when an affected child slowly developed a slightly improved skill. I am convinced that such a tragic occurrence should be faced fairly and squarely. Such confrontation proved enormously, as did my wife's strength in accepting the situation.

We decided together that my wife should have another child. Despite advice from others to the contrary, I firmly stated that "lightning does not strike the same place twice" and that future children would be normal. (I was not as certain as I appeared and now know that such an event can recur. I had always hoped, however, that our daughter had suffered severe brain damage from the rapidity of the labour rather than some genetic failure to develop. In the event, my confidence paid off and our two subsequent daughters developed normally.) I promised that when a second child was born and when we were as sure as we could be that all was well, I would do my best to arrange the admission of our first born to a hospital where she could be cared for permanently.

So it turned out. When she was about 3 years old our retarded daughter was admitted to a special unit where she was looked after with a loving care that was nothing short of incredible. And our life as a family really began. We gradually adjusted to a more normal routine. Laughter returned to the home, and we renewed friendships that had lapsed. Holidays became holidays. We visited our daughter in hospital weekly and watched her slowly growing older. One harrowing experience occurred when she developed severe gastroenteritis when she was about 5. We were called urgently to the hospital. I went into the ward first, asking my wife to wait until I could tell her what to expect. I had worked extensively with cases of gastroenteritis and was aware of the rapid decline that often occurred. My daughter was as I had expected, grossly dehydrated and semiconscious. Death seemed imminent, and I warned my wife that she would see a child who bore little resemblance to her daughter. Thus prepared, my wife was calm though upset. The doctors informed

Effect of the bereavement

The effect of the bereavement was undoubtedly lightened by the fact that she had not been ill for many years, and that we had a complete family with all the joys and pleasures that that implies. We had always hoped that she would die before we did, so that she would never be quite alone. Nevertheless, her death was an event of great sadness to us, even though all my training suggested that it should not be so. Such an experience leaves an indelible mark. I was able to cope largely because my wife was a tower of strength and had more faith in me than I had in myself. I was able always to discuss the problem openly with her, a practice that I sincerely recommend to others faced with such an experience. In my view hiding one's head in the sand does great harm. I repeatedly reminded her that we were better off with this child who was so severely retarded than she had no insight and did not suffer with one who was only moderately handicapped mentally. It was we who suffered. And in some respects it could have been worse.

I learnt much from this personal experience, not the least that doctors often fail to take enough note of what parents are telling them about their child, especially in the early stages when diagnosis is uncertain. Doctors see their patients for relatively short periods at a time. Parents and relatives live with the patient, and their words, descriptions, and feelings should always be heeded.

FACTORY LABOUR. At Leeds: "On Monday morning, work commenced at six o'clock; at nine, half an hour for breakfast; from nine till half past ten, work; afternoon meal half an hour; from five till half past six, rest for half an hour. From half past eight till twelve, midday work; half an hour's rest. From one in the morning till two, work; half an hour's rest. From two till three, work; half an hour's rest. From half past nine till twelve, work; dinner, from one till half past four, work. Rest half an hour, and work again from five till nine o'clock on Tuesday evening, when the labour terminated. On the sixteenth and eighteenth days were dismissed for the night, after having worked for thirty-nine hours, with brief intervals (amounting to only six hours in the whole) for refreshment; none for food. On the nineteenth and twentieth, work day only. From Friday morning till Saturday night, the whole prolonged labour repeated, with intermissions, as on Monday, Monday night, and Tuesday, except the labour of the day closed at five." John Maiton "On Factory Labour." Read before the Westminster Medical Society. London Medical and Physical Journal 1833; new series 14:109-20.

The GP and the Specialist

Gynaecology

JOHN MCQUEEN

Gynaecology is a specialty in which general practitioners usually have a good working knowledge, and it is unusual to encounter management "howlers." A common exception to this is the treatment of "leucorrhoea." I like to call the gynaecological "common cold"—vaginal discharge.

Vaginal discharge

Although one does occasionally receive a referral letter consisting of "Vaginal discharge. Please treat," usually an effort has been made to cure the patient. The diagnosis should usually be made by taking a careful history and an examination, and considering the patient's age. In the prepubertal girl the commonest cause, in my experience, is thrush. Only if the discharge persists after eradicating these and insisting on daily bathing should one start to look for rarer causes such as Dinkley toes in the vagina.

During the years, which I have heard an American gynaecologist refer to as the "menstrual experience," it is important to inquire about the presence of pruritus or soreness. If these are present and examination findings are appropriate it is reasonable to give one course of an anti-candida agent without taking a high vaginal swab. If the discharge is green and frothy and the main symptom is soreness rather than pruritus it could well be due to *Trichomonas vaginalis*, which should be treated with metronidazole. If the symptoms recur or are not cured it is essential to take a high vaginal swab. It is amazing how many women are treated for recurrent "thrush" with no microbiological confirmation. The diagnosis is usually wrong. Albeit, candidiasis has a tendency to recur despite treating the partner and clearing the gut with oral preparations.

Some young women have a physiological discharge that they regard as excessive. On examination some may indeed have a heavy discharge but others look completely normal. These patients need reassurance that there is no abnormality, but this may not be possible until they have had the full gamut of treatment, including cautery to the endocervical canal. One catch to be on the look-out for is the girl who wears tampons all the time "to absorb the discharge." This always causes more discharge than it absorbs, and you need to insist that she leaves it out for a whole cycle to prove to her that she does not need it. The "forgotten tampon" is another thing. One of the most unpleasant smells a gynaecologist encounters is that of the tampon which the woman did not know was there. Experience teaches you to have a waiting plastic bag within inches of the vagina to receive it and preferably to remove it in the consulting room next door.

JOHN MCQUEEN, FRCS, MRCS, consultant obstetrician and gynaecologist

far to refer them for assessment by someone who has an interest in the subject. I do, however, believe strongly that these problems should usually be treated by general practitioners.

Menstrual problems

The GP may have difficulty in deciding which menstrual problem should be referred to a gynaecologist. Postmenopausal bleeding and postcoital bleeding should always be investigated. So should intermenstrual bleeding that persists for more than two cycles, particularly in the later years of menstruation. It is not uncommon for a postpubertal girl to have irregular and heavy periods due to irregular production of hormones. This can usually be controlled by cyclical progestogens given for a month or two. Irregular heavy bleeding is then most likely to occur in the run-up to the menopause. Metrorrhagia

Clinical suggestion: untapped expertise

There is much medical expertise that could become available to the public from a source that is mainly untapped. I refer to the many doctors now over retirement age who are still eager to give and capable of giving their years of experience. Much time is spent by GPs in sorting out patients' domestic, social or marital problems, which could be done by doctors who have time to listen. Medical counsellor clinics could be set up and manned by retired practitioners, and specialists, to which cases could be referred by GPs.

This would help in three ways: (1) The GPs would then have more time to cope with diagnosis and treatment of disease. (2) The patients would have time to explain their problems, without feeling guilty that they were holding up a waiting room full of patients. (3) The doctors would have job satisfaction. Most of us are fortunate enough to have a person but could well do with a little more, so the service need not be expensive. At present, no ministry or local government will take on any doctor aged over 65 in full time employment—only locum work is permitted and that is difficult to find. Provided a doctor has not become mentally or physically incapable of work, the older he is the more experienced and worldly wise he has become, and therefore the more he has to offer—wax gloves, retired general practitioner. Trowbridge, Wilt.

Diary of Urban Wars: 1880-1948

Now if I were writing a cinema story instead of an autobiography I suppose the ending (of Daisy's story) would be on the following lines. Let us call the Russian officer Alex. Let us imagine that after a spell in Siberia he had managed to escape, and make his way to England. He must have known some details about Daisy. He sets detectives to trace her and eventually discovers her living in dire poverty with William. One day while William is out Alex makes himself known to Daisy, who is lying bedridden, wasting away. Daisy tells Alex that she has no hope of recovery. William walks in on the scene and discovers who Alex really is. It is agreed between the three of them not to make a scandal. Alex takes a room in the same house and, being a wealthy man, he and William—the true husband and the false one—attend Daisy until the final scene. In the meantime Daisy has been examined by the foremost specialist of the day but he can only confirm that her days are numbered. Through the influence of Alex, William is reclaimed from the drink and after Daisy's

haemorrhage is the commonest form of this problem; it is when a period or two is followed by a prolonged heavy bleed. A single episode of this can be treated by a 10-day course of progestogens. Anything more than one episode should be investigated.

Conjugal (premenstrual) dysmorrhoea is usually due to organic disease and is worth referring. Regular menorrhagia that interferes with a woman's lifestyle or causes anaemia needs treatment. Anything other than less heavy or less frequent periods should not be accepted as the menopause and should be investigated. Secondary amenorrhoea, other than due to the menopause, should be investigated after it has persisted for six months.

This is not intended to be a complete guide to the ideal relationship between general practitioner and gynaecologist. It has covered a few topics that interest me, and all that I say may not be agreed by all my colleagues.

departure to unknown climes joins in partnership in some business undertaking and eventually becomes famous and wealthy. William's wife of course dies at some time and as the two partners have no kith or kin they leave each other as they die, by agreement their money to hospitals in memory of their former wife.

It has been said that truth is stranger than fiction and certainly I have discovered during the years that this is true. I have met many a situation which no novelist has ever conceived. Let us take the history of the Rayner family. Soon after Daisy's death the Rayners moved to a house at Raynes Park. I continued to spend most of my Sundays there. One day Harry remarked to me that Jack, who was now stage manager at Richmond Theatre, had doubled himself. It appeared that Jack had married a chorus girl acting in the pantomime. After this the domestic strife began. The wife would not settle down to a home life. The glamour of the footlights was too strong. Eventually Jack threw up his position and together with a double turn they toured the halls for a spell. Eventually they had to take separate parts in different companies but before this occurred a son Eric was born to them. Eric was taken charge of by the grandparents, who were responsible for him from the time of his birth. During the Great War Jack was conscripted and in France was gassed, with the result that he developed asthma which never left him. During his absence in the Army the wife earned a living as best she could and eventually began to live with another man. Never once did she visit Raynes Park to see her son.

On discharge from the Army Jack tried to get a permanent situation but failed and went on tour as advanced manager for various companies. He of course went the inevitable way and had a fresh "wife" for each fresh tour. Then the original and legal wife managed to get in touch with him and arranged that she should obtain a divorce but agreed that Jack should retain Eric. The divorce was obtained and he was given custody of the child. Immediately she began to take steps to get him in spite of the agreement between themselves. Harry and Neville fled from their home at Raynes Park. All efforts to trace them failed. I had lost trace of the Rayners after the birth of my own child Dorothy, and it was not until I received an urgent letter from Jack that I picked up the trail again. The letter came from a jail in the Midlands and contained a request to send five pounds so that the writer could be released. On the condition that Jack came to see me immediately he was free to visit him the money. On his arrival here he told me that his wife had applied to the Court for the custody of the child. Jack was ordered to produce him but was unable to do so. He informed the Court that he did not know where his parents were but he was not believed and was kept in jail. He had been there nine months when the Governor advised him to get a solicitor to apply for release. As Jack had not a penny he sent me to me. The application was successful.