egalitarian objectives. To test that assumption we examined a recent authoritative statement of the principles that underlie health service planning; the article in question emanated from the planning and financial directorate of the USSR Health Ministry.²

Not surprisingly, the account restated well known generalities; perhaps the most relevant is that there exists a unitary plan for the health service, which in turn forms a constituent element in the state plan for the economic and social development of the USSR. The ideological bases for this planning, of course, are "the principles elaborated by the direct participation of V I Lenin and creatively developed in subsequent years." In addition to making such vapid statements, however, the article refers to certain institutional factors that, by all appearances, include major obstacles to achieving equality of provision.

These factors arise from "democratic centralism," which may be termed the Soviet theory of relations between central and local government. Deriving directly from this theory are the rights enjoyed by Union republics and more local "administrative-territorial" units to develop their health services beyond the level indicated in all-Union guidelines. Similarly derived—and crucially important—is the interaction between the all-Union "sector" plan for the health service and "territorial" plans that strongly reflect the level of economic development in a given area. No element of contradiction is perceived here by the source, which affirms that: "The organic unity of sector and territorial plans for the health service means that the growth rate of the network of health service establishments and of their personnel is

planned in conformity with the growth rate of industrial enterprises, the agricultural economy, social and cultural establishments, construction of dwellings etc in the area being planned for."

Nevertheless, there is a strong possibility that territorial plans will have a regressive impact, given the likelihood that economic development will be greater in areas of existing economic growth. In any event, the article makes no reference to institutional arrangements specifically designed to reduce geographical disparities regarding access to medical care for people at equal risk. It is not possible, either from this source or from any other known to us, to infer the existence of an overtly redistributive formula and associated measures designed to promote "territorial justice" within the health service. The statistical data presented above strongly suggest that, unless the concept of territorial justice is accepted, the Soviet health service will continue to display spatial inequalities of substantial dimensions.

References

- ¹ *Narodnoe Khozyaistvo SSSR* for various years and *Naselenie SSSR 1973*. Moscow: Statistika, 1975.
- ² Golovtsev VV. Planovost—osnova razvitiya sotsialisticheskovo zdoravookhraneniya. *Sovetskoe Zdravookhranenie* 1982;12:49-55.

(Accepted 22 February 1983)

Letters to a Young Doctor

Administration

PHILIP RHODES

It is unbelievable that administration should be such a dirty word among doctors. It would not be so if they understood what it was and realised that they were concerned with it every day of their lives. When two or more people meet to get something done they need some rules by which to conduct their business and they need to understand one another and the basis on which their transactions are founded. Mostly these are left to be understood between the two people, but everyone knows what a mess this can lead to. In conversation or over the telephone each thinks he knows what has been agreed between them, but later the remembrance differs and each has acted in ways that the other never thought possible.

Many friendships have been ruined and business partnerships broken up because neither person has properly defined the course of action to be pursued by each of them. They have not appreciated that each has progressed from a different point of departure along a quite different road. Misunderstandings may then occur, each person assuming that the other knew what he

was thinking and acted accordingly. Only after the event do they realise that they were mistaken. Then comes anger that the other silly fool agreed to one thing and then did another. The scene is altogether too familiar. They did not even begin to realise that they had never met on the same ground in their assumptions, thinking, and the actions based on them. They ignored the useful dictum, "You judge yourself by your intentions and you judge others by their actions."

Reconciliation of conflict

All this may not matter too much in individual lives, but in big organisations where several individuals and groups proceed from unstated and badly thought out assumptions and beliefs to a variety of actions some reconciliation of what they are doing becomes essential. This is administration.

Courses of action by one person or a group may clash with those of others. Sometimes by a little forethought clashes may be avoided and tempers controlled or not allowed to rise. This is administration too. Surgeons may wish to operate on cold cases after 5 pm. Nurses do not wish to staff the operating lists, nor do the anaesthetists or porters. Physicians may want pathological or radiological investigations done at a time that is unsuitable for the laboratory or the x ray department. The varying needs and desires of the groups need reconciliation

University of Southampton, South Block, Southampton General Hospital, Southampton SO9 4XY

PHILIP RHODES, MB, FRCS, professor of postgraduate medical education, and dean of graduate medicine for the Wessex region

with one another so that some agreement may be reached on the policies to be followed. No one will be fully satisfied by the agreement, but each will be as little disturbed as possible. The aim of administration is to facilitate the legitimate aspirations of all groups.

A useful figure to have in mind is of each group having before it and in the future a cone representing its aspirations. At some time in the future it is inevitable that the boundaries of some cones will impinge on one another. No longer can the cone proceed to fashion itself by expanding wider and wider. There is no further room. The edges come into contact with those of other cones and have to be modified. The cones cannot remain as regular figures. Other aspirations than those of the primary movers have to be taken into account. In a military dictatorship founded on force the aspirations of conflicting groups can be swept aside. But in any organisation or institution based on fairness, the rights of others, and democracy there has to be some attempt at reconciliation of real or potential conflict. The only acceptable way to do this is by consultation between those concerned in a problem of conflict, however large or small. This is negotiation, which is a part of administration.

When you write up the notes of a patient or fill in a request form for pathology or for an x ray examination you are in a process of administration. You are calling into play a group of people to help you with the care of the patient. Your notes will be read and acted on by many people. The people of the pathology and radiology departments will act in a way that has been agreed on in the past so that the request is fulfilled. The reason it works is because by agreement—that is, administration—the system is made to work. Each person in the system knows what is expected of him and fulfils that task. Sometimes the system fails. You might then go to the pathology or radiology department to find out why there is failure and try by persuasion to put the failure right and make the system work more aptly in the future. You are then an administrator.

Team administration

Administration is obviously needed when a group of people are asked to work together as a team for some purpose. Even if it is something apparently as simple as asking a nursing sister to arrange for a patient to be taken elsewhere in the hospital for an investigation or treatment you are calling a team into play by administration. An operating list is a form of administration. It is a signal for a coordination of activity of many people. It has had to be organised and constant usage has made it seem that it has just evolved and become hallowed by practice. The team work has become an ingrained habit. But if you have worked in several different operating theatres you will know that the system varies slightly from place to place, often according to the whim of the sister, the surgeon, or indeed the theatre porter. All is well while the system works, but when it does not and someone becomes dissatisfied with it then the system has to be looked at and analysed to put it back on a better course.

So as a doctor you are always an administrator whether you like the role or not and whether you believe you are or not. Many clinicians like to believe that they are autonomous and that they have an absolute right to clinical freedom, but they do not. As soon as they need the services of anyone else in the care of patients they need administration so that efforts are coordinated for the ends that they desire for their patients. That means that the others they call on have their rights and aspirations too which may not exactly coincide with those of the clinician. These have to be taken into account by the activity of administration.

Administration is not management. Management implies that those with authority have power to order subordinates to do something. This power the doctor does not have. He cannot compel others to carry out his edicts. He cannot sack people from their jobs; he cannot fine them or deprive them. He is dependent on their goodwill, and his powers are those of moral

persuasion. However informally the team has agreed to work in certain ways, so that nurses, colleagues, and ancillary staff will normally work with the doctor in certain established ways, they are not compelled to do so except by the sanctions applied by their own organisations and sense of professional responsibility. The National Health Service is made up of many independent professions, each with its own ethos, ways of working, and responsibilities. The doctor has to recognise that he is part of a team, sometimes its captain, and sometimes just a player. Even when he is obviously the captain he does not have absolute powers of command as a military man might have in battle.

Line management

The most obvious line management is to be seen in the military context. Superior officers have power to order subordinates to certain actions, and if these are not carried out they have powers of discipline. Yet even these powers are far from absolute apart perhaps from exceptional circumstances such as war. No officer is empowered to act unreasonably and normally his orders are based on consensus, and they must come within the Queen's Regulations. These are interesting for they are a form of administration defining rules of proper conduct under a variety of circumstances. It is not normally necessary to appeal to them. Relations between all ranks are usually sufficiently obvious and satisfactory. But when things go wrong they may be of great value. The law is similar, in that relations between people can normally be established on an informal understood basis, but if they break down appeal may have to be had to the law, the repository of rules of conduct between people and groups.

Getting things done in the NHS is usually a simple matter, since most of the time most of the people know what is expected of them and do it. They do not need much formal administration, so that they abide by informal administration and consensus. They expect the system to work and in general it does. But underlying it is a vast amount of hidden administration. For every doctor in a hospital it has been estimated that there are 13 other staff in support. Among them are nurses, midwives, physiotherapists, radiographers, scientific officers, secretaries, records clerks, cleaners, caterers, porters, boilermen, launderers, and maintenance men. Their various essential activities have to be coordinated by administration. They have to be paid and their welfare considered. Drugs and equipment have to be ordered. None of this can be done without administrators.

It has become fashionable and smart to complain about administrators and their vast proliferation in the NHS. In fact the criticism is unfair. The administration costs of the NHS are about 5% of the total budget. In any comparable organisation—and it should be remembered that the NHS is the largest employer of labour in the United Kingdom—the administrative costs would be roughly 8% to 10%. It could be argued therefore that the NHS is understaffed with administrators and that there ought to be more of them, better paid, and of greater professionalism. And it should be realised that industrial organisations have much more line management with definite superiors and inferiors. The NHS has a wide variety of semi-autonomous professions concerned with their proper rights and demanding proper consideration. They refuse the full implications of being managed and being told what they must do or else. The only alternative is administration: persuasion, consultation, and agreed policies. This demands meetings.

Meetings tend to be looked on as the bane of the active doctor's life. They take him away from the real task of caring for patients. They stop him doing his real work for which he was trained and at which he functions best and without hindrance. It is this last that appeals. He can get on with his work in a supportive environment and atmosphere. In a meeting he may find himself in conflict with others and their opinions, which may be unfamiliar and distressing. There is no wonder

that many doctors shy away from meetings at which they may think that they are not in control. But it is no defence always to argue the total primacy of clinical work. The job of a doctor comprises so much more. He is not cocooned and autonomous. He needs staff, equipment, buildings, and resources to do his job. He is dependent on the society in which he works, and if he wishes to influence it for what he believes to be the better care of his patients he must recognise the importance of meetings with others, so that his opinions can be heard and where he has a chance of persuading others to help him forward with his aspirations.

Informal administration is a matter of obtaining good working relations on the job. This demands care for the feelings and sensitivities of others and consideration. It needs sweet reasonableness allied with firmness so that jobs get done. Blustering and ordering are out of place, and only breed resentment, anger, and bloody mindedness so that the enterprise becomes inefficient and unpleasant for everyone.

Junior doctors must understand this. They tend to be birds of passage in a hospital. If they unnecessarily sow seeds of discord and dissension between themselves and nursing, laboratory, and other staff their bad reputation is quickly established and follows them everywhere. Consultant posts may be lost several years later when such behaviour in the past is brought up during the deliberations of an appointments committee. This is not to suggest that junior doctors should be doormats. Far from it. Junior doctors are an essential part of the team and have their rightful and honourable place in it. But they must not domineer and be offensive to others. It is possible to get cooperation and great help without this, though some have more difficulty in doing this than others. There are techniques for doing this that have to be learnt, and they depend on understanding and considering the needs of others in the team, just as clinical work depends on understanding the patients.

In the next article I shall discuss formal organisation in committees.

Aviation Medicine

Problems of altitude

II: Decompression sickness and other effects of pressure changes

RICHARD M HARDING, F JOHN MILLS

Decompression sickness (dysbarism)

As well as hypoxia and hyperventilation rapid ascent to altitude carries with it the threat of decompression sickness, another potentially fatal condition. Though the precise mechanism has never been unequivocally determined in man, almost certainly decompression sickness results from supersaturation of body tissues with nitrogen as ambient pressure falls, which leads to bubbles developing in the blood and tissues.¹ This supersaturation is due to the relatively poor solubility of nitrogen in the blood so that the rate of fall of the partial pressure of nitrogen in the tissues on ascent to altitude lags behind that of the absolute pressure. The tendency for bubbles to form is greater as the difference between the two pressures increases. Nuclei, such as vessel wall irregularities, are needed around which bubbles may form. Once established the bubbles grow in size and may be carried by the circulation to other parts of the body where they produce the various clinical manifestations of the illness.

CLINICAL FEATURES

"The bends"—Joint pain is the most common symptom of altitude and indeed of compressed air (divers) decompression sickness; it is seen in about 74% of cases after exposure to 28 000 ft (8534 m) for two hours.² The pain is probably due to extravascular bubble formation around and within affected joints and usually develops in a single large joint—the knee, shoulder, elbow, or wrist, in that order of frequency. A mild ache, characteristically made worse by movement, progresses to a severe pain that radiates along the affected limb.

"The creeps"—Dermal manifestations are infrequently seen (about 7%) and are probably due to bubbles being carried to the skin from other sites. Formication and paraesthesiae may be accompanied by localised rashes, urticaria, and mottling.

"The chokes"—Though also infrequent (about 5%) respiratory symptoms are serious features which if untreated lead to collapse. They are probably due to a reflex response to the presence of bubbles within the pulmonary microcirculation. Feelings of chest constriction and retrosternal pain are associated with coughing, which may become paroxysmal, when an attempt is made to take a deep breath.

"The staggers"—Neurological manifestations are rare (about 1%) and result from gas bubble embolism within the central nervous system. They cover a variety of symptoms including anaesthesia, paralysis, and convulsions. Visual disturbances (about 2%) usually consist of blurred vision, scotoma, or hemianopia. In an appreciable number of cases (about 9%) the victim may develop malaise, anxiety, and a reduced level of

RAF Institute of Aviation Medicine, Farnborough, Hants

RICHARD M HARDING, MB, DAVMED, squadron leader
F JOHN MILLS, MA, MB, squadron leader

Correspondence to: Squadron Leader R M Harding.