- 9 Schmaljohn CS, Hasty SE, Harrison SA, Dalrymple JM. Characterisation of Hantaan virions, the prototype virus of hemorrhagic fever with renal syndrome. *J Infect Dis* 1983;148:1005-12.
- 10 Lee HW, Lee PW, Lähdevirta J, Brummer-Korvenkontio M. Aetiological relation between Korean hemorrhagic fever and nephropathy epidemics. *Lancet* 1979;ii:186-7.
- 11 Lähdevirta J, Enger E, Hunderi OH, Traavik T, Lee HW. Hantaan virus is related to hemorrhagic fever with renal syndrome in Norway. *Lancet* 1982;ii:606.
- 12 van der Groen G, Tkachenko EA, Ivanov AP, Verhagen R. Hemorrhagic fever with renal syndrome related virus in indigenous wild rodents in Belgium. *Lancet* 1982;ii:110-1.
- 13 Lee PW, Amyx HL, Gajdusek DC, Yanagihara RT, Goldgaber D, Gibbs CJ. New hemorrhagic fever with renal syndrome-related virus in indigenous wild rodents in United States. *Lancet* 1982;ii:1405.
- 14 Svedmyr A, Lee HW, Berglund A, Hoorn B, Nystrom K, Gajdusek DC. Epidemic nephropathy in Scandinavia is related to Korean hemorrhagic fever. *Lancet* 1979;ii:100.
- 15 Lee PW, Gibbs CJ, Gajdusek DC, Hsiang CM, Hsiung GD. Identification of epidemic hemorrhagic fever with renal syndrome in China with Korean hemorrhagic fever. *Lancet* 1980;ii:1025-6.
- 16 Svedmyr A, Lee PW, Gajdusek DC, Gibbs CJ, Nystrom K. Antigenic differentiation of the viruses causing Korean hemorrhagic fever and epidemic (endemic) nephropathy of Scandinavia. *Lancet* 1980;ii:315-6.
- 17 Lee HW, Antoniadis A. Serological evidence for Korean hemorrhagic fever in Greece. *Lancet* 1981;ii:832.
- 18 Lee PW, Svedmyr A, Gajdusek DC, Gibbs CJ, Nystrom K. Antigenic difference between European and East Asian viruses causing hemorrhagic fever with renal syndrome. *Lancet* 1981;ii:256-7.
- 19 Tkachenko EA, Donets MA, Rezapkin GV, et al. Serotypes of HFRS (hemorrhagic fever with renal syndrome) virus in East European and Far Eastern USSR. *Lancet* 1982;ii:863.
- 20 Anonymous. Muroid virus nephropathies [Editorial]. *Lancet* 1982;ii:1375-7.
- 21 Lee PW, Goldgaber D, Gibbs CJ, et al. Other serotypes of hemorrhagic fever with renal syndrome viruses in Europe. *Lancet* 1982;ii:1405-6.
- 22 Nystrom K. Incidence and prevalence of endemic benign (epidemic) nephropathy in AC County, Sweden, in relation to population density and prevalence of small rodents. *Acta Med Scand (Suppl)* 1977;609:1-92.
- 23 Méry J-P, Dard S, Chamouart J-M, et al. Muroid virus nephropathies. *Lancet* 1983;ii:845-6.
- 24 Dournon E, Brion N, Gonzalez JP, McCormick JB. Further case of hemorrhagic fever with renal syndrome in France. *Lancet* 1983;ii:1419.
- 25 van der Groen G, Piot P, Desmyter J, et al. Seroepidemiology of Hantaan-related virus infections in Belgian populations. *Lancet* 1983;ii:1493-4.
- 26 van Ypersele de Strihou C, Vandenbroucke JM, Levy M, et al. Diagnosis of epidemic and sporadic interstitial nephritis due to Hantaan-like virus in Belgium. *Lancet* 1983;ii:1493.
- 27 Chanard J, Melin J-P, Milcent T, et al. Focus of muroid virus nephropathy in France. *Lancet* 1984;ii:98.
- 28 Dournon E, Moriniere B, Matheron S, et al. HFRS after a wild rodent bite in the Haute-Savoie—and risk of exposure to Hantaan-like virus in a Paris laboratory. *Lancet* 1984;ii:676-7.
- 29 De Ligny BH, Prieur JP, Schmitt JL, et al. Ten new cases of HFRS in north-eastern France. *Lancet* 1984;ii:864-5.
- 30 Lloyd G, Bowen ETW, Jones N, Pendry A. HFRS outbreak associated with laboratory rats in UK. *Lancet* 1984;ii:1175-6.
- 31 Anonymous. Current notes: Hantaan-like virus infection. *Communicable Diseases Scotland Report* 1984;29:vii.

Philosophical Medical Ethics

Utilitarianism

RAANAN GILLON

There is something very attractive about the straightforward idea that morality is all about maximising happiness and minimising misery: that one's actions are right insofar as they tend to that end, wrong insofar as they tend to decrease happiness or increase misery and morally neutral insofar as they tend to do neither. This idea, encapsulated in the Benthamite slogan "the greatest happiness of the greatest number," is the basis of all utilitarian theories of ethics, which, though they have their origins at least as early as Epicurus, were developed by Bentham, Sidgwick, and Mill in the 18th and 19th centuries and have been elaborated and refined extensively by a variety of recent philosophers.

In my last article I discussed several sorts of ethical theory that reject the premise that ethics can be reduced to considerations of the consequences of actions, notably their effects on overall happiness and misery. Whether or not these considerations should be a necessary part of an adequate theory of ethics, the common theme of what I called deontological theories was that they were certainly not sufficient. Some of these theories, notably Kant's, were, like utilitarianism, monist theories in that they relied (or purported to rely) on a single moral principle. Others—pluralist theories—relied on more than one, potentially conflicting, fundamental moral principle. Moreover, some were absolutist theories in that at least one moral principle was held to apply categorically and without exception while others were non-absolutist in that the principles were, as Ross put it, *prima facie*.

At first sight medical ethics, as reflected in the codes of such bodies as the World Medical Association, seem to fit well into an absolutist deontological ethical system for they contain some moral

rules that apply without exception and that explicitly or implicitly reject considerations of overall happiness and suffering. For instance, the Declaration of Tokyo categorically rejects doctors taking part in torture. Some medical practitioners, on the other hand, see medical ethics as being basically utilitarian,¹ sometimes ruefully.²

In the rest of this article I shall try to outline the pros and cons of utilitarianism. Whether one ultimately accepts the theory (and I am inclined to reject even the most attractive version) it is important to understand (1) that utilitarianism has become a complex cluster of moral theories based on the principle of maximising welfare and that simplistic criticisms based on simplistic accounts of the theory are inappropriate and (2) that contemporary utilitarianism in several of its variants purports to encompass the ordinary *prima facie* "deontological" moral principles used in everyday moral and medicomoral decision making.

Advantages claimed for utilitarianism

Utilitarianism claims to overcome four major disadvantages of what I have called deontological moral theories. These are:

- (1) The reliance on moral intuitions to identify moral principles notwithstanding the variability and unreliability of such intuitions. (For thousands of years intuition led people to accept slavery as being morally defensible.)
- (2) The pluralism of many deontological theories, whose moral principles may conflict.
- (3) The absolutism of more than one principle in some pluralist theories. If these principles apply without exception any conflict between them must be irreconcilable.
- (4) Typically, the lack of a consistent and reliable decision procedure for choosing the right course of action in particular circumstances.

Utilitarianism purports to overcome these major defects in

Imperial College of Science and Technology, London SW7 1NA

RAANAN GILLON, MB, MRCP, director, Imperial College health service, editor of *Journal of Medical Ethics*, and associate director, Institute of Medical Ethics

deontological theories in the following ways. So far as unreliable and variable intuition is concerned, Bentham believed that two moral intuitions were self evidently true and moreover accepted as true by everyone—namely, that suffering is an evil and happiness a good. He believed that from these two indisputable and undisputed facts the theory of utilitarianism could be derived. Moreover, as happiness and suffering can be understood to be poles of a continuum utilitarianism is in effect monist (based on a single moral intuition rather than two) and thus no pluralist potential for conflict arises.

Obviously there can be no problems of fundamental moral conflict in any monist theory, and in cases of apparent conflict (should one obey the law or steal to save the starving child?) the quandary can and should be resolved by calculating the net effects of the alternatives on overall happiness and choosing the course that produces most happiness or least suffering (the so called hedonic calculus from the Greek word for pleasure).

The problem that arises when pluralist moral theories contain more than one absolute moral principle is also overcome for, although utilitarianism is strictly speaking both deontological (a duty based theory; one of Bentham's books is actually called *Deontology*) and absolutist, as it is monist there are no problems of moral conflict and, a fortiori, no problems of fundamental or irreconcilable moral conflict. Finally, utilitarianism claims to provide a consistent and reliable procedure for making decisions in one or other variant of the hedonic calculus.

If these claims could be sustained and criticisms countered utilitarianism would undoubtedly be an extremely attractive moral theory offering considerable advantages over pluralist deontological moral theories, but obviously there are important objections, and these can conveniently be considered in terms of the theory's coherence, its justification, and its results (see Bibliography).

Criticisms of the theory

COHERENCE

So far as coherence is concerned it is not clear what the theory is actually claiming. What for instance is the meaning of "the greatest happiness of the greatest number?" What is meant by happiness? How can happiness (and suffering) be measured? Is it total happiness, average happiness, or something else that is to be maximised? Finally, happiness of what?

What is happiness?—The Benthamite equation of happiness with (mere) pleasure was rejected early on by Mill, for whom the happiness to be maximised was eudaimonia or human flourishing. (As Mill put it, "Better to be a human being dissatisfied than a pig satisfied.") Contemporary utilitarians, accepting people's variability, their powerful desire for autonomy, and their different perceptions of what it is to flourish, tend to aim to maximise satisfaction of individuals' autonomous preferences as being the best way of maximising overall happiness.⁴

Measuring happiness (and suffering) is clearly a major problem for utilitarianism, but modern utilitarians tend to agree with their spiritual accomplices, modern economists, in accepting that people can roughly measure at least their personal assessments of happiness and suffering⁵ analogously to the way they can measure benefits and disbenefits in monetary terms (by buying goods or insurance policies and in their betting behaviour).

Maximising happiness—As for whether it is total happiness, average happiness, or something else that is to be maximised, a common response is to accept the widespread human concern with fairness as a fact about human nature and therefore aim at net average preference satisfaction as the appropriate goal. Its achievement can be expected as a matter of fact to maximise total happiness.⁶

Scope—The problems concerning to what or whom the moral theory applies are not unique to utilitarianism; deontological ethical theories may be just as troubled about how to incorporate non-human animals, very young human beings, and permanently unconscious human beings within their theoretical framework. Modern utilitarians tend to accept the (extraordinarily radical)

Benthamite claim that anything that can suffer falls within the scope of morality⁷ but they may accommodate the intuition that people are morally more important by differentiating according to the differing "interests" of people and lower animals.⁸

As for the somewhat abstruse debate about whether the scope of utilitarianism should include only existing sentient beings, existing and future sentient beings, or all possible sentient beings, suffice it here to assert that the problem is no greater for utilitarianism than it is for other types of ethical theory and that the most plausible option seems to me to be the second alternative. The first would exclude the moral interests of people who will exist but have not yet come into existence and the third would require moral consideration to be given to an infinite number of people and animals that will never exist. (This support of the second option in no way excludes from being morally relevant counterfactual consideration of possible people who might be affected by a contemplated action.)

JUSTIFICATION

The justification of utilitarianism remains a major problem. Bentham in effect merely asserted it, for even if it were universally agreed that happiness was a good and suffering an evil it would not follow that maximising happiness was morally obligatory or, even if it were, that it was the only, or the overriding, moral principle. Mill's notoriously inadequate quasi proof does not work either. (He argued that each person's happiness is a good to that person and the general happiness was therefore a good to the aggregate of all persons⁹). In more recent times Hare has offered arguments whereby he claims that a version of utilitarianism is derivable solely from an analysis of the meaning and logic of the moral words we use and in particular the word ought and its cognates.¹⁰ Those who reject Hare's arguments may simply point out that the problem of ultimate justification is no more of a problem for utilitarianism (and no less) than it is for any other moral theory.

RESULTS

The third category of objections to utilitarianism comprises the counterintuitive results that it seems to entail. Thus if overall maximisation of welfare is the supreme moral objective the individual seems to be in permanent jeopardy before the overriding interests of society. The ordinary intuitive deontological moral principles that govern our relationships, such as respect for the integrity of each other's persons, for each other's autonomy, for promise keeping, honesty, and openness, for fairness and justice, and for the moral importance of special relationships, all seem disposable whenever overall maximisation of welfare requires us to ignore them.

Utilitarians have various defences to such criticisms, all turning on some variant of the claim that toleration of behaviour that ignores these principles is not conducive to maximisation of welfare. So called "act utilitarians," while judging each action or proposed action individually, in practice tend in specific cases to argue that adherence to conventional moral principles will in fact tend to maximise welfare. "Rule utilitarians" argue that even when the individual action may be expected to maximise welfare by contravening one of the conventional deontological moral principles the principle should still be followed because institutionalisation of such principles can be expected as a matter of empirical fact to maximise welfare.

J S Mill himself can be understood to have argued that the principle of respect for autonomy—insofar as such respect was compatible with respect for the autonomy of all—was a fundamental component of utilitarianism given that the exercise of autonomy was a prerequisite of human flourishing. Among the utilitarians who have done most to accommodate ordinary deontological moral principles within a utilitarian framework R M Hare is again notable.¹⁰ (He also gives arguments whereby the distinction between act and rule utilitarianism in effect collapses and the insights of both are maintained.) In their helpful textbook on biomedical ethics Beauchamp and Childress (one a utilitarian, the

other a deontologist) show how in practice both sides of this theoretical divide can agree on what might be termed working moral principles to be used in consideration of medicomoral issues.¹¹

Conclusion

Of course, difficult philosophical problems remain. There are many utilitarian moral theories and not all are as sympathetic to the inclusion of deontological moral principles within their utilitarian structures as are Hare and Beauchamp and Childress. Most, however, have developed complicated ways of accommodating the standard deontological counterarguments to utilitarianism based on the counterintuitive results of a gross or simplistic version of utilitarian thinking, and in practice at least it seems to me that there need be no unbridgable incompatibility between non-absolutist pluralist deontological theories and utilitarianism.

(This article is based on my editorial in the *Journal of Medical Ethics* 1984;10:115-6. I thank the publishers for permission to use the material therein.)

References

- 1 Swales JD. Medical ethics: some reservations. *J Med Ethics* 1982;8:117-9.
- 2 Brooks SA. Dignity and cost effectiveness: a rejection of the utilitarian approach to death. *J Med Ethics* 1984;10:148-51.
- 3 Mill JS. On liberty. In: Warnock M, ed. *Utilitarianism*. Glasgow: William Collins, 1962:260.
- 4 Singer P. *Practical ethics*. Cambridge: Cambridge University Press, 1982:80.
- 5 Brandt RB. A defence of utilitarianism. *Hastings Center Report* 1983;13:40.
- 6 Smart JJC, Williams B. *Utilitarianism for and against*. Cambridge: Cambridge University Press, 1973:27-8.
- 7 Singer P. *Practical ethics*. Cambridge: Cambridge University Press, 1982:49-50, 223.
- 8 Singer P. *Practical ethics*. Cambridge: Cambridge University Press, 1982:83-6.
- 9 Mill JS. Utilitarianism. In: Warnock M, ed. *Utilitarianism*. Glasgow: William Collins, 1962:289.
- 10 Hare RM. *Moral thinking: its levels, method and point*. Oxford: Clarendon Press, 1981.
- 11 Beauchamp TL, Childress JF. *Principles of biomedical ethics*. 2nd ed. Oxford: Oxford University Press, 1983.

Bibliography

- Bennet J. Whatever the consequences. *Analysis* 1966;26:83-102.
- Casey J. Actions and consequences. In: Casey J, ed. *Morality and moral reasoning*. London: Methuen, 1971:155-205.
- Gray J. *Mill on liberty: a defence*. London: Routledge and Kegan Paul, 1983.
- Miller HB, Williams WH, eds. *The limits of utilitarianism*. Minneapolis: University of Minnesota Press, 1982. (Bibliography)
- Quinton A. *Utilitarian ethics*. London: Macmillan, 1973.

Lesson of the Week

Impacted dentures mimicking brain stem stroke in a conscious patient

ROLAND M VALORI, JACQUES LECLERC

Removal of dentures and other foreign objects from the mouth and pharynx is a basic procedure in the management of the unconscious patient. Impaction of dentures in the pharynx of a conscious patient would not normally be suspected unless there was obvious upper airways obstruction or dysphagia. Here we describe a patient who was admitted with confusion, dysarthria, and right middle lobe pneumonia and who died 36 hours later of inhalation of blood from pharyngeal lacerations caused by impacted dentures.

Case report

A 79 year old man was admitted as an emergency with shortness of breath, confusion, and slurred speech. He had been found by relatives on the morning of admission lying on the floor incontinent of urine and faeces, but conscious. The patient was too confused to elaborate on the history. Although he lived alone, he had been seen by a relative the night before and appeared quite well. There was no relevant medical history apart from a brain stem stroke in 1974, which had left him with mild dysphagia, dysarthria, and ataxia. Examination on admission showed an alert, agitated, and disorientated patient who was mildly dehydrated. The respiratory rate was 28/min and bilateral coarse crepitations were audible in the chest. There

The possible presence of dentures should never be forgotten, particularly in patients with an anaesthetised pharynx

was appreciable dysarthria, absent gag reflex, and slight left facial asymmetry. His power, tone, and coordination were normal but his gait was broad based and ataxic. The reflexes were symmetrical with bilateral extensor responses. There were no other relevant findings on examination. Abnormal investigations included a leucocytosis of 17.3×10^9 , pO_2 7.2 kPa (54 mm Hg), PCO_2 4.7 kPa (35 mm Hg), pH 7.52, and shadowing in the right mid zone in his chest x ray film (fig 1). The diagnoses were of brain stem stroke and right middle lobe pneumonia. His confusion was thought to be related to dehydration, chest infection, and hypoxia.

He was treated with bed rest, rehydration, and parenteral, broad spectrum antibiotics. An attempt to feed him orally resulted in choking. This was thought to be due to impaired swallowing related to his brain stem stroke. His condition remained stable until the second night of admission, when after vomiting a large quantity of fresh blood he had a cardiopulmonary arrest. A complete set of dentures was removed from his mouth. He was intubated with difficulty and given cardiopulmonary resuscitation. The electrocardiogram showed asystole, which was unresponsive to all manoeuvres.

Necropsy showed impaction of the lower set of another pair of dentures in the pharynx with multiple pharyngeal lacerations, a moderate amount of blood in the upper gastrointestinal tract, and tracheobronchial aspiration of blood. There were no bleeding sites visible in the oesophagus, stomach, or duodenum. There was haemorrhagic consolidation and collapse of the right middle and both lower lobes of the lungs. There was no evidence of recent

Department of Medicine, McMaster University Medical Centre, Hamilton, Ontario, Canada L8N 3Z5

ROLAND M VALORI, MD, MRCP, clinical fellow
JACQUES LECLERC, MD, FRCP(C), assistant professor of medicine

Correspondence to: Dr R M Valori, St Mark's Hospital, London EC1V 2PS.