Career structure—the modern doctors' dilemma

GILLIAN TODD, MICHAEL O'BRIEN, DULCIE GOODING

The changes in immigration rules that bring overseas doctors and dentists in line with other workers¹ have clearly been stimulated by the view of the Advisory Committee for Medical Manpower Planning² that any need for short term reduction in the supply of doctors will be more readily effected by a reduction in net immigration than by a reduction in medical school intake. Although the changes might prove successful they will not do anything to cope with the dilemma presented by long serving registrars and senior house officers. That there is such a dilemma was shown by an earlier study in one region and is confirmed by the observations of this inquiry.³ Junior doctors are well aware of the problem but shy away from one of the more obvious potential solutions.⁴

Method and results

During August and September 1984 personnel staff in district health authorities in the Northern, Trent, and Oxford regions extracted information from curricula vitae of senior house officers and registrars. This enabled the length of time in each grade to be calculated for substantive and locum posts. The age structure of the doctors in the two grades was also examined.

The figure shows the age distribution of senior house officers and registrars combined for the three regions but separated to show any variance between teaching and other districts. Although most senior house officers are under 29 and registrars under 32 in the teaching

Age distribution of senior house officers (SHOs) and registrars in the Northern, Trent, and Oxford regions.

Central Nottinghamshire Health Authority, Rainworth, Nottinghamshire NG21 0GR

GILLIAN B TODD, MB, MFCM, general manager

Northern Regional Health Authority, Newcastle upon Tyne NE6 4PY

MICHAEL O'BRIEN, MB, FFCM, specialist in community medicine

Oxford Regional Health Authority, Oxford OX3 7LF

DULCIE GOODING, MB, FFCM, specialist in community medicine

Correspondence to: Dr Gooding, Oxford Regional Health Authority, Old Road, Headington, Oxford OX3 7LF.

districts, there is a substantial tail to each curve with people remaining in these grades until their late 40s and early 50s. The shift towards the older end of the age scale is more marked still for both grades in the non-teaching districts.

Table I shows the time spent in each grade by senior house officers and registrars in the three regions and table II shows the amount of time spent in locum posts.

Discussion

Doctors who intend to pursue a hospital career are appointed to their consultant posts at age 35 to 36 after about eight years' training in the specialty.^{5,6} A separate study in the Northern region has shown the average time spent in the senior house officer and registrar grades during this training to be 1.5 years and 3.2 years respectively.⁷ Doctors who spend twice the average time or longer in each grade could be described as having some difficulty in career progression. Table I shows that 33.4% of senior house officers could be described as being in difficulty. Similarly 18.2% of registrars could be in difficulty.

TABLE I—Length of time spent in grade

Time in grade	Senior house officers		Registrars	
	No	(%)	No	(%)
Under 3 years	694	(66.6)	366	(53.7)
3 to 6 years	214	(20.5)	192	(28.2)
More than 6 years	134	(12.9)	124	(18.2)
Total	1042	(100)	682	(100)

TABLE II—Length of time spent in locum posts

Time in post	Senior house officers		Registrars	
	No	(%)	No	(%)
Under 1 year	355	(95.2)	309	(94.8)
1 to 2 years	16	(4.3)	13	(4.0)
More than 2 years	2	(0.5)	4	(1.2)
Total	373	(100)	326	(100)

Most senior house officers can be expected to be in the age range 24 to 26 and registrars in the age range 26 to 29.³ Someone who is still a senior house officer at the age when he would be expected to become a senior registrar is in difficulty, and so is a doctor who is still a registrar when most are becoming consultants. Forty eight per cent of the senior house officers in the survey were aged 29 and over; 26.7% of the registrars were aged 35 and over. This is 501 senior house officers and 182 registrars.

If just the more modest estimate of those who have spent twice the average time and more in the grade is used it is possible to extrapolate to England and suggest that approximately 1015 registrars have been in post for six years and longer and that 3161 senior house officers have been in their grade for three years and longer.

Many of the senior house officers and registrars do not have the higher diplomas from the royal colleges and faculties that are necessary to enter higher professional training. Many of those who do have the diplomas make several attempts before succeeding. Combined with their ages, this makes it highly unlikely that they will even get shortlisted for the next higher graded posts. Table II

shows that a small number is having even greater difficulty, having spent more than a year in locum posts, often continuously.

The problem might not be quite so large as it seems at first. On average, 62.5% of the registrars in question and 85.5% of the senior house officers are from overseas; 38% of the registrars and 52.7% of the senior house officers have limited registration only and might be assumed to be returning to their countries of origin. In other words, part of the problem might be self limiting after a period of five years. Nevertheless, some overseas doctors will undoubtedly be seeking to convert their limited registration to full registration. Others will be entitled to remain for more than five years, having originally been registered before 1979. Yet others who intended to return home after a period of postgraduate experience in the United Kingdom will decide against it for political reasons.

Even allowing for the fact that some will return to their original homes with or without the lapse of limited registration there is a body of doctors at least 1000 strong—more probably over 2000—unlikely to make further progress in a hospital career. This is up to 12.9% of senior house officers and registrars in England.

General practice is unlikely to provide a refuge for them. Unless some other more satisfactory solution can be found for them the best that can be expected is that they will continue in insecurity and with consequential dissatisfaction for up to another 30 years.

If the restrictions on entry and duration of stay of overseas doctors recently imposed fail to have the desired corrective effect on the oversupply of doctors this aging group of doctors stalled in the "training" grades will be among the more vulnerable to unemployment in the future.

A possible solution

One possibility is to do nothing. The problem will, however, not simply go away and will have the consequences described above. Another possibility is for the profession once again to consider a career grade in the hospital service below consultant level. This suggestion will be anathema to some doctors, who will immediately reiterate the profession's long standing "no subconsultants" stance. This stance is, however, inconsistent. Although efforts were made to stiffen the criteria for entry to the associate specialist grade some months ago appointments to that grade continue, and always with the connivance of members of the profession.⁸ There is, after all, a distinct preference in some district authorities for experienced juniors who can fulfil the useful pair of hands function about which so much is heard. Hospital practitioners—another variant of the subconsultant grade—are appointed, and even clinical assistant appointments may be seen in this light. Indeed, the latter are burgeoning since the imposition two years ago of ceilings on the numbers of senior house officers in regions.

Paradoxically, the profession that has set its face against subconsultants in hospital is arguing for the maintenance of not one but two clinical subconsultant grades in the community health services⁹—namely, clinical medical officers and senior clinical medical officers.

Two factors seem plain as a result of the inquiry. Firstly, the doctors concerned are not training successfully. Secondly, the posts that they hold cannot be needed to train future consultants because they are patently failing in this respect. The conclusion is that long serving senior house officers and registrars who are failing to proceed in their careers are de facto subconsultants.

Health authorities are in the process of publishing their strategic plans, an integral part of which is a statement on medical manpower developments. The consequence of these activities will be the opportunities to clarify the service requirements and career opportunities available to doctors over the next decade. It is likely, therefore, that by next year the known, but at present unquantified, imbalance between consultant and senior registrar posts and senior registrar and registrar posts will become quantifiable.

The profession will be under an obligation to train doctors for the requirements of the service, to train in numbers appropriate for career opportunities, and to grapple with the use of a substantial number of training grade posts for service purposes.

If the profession were to open its mind to the idea of an alternative permanent career grade this might achieve several complementary ends: a rationalisation of the existing plethora of subconsultant grades; provision of a measure of secure employment for a group of doctors currently in some difficulty; and, as a useful consequence, at a stroke abolition of 1000 to 2000 so called training posts that are unnecessary and patently failing to train. The introduction of a subconsultant grade could even provide authorities with a "plannable" middle grade service post to support consultant development. This would replace the associate specialist grade, which competes with rather than complements consultant development.

The question is, will the profession tackle the challenge?

We should like to thank the personnel staffs and registrars in community medicine in the three regions who helped with compiling the figures.

References

- 1 Anonymous. Immigration rules to apply to doctors. *Br Med J* 1985;290:1087.
- 2 Department of Health and Social Security. *Report of the Advisory Committee for Medical Manpower Planning*. London: DHSS, 1985.
- 3 Todd GB, Sheldrick KB. Registrars and senior house officers in post in the Trent region in 1982. *Br Med J* 1983;286:1997-8.
- 4 Anonymous. No support for additional career grade. *Br Med J* 1985;290:1918.
- 5 Howitt LF. Medical staffing in the National Health Service in Scotland. *Health Bullenn* 1984;42:209-18.
- 6 Department of Health and Social Security. Medical Manpower Division. Medical and dental staffing prospects in the NHS in England and Wales. *Health Trends* 1983;16:25-9.
- 7 Jepson M, O'Brien M. Career progression of consultants appointed in the Northern region between 1979 and 1984. *Darlington Postgraduate Journal*. (In press.)
- 8 Anonymous. Associate specialists: revised criteria. *Br Med J* 1984;288:581.
- 9 Central Committee for Community Medicine and Community Health. *Annual report 1984-85*. London: BMA, 1985.

(Accepted 29 July 1985)

THIRTY YEARS AGO

Sir John Charles, Chief Medical Officer of the Ministry of Health, addressed the West London Medico-Chirurgical Society recently on the rising costs of the National Health Service.

In considering the cost of the pharmaceutical services, said Sir John Charles, they entered a region of great possibilities for improvement. The net expenditure upon this service, after deducting the revenue obtained from the charges levied since 1952, had risen from £31.5m. in 1949-50 to £42.2m. in 1954-5, a rise of nearly 34% in six years. The main reason for the increased cost was that the content of prescriptions had undergone modification. The most striking changes were in the proportions of mixtures and proprietary preparations. At the commencement of the service mixtures accounted for 34% of the total number of prescriptions and proprietary preparations for 16%. In 1953 the mixtures had dropped to 24%, and the proprietary preparations had risen to 27%. As a result the overall gross cost of the pharmaceutical service—that is, the cost of prescriptions dispensed by chemists and the dispensing done by dispensing doctors—was now nearly as high as the cost of general medical services. The figures were: for the pharmaceutical service nearly £49m. (including £6m. from patients' payments); for general medical services, £53m.

The number of prescriptions issued each year was 220 million, being, on average, over five prescriptions per annum for every individual enrolled in the service. At a cost of 4s. 2d. per prescription this amounted to over a pound a head in a year.

Was all this expenditure really necessary? Was this medicinal appetite a healthy one? He believed that considerable economy was attainable without detriment to the patient. One direction might be by prescribing smaller quantities of drugs. It was seldom that the patient's condition during acute illness called for the administration of the same drug or mixture for any considerable time. Again, drugs remaining after the patient had died could not be returned to the pharmacy for reissue and were very often thrown away. The use of antibiotics was at first confined to hospitals where facilities existed for the ascertainment of bacterial sensitivity, and treatment with the antibiotic was kept under continuous bacteriological surveillance. These precautionary measures had tended to lapse, and antibiotics were frequently used in cases when less expensive drugs would be equally effective. (*British Medical Journal* 1955;ii:161.)