as first line treatment of severe hypertension in pregnancy. Compared with other antihypertensives, hydralazine was associated with more maternal, fetal, and perinatal adverse side effects.

General practice registrars need longer training

The 12 month training for general practitioners in the United Kingdom is insufficient and is shorter than equivalent training across northern Europe. Sibbett and colleagues (p 971) evaluated an 18 month pilot training scheme in Northern Ireland by

conducting focus groups with trainers and newly qualified general practitioners from the standard training scheme and an extended pilot programme. They found that the 12 month programme was focused on exam preparation, was intense and stressful, and was too short for a comprehensive training; graduates of the 18 month pilot reported greater confidence, better evaluation skills, and an orientation to lifelong learning. Both groups, however, felt unprepared for independent practice at the end of training. The authors say that at least 18 months of general practice training is required, with more attention to patient care skills rather than exam preparation.

POEM*

Red clover is no better than placebo for hot flushes

Question Is isoflavone from red clover effective in the treatment of perimenopausal hot flushes?

Synopsis Dietary supplements containing isoflavones derived from soy or red clover are marketed as alternatives to hormone replacement therapy for menopausal women with hot flushes. A total of 252 women aged 45 to 60 years with at least 35 hot flushes per week and a follicle stimulating hormone > 30 mIU/ml were enrolled. Participants were randomised in a double blind fashion (concealed allocation assignment) to receive either Promensil (82 mg total isoflavones per day), Rimostil (57 mg total isoflavones per day), or identical placebo. Both supplements were derived from red clover. A total of 246 patients (98%) were followed up for a total of 12 weeks. Individuals assessing outcomes were blinded to treatment group assignment. Data were analysed according to both intention to treat and per protocol (meaning that only compliant patients who took their medications were included in the analysis). Reductions in mean daily hot flush counts were equal among the three groups: a mean of 8.1 per day at baseline decreased to 5.0 per day after treatment. Per protocol results were similar to the intention to treat analyses (meaning that the supplements were ineffective in the women who consistently used them). No significant adverse events were reported in any of the groups.

Bottom line Isoflavone derived from red clover is no more effective than placebo in treating menopausal hot flushes, although both worked for many women. Results have also been mixed for soy based products. We still need more options for the problem of hot flushes.

Level of evidence 1b (see www.infoPOEMs.com/resources/levels.html); individual randomised controlled trials (with narrow confidence interval).

Tice JA, Ettinger B, Ensrud K, et al. Phytoestrogen supplements for the treatment of hot flashes: The isoflavone clover extract (ICE) study. A randomized controlled trial. *JAMA* 2003;290:207-14.

©infoPOEMs 1992-2003 www.infoPOEMs.com/informationmastery.cfm

* Patient-Oriented Evidence that Matters. See editorial (*BMJ* 2002;325:983)

Editor's choice

Emotional among friends

"What our age lacks," wrote Soren Kierkegaard, "is not reflection but passion." The staple of medical journals is reason. We cling to the fiction of the enlightenment and are nervous of passion. But we know that it is passion that drives the world, and medicine—dealing daily with birth, sickness, pain, and death—might be the most emotional of all the intellectual disciplines. Usually it isn't, but this issue contains much emotion.

Zulfiqar Bhutta, Samiran Nundy, and Kamran Abbasi are launching the *BMJ* into something very special—a theme issue on the health problems of South Asia edited by South Asians (p 941). "South Asia," wrote a former Pakistani minister of finance, "is fast emerging as the poorest, the most illiterate, the most malnourished ... the most deprived region in the world." Almost 40% of deaths in children under 5 years occur in its four largest countries. Yet it invests more in arms than in the health and education of its people—and conflict and disorder are virtually continuous.

We have high hopes for the issue, which will concentrate on solutions not problems. The very fact that doctors from all the countries of South Asia—and particularly India and Pakistan—are working together on the project is important. The "grander ambition" of the editors is to "promote peace and unity in a part of the world crippled by religious, social, and nationalist divides." To edit such an issue demands not just hard work and passion but also bravery.

Other friends have been working to understand the exploitation in Britain of "trust doctors," many of them from South Asia. These are junior doctors who are not in formal training positions but who keep the health service going. They are exploited and uncounted—and constitute an underclass. *BMJ* colleagues had to work extraordinarily hard to study these doctors—because trusts did not want to answer their questions (p 961). An editorial (p 943) and articles in Career Focus discuss how the health service should respond, but one voice is missing—that of the doctors themselves. Despite strenuous efforts we couldn't get them to speak. They may be too scared.

Will this be yet another problem where Britain fails to act? Stephen Lock, my predecessor and mentor, reflects on why it is that Britain is good on talk but poor on action (p 940). Stephen drew attention to the problem of research misconduct in the early 1980s, but 20 years later Britain still has no adequate response—despite many meetings and reports. We may still have years to wait. In his splendid polemic Stephen castigates the British for taking centuries to ban slavery, clean up the air and the rivers, introduce proper freedom of information, and reform the House of Lords.

The most emotional event for us at the *BMJ* has been the death of Roger Robinson—a leading paediatric neurologist, expert on the Scottish poet James Beattie, and one of our editors for the past dozen years (p 992). Roger was unusually wise, gentle, and insightful—and we will miss him badly.

Richard Smith *editor* (rsmith@bmj.com)

To receive *Editor's choice* by email each week subscribe via our website: bmj.com/cgi/customalert