be thinking about a non-event. Thirty years ago we would have been discussing iron lungs for polio victims and how we could afford them. I suspect that exactly the same thing will happen with dialysis. Mechanical support systems are just interim measures to tide things over for a few years.

Dr WILL: I disagree. I think it is unlikely that the very major problems are going to change, unless there are startling break-

throughs, like choline for particular forms of dementia. We don't know how far we have to go along an analytical path towards solving problems like vascular and neoplastic diseases, and I don't think that money or technology are necessarily the answers to these problems particularly when the animal models of chronic diseases are still inadequate.

Working paper

Prevention or cure?

TONY SMITH

The rising costs of medical care are largely due to technical innovations that can solve previously unsolvable clinical problems. Yet we know a lot about the causes of many of the conditions being treated in these expensive ways. Fractures of the neck of the femur occur in old ladies because they are osteoporotic. What fraction of the \$2 billion being spent each year in the Western world on treating these fractures is going into preventive research? And, more important, what evidence is there of any real determination by governments (with a few exceptions) to force some action on the facts that are known about prevention? My belief is that any society that provides its citizens with a more-or-less comprehensive health service can demand a serious return contribution from them.

This should begin before birth. The financial allowances given to pregnant women—maternity leave, grants, etc—should be payable only to those who attend early and regularly for antenatal care. The same principle (proved effective by the French) should be applied to infant health: regular develop-

mental assessments and attendance at vaccination clinics should be linked with financial child benefits. During adult life insurance companies, building societies, and other financial institutions could do a lot more to offer financial incentives to non-smokers who are not overweight and have their blood pressure checked regularly.

But the real change in heart needs to come from the Government. Britain still has a society which is encouraged to see the motor-car as a competitive virility symbol. Motoring needs to be deglamorised—and by so doing cut the accident bill and the numbers of crippled young men. Alcohol, too, needs a new image—as a dangerous and very expensive luxury, not part of the accepted life style. And with a major effort tobacco could be virtually obsolete by the end of the century—especially if its image was linked to old age rather than youth.

Too paternalistic? Too much of an infringement of individual freedom? Those who believe in such slogans must explain how they will finance a curative rather than a preventive policy—or introduce a preventive one without sanctions and incentives.

London

TONY SMITH, MA, BM, deputy editor, *BMJ*

Discussion

Dr SMITH: We can look at prevention from two points of view. Firstly, are we making the best use of existing knowledge? Health educators have tended to rely on exhortation, whereas we need to look at more positive ways of persuading people to adopt healthy lifestyles that are likely to cost any comprehensive health service less money.

The other branch of the preventive philosophy is a much more difficult problem for health care planning: how can we stimulate research into the areas that do cost the health service a lot of money but which seem to be unglamorous? This has come into the limelight with the recent assessment of the Rothschild principle. I think Lord Rothschild was essentially right when he said that too much medical research effort and money went into things like molecular biology and too little into problems such as dementia, which are really the ones that cost the health service a lot of money.

Dr ROSENTHAL: In the United States we encourage research primarily by putting the money there. The money flows in because of the popularity of the area being researched, which accounts for the fact that the Cancer Institute is separately funded from the National Institutes of Health and its budget has grown far faster. But there is no real interest among the biomedical community in issues of effectiveness, procedural trials, and so on and an unwillingness to accept people from outside to undertake that sort of research.

Dr GRAY: I wonder whether we shouldn't be looking only at objectives of research but at styles. If you train a lot of biochemists or whatever then their interests and motiva-

tion will come from working in that area. If you put your money into epidemiology, you might see a rather different approach.

Dr GODBER: Consistency is also important. With schizophrenia people like Wing have been methodically working away and slowly coming up with useful advances. There is too much encouragement of people to do trivial short term bits of research and too little in the way of long term research.

Professor RAWLINS: With drugs there's a different problem. The advances in fundamental pharmacology have been very striking, but I'm uncertain whether we'll be able to capitalise on these developments because drug development is now so costly. Crohn's disease, for example, which causes a lot of morbidity, some mortality, and a lot of cost to the community, is not a disease in which it is economically viable for the drug industry to invest.

Making people better citizens

Dr STEPHEN LOCK (12): Should we demand a serious return contribution from citizens—a series of sanctions against people who don't have regular antenatal checks and financial incentives to non-smokers who are not overweight?

Dr BARLEY: It would require an entirely new concept—a sort of no-claims bonus idea. It might be an idea to try simply because the present approaches are so negative.

Dr GRAY: I certainly think we could take action against

parents who didn't take advantage of early antenatal care, but the problem is different with adults and smoking.

Dr GODBER: The incentives will always have to be positive rather than punitive.

Mr LAING: I wonder. I agree that financial incentives are rather blunt, but what other ways can one think of to make people better citizens, which is what it amounts to?

Professor RAWLINS: Is there good evidence that health education will change people's established ways of life?

Dr ROSENTHAL: It depends what you call health education. The bikini and blue jeans did more to reduce adolescent obesity than any prohibition against bad nutrition.

Dr WILL: Fashion has been very much neglected, hasn't it, though it is very difficult to influence? The problem about selling a good message is that it is somehow very self-conscious in a way that immediately switches people off.

Putting up the price

Dr SMITH: This is exactly the reason why we want to get away from anxiety-provoking health education. The way to reduce the amount that people drink is by doubling the price of whisky.

Professor KLEIN: Studies do seem to suggest that there is a

definite relationship between price and consumption. If people want to improve their standards of living in terms of cars or whatever in a society with very slow economic growth they may have to give up other things.

Dr ROSENTHAL: But there is a problem. If you look at the States, blacks, who as a class are less affluent than whites, disproportionately consume more of the expensive alcohol. That is the result of marketing; it doesn't have anything to do with price elasticity.

Professor KLEIN: I always feel worried when people talk of social engineering. I don't think we know how to do it.

Dr GRAY: But we do do it. The Government is engaged in social engineering at the moment by not putting up the price of alcohol and by taxing high tar cigarettes.

Dr BARLEY: Making seat belt wearing compulsory would be a very simple form of social engineering; we know that it would save a lot of lives, yet we don't do it. Why is it so unpopular?

Dr ROSENTHAL: States in America are repealing mandatory helmet laws as a step for individual freedom: If you want to scramble your own brains, why should anyone else care? And the answer is: because then we are going to have to take care of you.

Dr SMITH: Yes, in simple terms either we have social engineering or we may have to abandon any hope of providing comprehensive health care.

Working papers

Home or hospital?

SIMON BARLEY

Often there is no choice between home and hospital: a 90-year-old with a pathological fracture of the femur must go to hospital. But there are a dozen ways to try to help the same 90-year-old if she is demented and has a breast cancer which is fungating but localised and not metastatic to the femur. She could stay at home with help from neighbours, relations, volunteers, social workers, health visitors, and doctors, or she could go into hospital. Which hospital: the cancer ward, the geriatric ward, the psychiatric ward, the surgical ward, or the psychogeriatric ward? Or might it be something between—a social care home, a terminal care home, a private nursing home, or a sheltered flat?

The choices are not limited to the elderly. A child with acute appendicitis must go to hospital, but should he come home again the next day or stay for a week? The middle-aged man in severe shock from a coronary goes to hospital without argument, but the choice is wider if his attack is a simple uncomplicated one and he has a wife prepared to nurse him at home. In midwifery the arguments are even fiercer. Midwifery has much about it that is simple. All the patients (at least before the birth occurs) are of one sex. The outcome is never delayed longer than nine months. The results are comparatively easy to measure. We ought therefore to have begun our research and to have decided on what grounds we can recommend home or hospital delivery. Yet there has never been a prospective trial of the results of home versus hospital confinement. I suspect that the very lack of such a trial in midwifery and the arguments which still surround the trial of home versus hospital care for uncomplicated myocardial infarction mean that medicine is listening to culture, with its resistance to fast change, and ignoring science. Before we can make firm pronouncements on the merits of home and hospital care we need much more information about the factors that influence outcome—in the patient, in the illness, in the system of medical care, and in society. The combination of these factors is not immutable, and it is in the changing balance that we must seek fresh solutions. The major change that

medicine must make is to stop concentrating on science alone and begin to listen more to the voice of society—our patients.

Sheffield

SIMON BARLEY, MB, MRCP, general practitioner

COLIN GODBER

A major challenge to our health service over the next 30 years will be the further shift towards the care of chronic illness and disability that will be generated by the dramatic increases in the proportion of the very elderly. Our response to this will depend on the continuing consolidation of primary care, the search for alternative options in community care, and a more selective and efficient use of our costly hospital and specialist services. The range of work carried out by the primary care team will need to extend, with the other professions accepting (and being given) greater responsibility within their fields of expertise. With nurses taking on more screening and surveillance, the social worker should be tackling emotional and social problems that have responded so poorly and at such cost to the FP 10.

As the "general physician" of the future the GP will need a different service from the specialist, more community based and with more opportunity for advice and discussion. Conversely the GP should play more part in the care of his patients in hospital.

We need also to look more closely at the arguments for a much more flexible use of domiciliary nursing to provide for intensive short-term care as an alternative to, or shortener of, hospital stay. Better selection between home, community hospital, and general hospital care in acute illness may well reduce bed occupancy, though admission rates are bound to continue to rise. In general psychiatry and mental handicap we have seen that hospital bed use can be greatly reduced if specialised day care, sheltered employment, and hostels can be developed. We