He was treated symptomatically and a week later had improved. Nine months later he appeared with bronchitis, his chest x-ray film being normal. A month later he had a sudden painless haematuria and an I.V.P. showed a constant filling defect in the left side of the bladder. Subsequent cystoscopy showed a small tumour projecting into the bladder on the summit of a mass which proved to be an adenocarcinoma arising from the bowel. The liver was enlarged 3 in (7.5 cm) below the costal margin and this was considered an inoperable growth. He progressed steadily downhill and died five months later.

Mr. G. H., aged 63, was a hardy perennial who attended the surgery on an average of 20 times a year over a space of 20 years. Most of his visits were for cervical spondylosis and abdominal pain which was invariably "agonizing". He had had three barium meals in all, and carcinoma of the colon was not suspected until two years ago, when, however, a barium enema and sigmoidoscopy were normal. Six months ago he was admitted to the district hospital with abdominal pain, but apart from a loaded colon no positive findings were made; rectal examination at that time was normal. Two months later he was finally re-admitted and a diagnostic laparotomy was performed, at which an inoperable carcinoma of the sigmoid colon was discovered.

This is a pretty dispiriting collection. In a small town and rural area we have a dual relationship with many patients, who may be friends or may supply us with the necessities of life ranging from milk, papers, or groceries to emptying the dustbins. We live at close quarters with our failures—or their memory—and any advice you can give us on the earlier diagnosis of what seems to be an increasingly common tumour will be most welcome.

Surgical Comment

MR. RINTOUL: The topic which we are discussing covers, I feel, a much wider field than the early diagnosis of colonic tumours in general practice. Hospital methods of diagnosis are by no means infallible but I agree that the chances of missing a tumour are lessened by a second opinion or even a third, when the radiologist's help is requested. I suspect that most of your patients did not, in fact, have a tumour present at your early examinations. The fact that their tumours started to grow during your contact with them—either medical or social—can hardly be blamed on your presence. One important point which I have noted in your case histories is that

you certainly took all reasonable steps to reach a diagnosis at an early stage. I am afraid that I still see patients who have not been subjected to the supposed indignity of a rectal examination and are referred to hospital with large rectal tumours. In my opinion, this is worse practice than to miss a growth during a well-intentioned P.R.

It seems to me that the main problem which faces your management of these patients is *when* a second opinion should be sought. It is a fairly easy decision for me to request a barium enema when other means do not clearly establish the diagnosis, and, indeed, it would be considered negligent, in most cases referred to hospital, not to do so. Unfortunately, it would not really solve the whole problem to refer all your patients with diarrhoea to my clinic.

It would be ideal if a blood test were available as a means of finding out those patients with an early tumour. There are reports of a serological test being developed which, it is hoped, will indicate the presence of a colonic cancer but it may be several years before we have this as a routine test. The E.S.R. is too non-specific to have been helpful in your four patients but I wonder if an unsuspected anaemia would have tipped the balance in your asking for a second opinion at an earlier stage. Not all colon tumours produce anaemia, but the majority will produce occult blood in the stools. The test for faecal occult blood is quite simple when using the highly sensitive Ham's reagent along with hydrogen peroxide, and I have the two solutions available in my outpatients clinic. The test itself takes less than a minute and a sample of faeces can usually be obtained by rectal examination.

I am glad to have another pretext for bringing the subject of the rectal examination into our discussion again because of its great importance, but in the present company I should not really preach to the converted.

Glossary

I.V.P.	Intravenous pyelogram.
P.R.	Per rectum examination.
E.S.R.	Erythrocyte sedimentation rate.

Medical Education

Southampton—Some First-year Experiences

The initial cohort of students at the new medical school at the University of Southampton has just finished the first year's course. Last month, in an interview with a member of the editorial staff of the B.M.J., the dean of the school, Professor Donald Acheson, described some of the lessons of the first year and his plans for the future. He began by discussing problems of student selection.

British Medical Journal, 1972, 3, 166–170

PROFESSOR DONALD ACHESON: Most of our students come straight from school. But out of the 40 there are eight who have got a degree in something already.

INTERVIEWER: Was this kind of selection your deliberate choice?

PROFESSOR ACHESON: Partly. We thought it would have a

settling effect on a group which would inevitably be under a lot of stress. There must be now a well-defined "first-cohort-in-the-new-medical-schools" syndrome, and one of the things we've learnt this year is that, even allowing for it in advance, we still underestimated it. It needs a real effort of imagination to put oneself in the position of these students. Some of them feel—though they came knowing they were the first group—that they are being experimented on. Every lecture, every class, every test, every examination is a step into the unknown. They haven't got a senior group of students to whom they can turn and ask what

the first-year examination was like, and it's very difficult to convince them that probably at least 90% are going to get through.

INTERVIEWER: Have they reason to be worried because you are being fairly radical in your syllabus?

PROFESSOR ACHESON: No, not at all. In British terms we are radical, but if you use McMaster in Canada as the standard we are conservative. Furthermore, the General Medical Council has approved the curriculum in principle. If anything, in spite of our best efforts, we have over-formalized the curriculum here.

INTERVIEWER: I was interested to see the list of professors in your prospectus. There were some unusual chairs. One was the chair of applied nutrition, held so far as I could make out by a man with an agricultural background. Then there was a professor of medical information science, and I wondered what his role was going to be, and I noted that you had called your chair of obstetrics "human reproduction and obstetrics" and I wondered about this emphasis. I was not surprised to see you had a paediatrician and geriatrician, as obviously that fits in with your interest in community medicine. This leads on to your curriculum. Does it differ from those of the London teaching hospitals or Oxford or elsewhere?

The First Chairs

PROFESSOR ACHESON: Let's take the names of the chairs first. The changes in emphasis were deliberate. The first one and the one that caused the biggest stir was human reproduction and obstetrics. We called it this to make it quite clear that the holder of this chair was responsible, in co-operation with physiologists and whoever else was necessary, for teaching students not only about mechanical obstetrics and about gynaecology—but also about the whole physiological and sociological business of human reproduction. Our approach to physiology and anatomy is to teach by means of a series of systems courses, of which the first is the reproductive system, which is taught in the first year. In fact our first class of students have completed their course in human reproduction, which includes sex education.

So the introduction of the title "human reproduction and obstetrics" was a deliberate change in emphasis to bring it back squarely into the undergraduate curriculum. I think what has recently tended to happen is that, as it became clear that the art of obstetrics was one that had to be gained by postgraduate experience and that general practitioners were being discouraged more and more from practising obstetrics themselves, the place of obstetrics in the undergraduate curriculum was becoming eroded.

INTERVIEWER: Was the title partly too to emphasize the importance of the family?

PROFESSOR ACHESON: Yes, the importance today of sex, the family, and population control. It seemed to us that you couldn't start in the medical curriculum at a better place. The medical profession has rarely been taught anything about this. Many of us are extremely inhibited and find it quite difficult to talk to patients about their sexual problems. And if they find it difficult to talk to us in the first place this means that nothing really much happens to solve their problems.

Well now the other strange people—medical information science. Again this choice was deliberate. I guessed that, looking at the next twenty years, computers and the use of medical information in planning and research was something that was going to mushroom, and so I suggested the creation of this chair to fulfil the needs of the sort of work that I had been associated with in Oxford and which I couldn't possibly do here. Furthermore, the Wessex Regional Board (who are very active partners in our medical school) felt that they would like to have someone

with an academic position employed by the University who would spend about half his time developing an information service for planning and evaluation of medical care in the region.

INTERVIEWER: I can see the value of this on the research, planning, and development side, but how do you justify the post in teaching?

PROFESSOR ACHESON: Well, the holder of the chair is an epidemiologist and he has already been involved in teaching epidemiology to the students. In the fourth year of the curriculum the student has the whole year in which to do a project in any field he cares to elect, from biochemistry to sociology applied to medicine. We would sincerely hope, that some would choose medical computer science and medical information.

INTERVIEWER: So how long is the total medical course?

PROFESSOR ACHESON: Five years. The curriculum is in three parts. The first three years are an integrated whole—or an attempt at it. The fourth year is an honours year, in which the student has a wide choice of options and majors in one of them throughout the whole year, producing some sort of written material at the end, with the only condition being that he continues to do at least one day of clinical work a week. The fifth year consists of residential clerkships and dresserships all over the region in small numbers in medicine, surgery, psychiatry, child health, and obstetrics.

INTERVIEWER: When do you introduce your students to patients?

PROFESSOR ACHESON: Right from the word go.

INTERVIEWER: Geriatrics?

PROFESSOR ACHESON: Yes, there is some teaching in geriatrics, but that comes in the third year.

INTERVIEWER: In your inaugural address* you said that you thought it was quite important to get the other faculties interested in the medical course, and you listed social science, engineering, and law. How has this worked out?

PROFESSOR ACHESON: Very well so far as the Faculty of Social Sciences is concerned. The first reports from the students on their sociology course, which is done by the department of sociology here, are on the whole favourable.

INTERVIEWER: What do they learn there?

PROFESSOR ACHESON: About the structure of society, about the various calls upon the gross national product other than medicine, how we all have to dip into the same bowl, the roles of professional people, and so on.

Next the engineers—there's a big faculty of engineering here at Southampton. We have several engineers who are anxious to become involved with the medical school. So that will come, I've no doubt, probably as an option in the fourth year.

Disappointments

INTERVIEWER: You laid quite a lot of emphasis in your address on rehabilitation and resettlement. Where is this going to come in?

PROFESSOR ACHESON: Well, I've had several disappointments here. To my surprise I've so far not succeeded in getting the money for a chair of rehabilitation, which we badly want. The

**British Medical Journal*, 1970, 2, 683.

University Grants Committee seems to think that the academic potential of rehabilitation is very slight.

INTERVIEWER: Do you agree?

PROFESSOR ACHESON: No I don't. I think rehabilitation is a Cinderella. It really is part of medical education, and there are misunderstandings here. I'm not for a moment suggesting that people should hand on their patients to a rehabilitation doctor to "top them off" (or whatever you like to call it) after they've had their coronaries, or after they've had their bronchitis, to get them back to work. What I'm saying is that up to the present time the busy physician, surgeon, or obstetrician has failed to get over to the undergraduate the medical team's responsibilities to get people back to work, or back to school, or to get them independent if they're elderly people.

INTERVIEWER: This "systems teaching"—is it broadly your first three years?

PROFESSOR ACHESON: The first three years starts with two introductory courses, in the first term. One is called "Cells, Tissues, and Systems" and the other "Man, Medicine, and Society," which leads on to courses in sociology, psychology, and epidemiology. I don't need to describe these further. The other introductory course leads on to systems courses covering human reproduction (which the students have done) and next year on the cardiovascular and respiratory systems, the alimentary system, neurology, and nephrology. One of the later courses will concern the locomotor system and I hope the chairman of the locomotor system course will be the professor of orthopaedics (if we have a professor of rehabilitation by then he will also be involved.) All this will deal with the applied physiology of joints and some of the problems of limitation of movements of joints, and so on. By the end of the second year the students will have finished their systems courses. The third year contains a lot of clinical work.

INTERVIEWER: At what point will they be taught diagnosis?

PROFESSOR ACHESON: About halfway through the systems courses. But in their first year they have a course called "Early Medical Contact." It is a great success. It consists simply of every student, working in pairs and accompanied by a general practitioner, meeting a patient on five occasions in the home. The patients selected usually have an obvious chronic disability—physical or mental—which bears on their family and social life. The emphasis is on the family and on social aspects of illness because at this point of their course the students don't have the clinical skills which enable them to feel a spleen or know what the sedimentation rate means. But unlike our generation they are very interested in and highly sensitive to social problems; they are also more mature. In spite of many of them having come straight from school, they have taken to this like ducks to water.

Community Care Units

INTERVIEWER: In your lecture you stressed that you wanted to teach particularly on the commonplace and intractable. With this I think you linked community care units. Have you got these established?

PROFESSOR ACHESON: We have got one. The local executive council allowed the university to take over a vacant single-handed practice near the hospital and fill it with a university lecturer, so we have a practice of 4,500 souls. The actual physical building of the community unit is going to take a little longer.

INTERVIEWER: How does this "community care unit" differ from a good general practice?

PROFESSOR ACHESON: Physically it will be a health centre with various local authority clinics and so on, but the difference is that about 30% of the capital will have been found by the University Grants Committee for accommodation for teaching and research.

INTERVIEWER: At what point will this come into the curriculum?

PROFESSOR ACHESON: In the third year.

INTERVIEWER: So by then the students will know something about diagnostic procedures. Will they examine patients there?

PROFESSOR ACHESON: Yes. By the beginning of the third year they will have done their systems courses. They then have junior clerkships in the hospital in medicine including geriatrics, surgery, child health, psychiatry, and paediatrics. One session a week throughout this year is spent in the community care aspects of the subject currently being studied in the wards. So, for example, when they are doing their ward work in paediatrics they will be seeing sick children at home either through the community care unit or in association with other practitioners who are working with us in the area, on a sessional basis. When the students do their psychiatry in the ward, they will see psychiatric patients at home one morning a week.

INTERVIEWER: You said you were hoping to get different sorts of community care going.

PROFESSOR ACHESON: Yes. We have a generous grant from the Nuffield Foundation to organize the community care unit as one of those general practices with the elderly looked after by one doctor, the middle-aged by another, and the children by another. We are going to compare this system with an orthodox group practice elsewhere.

INTERVIEWER: With what in mind?

PROFESSOR ACHESON: To see, for example, whether the concept of the family doctor—the doctor who looks after the whole family—is still valid.

INTERVIEWER: This seems contrary to your emphasis on the importance of the family in your introductory course on reproduction. If you are going to have separate history-taking by different people surely they won't have the same sort of continuity of knowledge of the family as one person coping with the lot of them.

"Myth" of the Family Doctor

PROFESSOR ACHESON: That is one side of the equation. The other is they may get more appropriate skills. But I would challenge the reality of the view that for most families living in England there is in fact one family doctor. Our image of the family doctor as someone who looked after mum when her baby was born and is now looking after the teenager whom he delivered and grandpa is, unfortunately, almost certainly a myth. It has been destroyed by two things: one is internal migration in England, which the census shows is very striking; the other is that in group practices you don't always see Dr. Bloggs, you see the doctor who is on. In many of the urban centres even this pattern has broken down, particularly in London; you see Dr. Bloggs or his partners during the week and you see an entirely different doctor who may not even be a general practitioner at night or at the weekends. So one of the things we will do is to see how often in an orthodox group practice the same family sees a different doctor, and compare that with what happens in our teaching centre using the McKeown system.

INTERVIEWER: What about your students; where do they come from?

PROFESSOR ACHESON: All over England. Very few from Scotland.

INTERVIEWER: What particular things attracted them to you—the excitement of a new medical school or something else?

PROFESSOR ACHESON: I think that some of them have been attracted here because of our new approach, but I suspect this is a minority. Perhaps some of them thought it might be easier to get in because it is a new medical school.

INTERVIEWER: Is that in fact so?

PROFESSOR ACHESON: It certainly isn't.

INTERVIEWER: I would have expected you to have a vast number of applicants for every place.

PROFESSOR ACHESON: We have. For this coming year we have had just over 1,800 applications for 65 places, but one must remember that the University Council on Central Admissions' policy inflates the number of applications fivefold.

INTERVIEWER: How many of these are first choices?

PROFESSOR ACHESON: About 250.

Very High Intake of Women

INTERVIEWER: Something which has been agitating the House of Lords recently is the intake of women into medical schools. Is yours roughly proportional to the proportion applying, or do you discriminate one way or the other?

PROFESSOR ACHESON: Well so far we haven't discriminated here. But unless something happens, unless discrimination becomes quite clearly illegal so that everybody stops discriminating—because most of the others do—we are going to be in a very difficult position. The fact that last year 40% of our intake were women is already widely known.

INTERVIEWER: Is this the highest intake of women in Britain?

PROFESSOR ACHESON: Not quite, but nearly. This year it is going to be 50%, I think, or even 55%.

INTERVIEWER: Are you worried about this in purely economic terms? Over a lifetime the amount of medical work done by a woman will almost inevitably be less than a man's.

PROFESSOR ACHESON: Yes I am, but I think that Lady Summer-skill and everybody else just has to accept that if it is to be wrong to discriminate against women in this way then (as the Americans would say) there is a price-tag to be picked up—about four more medical schools will be needed to make up for the wastage. It does seem to me, trying to weigh it up, that it is probably wrong—and certainly most repellent—when you are faced with two applications, one from what is clearly a boy of only moderate intellectual achievement and the other from an extremely bright girl, that you've got to take the boy.

INTERVIEWER: How do you go about your selection?

PROFESSOR ACHESON: Like this. We study carefully all the applications—that is, the records of academic work and the headmasters' reports. We look first at candidates placing Southampton first or second or expressing no preferences, as we know that good candidates placing us third choice or lower will be snapped up elsewhere. We then sort the rest into piles:

home students straight from school, mature students—a small but growing heap—and so on.

INTERVIEWER: Do you deliberately look for a certain proportion of mature students?

PROFESSOR ACHESON: We did last year, and that became known. As a result of that and the employment situation for bio-chemists, physicists, and chemists we have got this year many young graduates who want to do medicine.

INTERVIEWER: Can they get a second grant?

PROFESSOR ACHESON: At present it is extremely difficult for them to get one, but, it depends very much on where they live. To revert to selection procedure, we've got all these pieces of paper. We divide our selection committee into pairs, and each pair is given a heap of applications to assess. We next give provisional places on the basis of A level predictions. You must remember most candidates haven't got them then. The timing of G.C.E. results is a most pernicious system. In Australia they succeed in getting the national exam results out in time for them to be used in university selection. Here one normally has to make provisional selections on the basis of predictions of A level results. For example, we may offer a place on the condition that the student gets two Bs and a C.

INTERVIEWER: Having done that, do you interview?

Mistrust of the Interview

PROFESSOR ACHESON: No. We don't. Deliberately, as a matter of policy. We felt that there is no evidence that one can select by interview those with the characteristics one hopes will be present in all doctors such as humanity, honesty, and all those things. Nor did we think that there was yet any reliable test of aptitude. We asked ourselves what we would be trying to do at interview and the answer (the over-simplified answer) was that we might find we were selecting on the basis of our social prejudices. We were very much reinforced in this argument by the experience of Edinburgh, where some five years ago the medical school deliberately gave up interviewing, and it's thought that the drop-out rate has fallen. But we do always interview mature students.

INTERVIEWER: Is this because of the influence they will have on those straight from school?

PROFESSOR ACHESON: Not really; rather because we felt that we could find out more about motivation at their age.

INTERVIEWER: You wonder why they are switching horses?

PROFESSOR ACHESON: Things like that. I am perfectly certain that had we interviewed all the applicants we would have got a different bunch of students. Whether they would have been better or worse is impossible to tell—I doubt if they would have been better.

INTERVIEWER: If it is widely known, as it must be, that the way you get the place you want is by your A level results this must have some corrupting influence on school education. It becomes so important to do well. Does this bother you?

PROFESSOR ACHESON: There is some evidence that A level results are correlated with future success in medicine. This is not absolute, of course, and there will be exceptions. So even if A levels are a poor classification they are at least semi-objective. My problem would be that if I interviewed two people, one of whom had good A levels but I didn't like—and I think that is about as far as one can get at a brief interview of an 18-year-old—

and somebody else with no A levels or bad A levels whom I liked at the interview, I would be loath to take the one I liked the better as I should suspect that it would be pure prejudice that made me choose the other chap. We have got to get more objectivity into this matter of selection for medical students somehow.

INTERVIEWER: You don't put very much value on being brought up in a doctor's household?

PROFESSOR ACHESON: We don't hold it against him! My father was a doctor and my brother is a doctor. But I can't see how really one can give a candidate many marks for this.

Any Questions?

We publish below a selection of questions and answers of general interest

Treatment of Genital Warts

What further treatment is available for a women suffering with extensive genital warts which have not responded to repeated applications of podophyllin, local cautery, and high dosage of vitamin A?

None. But some questions need answering. Is the diagnosis right? Could they be condylomata lata? Is there any associated pathogen in the vagina—for example, trichomonas, monilia, or pathogenic bacteria? Are there viral warts elsewhere, possibly on the hands or in the vagina or rectum, from which she may be re-infecting herself? Has the sexual partner been examined? Could he be re-infecting her?

It is not clear from the question what local cautery means. In fact the operation to cure these condylomata acuminata should be a formal one under general anaesthesia. Less than this is sure to fail. Properly done it does not fail. Every single lesion on the vulva and in the vagina must be excised with the cutting diathermy, and the bases of the condylomata especially dealt with. With many warts the operation can be tedious and time-consuming, but to be effective it must be thorough. Moreover general anaesthesia and the lithotomy position and a good light are necessary to be able to see all the warts.

Swallowing Foreign Objects

What action should be taken if an infant who has swallowed a plastic pen cap has not passed it out after about three weeks? Is the cap likely to have disintegrated in the gut?

It is very unlikely that the plastic pen cap would disintegrate in the intestine. Some plastic materials are hardened by the intestinal secretions. If the child does not show any signs of disturbance attributable to the presence of the cap nothing should be done since it is likely eventually to pass. If the parents become very anxious a barium meal examination would be justified and should be followed through the intestine, but it is unlikely that it will show any sign of the swallowed cap.

Notes and Comments

Treatment of Plantar Warts in Schoolchildren.—Dr. K. M. TOMLINSON (Newent, Gloucestershire) writes: I was interested in your expert's answer on this subject ("Any Questions?" 3 June, p. 586). A large comprehensive school in this area opened a swimming pool three years ago where swimming was compulsory. Within six months there was a steep rise in the incidence of plantar warts necessitating the banishment of sufferers from the bath. To counteract this I arranged for the swimming instructor to spray all sufferers' feet with Nobecutane before entering the changing room.

There has been a gradual decline in the incidence of plantar warts since this procedure was adopted. The exact figures will not be available until the end of the current term but there is no doubt that they are significant. This is a simple and inexpensive method of prophylaxis.

DR. W. F. CHRISTIAN (Deputy Medical Officer of Health and Deputy Principal School Medical Officer, Wallasey, Cheshire) writes: I have read your expert's reply to this question but no mention is made of the use of carbon dioxide snow. The prevalence of plantar warts in this district is high and is probably associated with frequent visits to swimming baths and barefoot physical education in school gymnasias.

For approximately 15 years a variety of treatments have been used in our clinics, mostly carbon dioxide snow, Chlorosal paste, and Vericaps. By far the speediest cures are obtained by the use of carbon dioxide snow followed by occlusion of the warts with zinc oxide plaster to which a blob of Chlorosal paste has been applied. At the second visit the macerated skin is removed or if a good blister has formed the dead skin of the blister is removed. The raw area is then treated with hydrogen peroxide and a flavine dressing applied. I have found that the optimum treatment is two weeks. To ensure that the zinc oxide plaster remains in position for that time it is covered by two turns of porous Elastoplast. Far from warts resolving spontaneously my experience has been that when left untreated plantar warts tend to multiply. I have treated countless children whose parents have been advised to leave them alone or to treat them with formalin soaks and by the time they have come to our clinic there have been four or five warts to treat.

OUR EXPERT replies: I am grateful to Dr. Tomlinson and Dr. Christian for their helpful comments. It was impossible to list in an answer of this type all treatments of plantar warts which are frequently effective and practicable in general practice and school clinics. The crux of the matter is the lack of a simple and painless yet radically effective therapy for this troublesome and common infection. All radically effective measures are painful and/or expensive in staff and equipment; fortunately the placebo effect of relatively painless techniques is high. Treatment with carbon dioxide snow is effective and is used in most dermatological out-patients departments, but it requires special equipment and considerable expertise before consistently satisfactory results are obtained.

Spraying the feet of wart-infected children with Nobecutane is an excellent suggestion. Plantar warts seem to like soggy skin and the drying and protective effect of Nobecutane may help those already affected as well as prevent dissemination of the wart virus. Formalin soaks are probably helpful in this condition because of their drying effect upon the horny layer and another dehydrating agent glutaraldehyde 10% buffered with sod. bicarbonate to pH 7.5, applied daily to plantar warts with an orange stick, can bring a painless if somewhat laborious cure for plantar warts.