Covid-19 vaccines for teenagers: conversations and consent

Whatever teenagers and families decide, their views must be heard and respected

Sonia Saxena,¹ Helen Skirrow,¹ Helen Bedford,² Kate Wighton³

¹ Department of Primary Care and Public Health, Imperial College London, London, UK

² Department of Population Policy and Practice, University College London Great Ormond Street Institute of Child Health, London, UK

³ Communications and Public Affairs, Imperial College London, London, UK

Correspondence to: S Saxena
s.saxena@imperial.ac.uk Twitter
@soniaksaxena

Cite this as: *BMJ* 2021;374:n2312
<http://dx.doi.org/10.1136/bmj.n2312>

Published: 22 September 2021

On 13 September, the UK chief medical officers recommended that all 12-15 year olds be offered a single dose of Pfizer-BioNTech covid-19 vaccine.¹ This followed a previous recommendation by the Joint Committee on Vaccination and Immunisation² not to offer covid-19 vaccines to healthy 12-15 year olds. The UK now joins a growing list of countries offering vaccination to those aged 12 and over, but it is providing only one dose rather than the two given in other countries because of concerns about rare side effects such as heart inflammation.^{3 4}

The health benefits of covid-19 vaccination are small in this age group since covid-19 infection is not a serious threat to their health.⁵ However, the chief medical officers' decision was influenced by the wider benefit of reducing further disruption to education. Parents are understandably concerned about vaccine safety. It's not yet clear how schools and healthcare professionals will cope with delivering up to 2.6 million covid-19 vaccines, answering parents' questions,⁶ and supporting teenagers to make informed decisions.

The case for offering covid-19 vaccines to healthy teenagers is less compelling than the case for routine childhood vaccinations, which have direct benefits for individuals and many years of safety data. Healthy teenagers are at extremely low risk of hospital admission and death from covid-19 infection,⁵ although vaccines do protect against symptoms such as headache and fatigue that can last beyond 12-16 weeks in a very small proportion of teenagers.⁷ Additional benefits may be limited, as 30-50% of teenagers may already have acquired natural immunity to covid-19.⁸

Most adolescents aged 12-15 who received the Pfizer-BioNTech vaccine in clinical trials or during mass vaccination in North America^{3 4} reported only minor transient side effects such as fainting and pain from the injection site (79-86%).⁹ Other reactions include fever, fatigue, and muscle pains (64%) and headache (49%) lasting up to a week.^{3 4 9} However, a few cases of heart inflammation (pericarditis and myocarditis) have been reported, affecting boys more than girls.¹⁰ The risk of myocarditis after this vaccine rises from 3-17 cases per million after one dose to 12-34 cases per million after a second dose,^{2 4} and this informed the UK decision to offer only one dose to under 16s. To date, no deaths are known to have occurred as a result of myocarditis following vaccination, but long term effects are unknown. The risk of myocarditis associated with covid-19 infection may be higher than that after vaccination, but more research is needed to weigh risk against benefit.¹⁰ Importantly, past covid-19 infection does not seem to increase risk of myocarditis after vaccination.²

Potential disagreements

Conversations about vaccinating adolescents aged 12-15 against covid-19 may be more challenging for health professionals because the scientific case is weaker than for adults. Over half of parents in UK secondary schools report they definitely want their child to be vaccinated, but a further 40% are unsure.¹¹ By contrast, 89% of young people aged 16 and 17 report no hesitation about covid-19 vaccine¹¹—apart from incidental concerns such as anxiety about needles—and over half had their first dose within a month of becoming eligible. The Royal College of Paediatrics and Child Health is now seeking the views of 12-15 year olds. Clearly, potential exists for teenagers and parents to disagree, or for teenagers and families to perceive pressure or stigma if their decisions differ from those of their peers and the wider school community.

Consent procedures for covid-19 vaccines in schools will be managed by school age immunisation service teams¹² experienced in obtaining informed consent for human papillomavirus (HPV) vaccination and other programmes.¹³ Parents will be asked for consent, but children under 16 with capacity to understand the risks and benefits can provide their own consent, which will have primacy over parental views.^{12 14} Experts have questioned the validity of informed consent when safety data are still emerging, and some families may delay or refuse consent if queries or conflicts cannot be resolved before immunisation teams are on site.

Public Health England has published information for children¹⁵ and parents,¹⁶ but families may still opt to seek advice from trusted NHS professionals such as general practitioners and practice nurses, who have always been key facilitators of decision making about vaccines.¹⁷ Communicating with families and consenting and vaccinating up to 2.6 million young people will add substantially to existing workload pressures of general practitioners, nurses, and school immunisation teams, which are already overstretched catching up with routine vaccinations disrupted by the pandemic.¹³ Tailored communication and community engagement will be needed for some communities to help overcome barriers to access such as language or digital literacy.¹⁸

The UK could look to other countries for accessible, relatable resources in friendly formats on social media to enable teenagers and families to make informed decisions about covid-19 vaccination. The US introduced peer-to-peer vaccine advocate programmes such as the covid-19 Student Corps,¹⁹ and a high school student set up the VaxTeen site²⁰ providing resources for young people on subjects such as how to talk to your parents about vaccines.

Over 12 million adolescents in the US aged 12-17 have now received one dose.²¹

NHS professionals in the school immunisation service and primary care must have protected time and resources to facilitate informed conversations with young people and their parents without pressure or judgment. Whatever teenagers and families decide, their views must be heard and respected.

Competing interests: *The BMJ* has judged that there are no disqualifying financial ties to commercial companies.

Provenance and peer review: Commissioned; not externally peer reviewed.

We thank the parents and young people aged 12-21 who commented on this article, including Amanda Young, Lauren Branton, Ben Bryant, Nina Pollok, and Habiba Haque, community empowerment officer of Mosaic community trust.

- 1 UK Chief Medical Officers. Universal vaccination of children and young people aged 12 to 15 years against covid-19. Letter from the UK chief medical officers to the UK health ministers on covid-19 vaccination of 12 to 15 year olds. 2021. <https://www.gov.uk/government/publications/universal-vaccination-of-children-and-young-people-aged-12-to-15-years-against-covid-19>.
- 2 JCVI. Joint Committee on Vaccination and Immunisation statement on COVID-19 vaccination of children aged 12 to 15 years: 3 Sep 2021. <https://www.gov.uk/government/publications/jcvi-statement-september-2021-covid-19-vaccination-of-children-aged-12-to-15-years/jcvi-statement-on-covid-19-vaccination-of-children-aged-12-to-15-years-3-september-2021>.
- 3 Public Health Agency of Canada. Canadian COVID-19 vaccination safety report. 2021 [https://health-infobase.canada.ca/covid-19/vaccine-safety/#detailedSafetySignalsSeptember 10, 2021](https://health-infobase.canada.ca/covid-19/vaccine-safety/#detailedSafetySignalsSeptember%2010%2C2021).
- 4 Hause AM, Gee J, Baggs J, et al. Covid-19 vaccine safety in adolescents aged 12-17 years—United States, December 14, 2020–July 16, 2021. *MMWR Morb Mortal Wkly Rep* 2021;70:1053-8. doi: 10.15585/mmwr.mm7031e1 pmid: 34351881
- 5 Ward JL, Harwood R, Smith C, et al. Risk factors for intensive care admission and death amongst children and young people admitted to hospital with COVID-19 and PIMS-TS in England during the first pandemic year. *medRxiv* 2021:2021.07.01.21259785. [Preprint.] doi: 10.1101/2021.07.01.21259785
- 6 Covid-19: How do parents feel about vaccinating their children? BBC News 2021 Sep 14. <https://www.bbc.co.uk/news/uk-58560155>.
- 7 Office for National Statistics. Technical article: updated estimates of the prevalence of post-acute symptoms among people with coronavirus (COVID-19) in the UK: 26 April 2020 to 1 August 2021. 2021. <https://www.ons.gov.uk/releases/technicalarticleupdatedestimatesoftheprevalence-ofpostacutesymptomsamongpeoplewithcoronaviruscovid19intheuk26april2020to1august2021>.
- 8 Ladhani SN, Ireland G, Baawuah F, et al. Emergence of SARS-CoV-2 alpha (B.1.1.7) variant, infection rates, antibody seroconversion and seroprevalence rates in secondary school students and staff: Active prospective surveillance, December 2020 to March 2021, England. *J Infect* 2021;S0163-4453(21)00401-1. doi: 10.1016/j.jinf.2021.08.019. pmid: 34400220
- 9 Frenck RW, Jr Klein NP, Kitchin N, et al. Safety, immunogenicity, and efficacy of the BNT162b2 covid-19 vaccine in adolescents. *N Engl J Med* 2021. doi: 10.1056/NEJMoa2107456
- 10 PHE. Public Health England. Information for healthcare professionals on myocarditis and pericarditis following covid-19 vaccination. 2021. <https://www.gov.uk/government/publications/covid-19-vaccination-myocarditis-and-pericarditis-information-for-healthcare-professionals/information-for-healthcare-professionals-on-myocarditis-and-pericarditis-following-covid-19-vaccination>.
- 11 Office for National Statistics. Coronavirus (COVID-19) latest insights: Vaccines, Covid-19 schools infection survey. 2021. <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19latestinsights/vaccines>.
- 12 PHE. COVID-19 vaccination programme for children and young people: guidance for schools 16 September 2021. <https://www.gov.uk/government/publications/covid-19-vaccination-resources-for-schools/covid-19-vaccination-programme-for-children-and-young-people-guidance-for-schools>.
- 13 PHE. Human papillomavirus (HPV) vaccination coverage in adolescent females and males in England: academic year 2019 to 2020. Health protection report volume 14 No 19. 2020 https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/927694/hpr1920_HPV-vc.pdf.
- 14 PHE. The green book. Chapter 2: Consent 2021. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/994850/PHE_Greenbook_of_immunisation_chapter_2_consent_18_June21.pdf.
- 15 PHE/NHS. Covid-19 vaccination. A guide for children and young people. 2021. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1017171/PHE_12073_COVID-19_guide_for_all_CYP.pdf.
- 16 UK Health Security Agency. Covid-19 vaccination programme for children and young people. Guidance for parents. 2021. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1018615/PHE_12073_COVID-19_parents_leaflet.pdf.
- 17 Leask J, Kinnerley P, Jackson C, Cheater F, Bedford H, Rowles G. Communicating with parents about vaccination: a framework for health professionals. *BMC Pediatr* 2012;12:154. doi: 10.1186/1471-2431-12-154 pmid: 22998654
- 18 Razai MS, Osama T, McKechnie DGJ, Majeed A. Covid-19 vaccine hesitancy among ethnic minority groups. *BMJ* 2021;372:n513. doi: 10.1136/bmj.n513 pmid: 33637577

- 19 US Department of Education. Announcing US covid19 student corps. 2021. <https://content.gov-delivery.com/accounts/USED/bulletins/2e41dad>.
- 20 VaxTeen. <https://www.vaxteen.org/>.
- 21 Centers for Disease Control and Prevention. Demographic characteristics of people receiving covid-19 vaccinations in the United States. Age groups of people with at least one dose administered: data as of September 16, 2021. <https://covid.cdc.gov/covid-data-tracker/#vaccination-demographic>

This article is made freely available for use in accordance with BMJ's website terms and conditions for the duration of the covid-19 pandemic or until otherwise determined by BMJ. You may use, download and print the article for any lawful, non-commercial purpose (including text and data mining) provided that all copyright notices and trade marks are retained.