frame, there so elaborately and faithfully developed. During the last week, upwards of two thousand visitors have honoured the museum with their presence; amongst others Lords Loughborough, Seaham, and Adolphus Vane, Sir George Wombwell, Colonel Lygon, and many others of the *haut ton*."

No names of fashionable ladies are given; whence we may infer that the male *haut ton* above mentioned are fully as inquisitive, if not more so, than those whom Mr. Kesteven designates as "the most inquisitive of mortals".

GOLDEN OPINIONS.

IN our impression of November 25th we gave some little peeps behind the scenes, as a foretaste of fuller disclosures regarding commercial and professional advertising. We showed that editorial praises were often literally *golden opinions*, and that they differed only from common advertisements in the style of their typography and their locality in the paper. The bribe offered by Du Barry and Co. to the *Reformers' Gazette* having formed the text of our remarks, we now communicate the correspondence which has appeared subsequent to our report of the exposure of that transaction. The false charges and mock morality of the convicted parties are good examples of the weapons with which unscrupulous persons of their class attempt to defend themselves from the shafts of honest editors. Such persons always seek to retire behind actual or threatened slander. Unfortunately, this policy of impudent intimidation silences many a timid foe, as the history of the venal press too abundantly proves.

The fear of being slandered in the *Satirist*, we have heard, brought much wealth to its nefarious proprietors, till at last some bolder than the majority of fashionable men refused to dole out *black mail*, and, regardless of the dirt and filth of the fray, battled with those whose trade was to invent calumnies that they might get a bribe for their suppression. The same description of contest must always be waged when there is a similar enemy to war with. The champions of truth must glory in the imputation of vileness, and reckon detraction as the best tribute to the success of their labours. They must remember that, as far as they are concerned,

This is no world
To play with mamnets, and to tilt with lips:
We must have bloody noses, and cracked crowns,
And pass them current too.

The editor of the *Reformers' Gazette* spurned Du Barry's bribe, and exposed the insulting offer. We naturally praised the *Gazette*—and as naturally Du Barry bullied and slandered it; thus illustrating the proposition we have above enunciated.

Smarting under the exposure of the bribe, the pease meal gentlemen addressed the following letter to PETER MACKENZIE, Esq., the editor of the *Reformers' Gazette*.

"London, Nov. 21st, 1853.

"Editor of *Glasgow Reformers' Gazette*, Glasgow.

"SIR,—There is a species of bad faith or dishonesty, which it is universally understood that you are acquainted with, and which the text of our advertising order sent you on the 10th November, was intended to protect us against. It consists in an editor or proprietor—after having received the money from London advertisers for insertions in all editions—inserting the announcements in a few copies only, which he calls his first edition, and of which one copy is sent to the London advertiser, to prove the execution of a dearly paid for contract; whilst the advertisement is carefully removed from the main issue of the paper, and which then is called the second edition!

"Persons acting thus dishonestly, are always annoyed when found out.

"We should have taken no notice of your attack upon us in

your second edition of 19th November, had it not been for the deliberate falsehood you therein publish, as to the composition or nature of our food; and which we hereby formally contradict.

"We should fancy that the honest people of Scotland, before they adopt you as their reformer, ought to insist upon your first reforming your own principles for truthfulness and morality, for they certainly require a thorough reform.

"Your wellwishers for amendment,

"BARRY, DU BARRY, AND CO."

Mr. Mackenzie returned the following reply, which, along with the above, he has published in his paper of Saturday, the 3rd December.

"Gazette Office, Glasgow, Nov. 24th, 1853.

"To Du Barry and Co.

"SIRS,—Your audacity is only equalled by your knavery.

"The reply we make to your impudent letter just received is, that we neither touched your money, nor entered into any contract whatever with you, either for our first, second, or third edition, or for any edition whatever. On the contrary, for the last three years, we have invariably declared that we would not admit your advertisements into our columns 'on any terms'. When, therefore, you had the insolence to attempt to *bribe us* (as to the shame and disgrace of the press you have evidently too often done in other quarters), by sending such orders, and getting such *concocted*, fraudulent *puffs* inserted week after week *ad nauseam*, we thought we took the best course with you by simply publishing your own impudent proposals.

"As for our *truthfulness and morality*: the first of these inestimable qualities will, we hope, be directed to open the eyes of the public still farther to the fraud and knavery practised upon them by quack impostors now so largely abounding; and as for our *morality*, we have the great satisfaction to know that no part of our character depends for support either on quack vagabonds, or audacious impostors.

"We remain your uncorruptible foes, but sincere wellwishers for amendment and honesty,

"PETER MACKENZIE."

As a sequel to the peep behind the scenes which Mr. Mackenzie has afforded us, it would be both curious and instructive to have a list of all the newspapers in which *quasi* editorial praises of the Revalenta Arabica have appeared. Such a harvest of golden opinions would form a tolerable gauge of the immorality of the press, and point out at a glance the names of those papers which are venal.

ORIGINAL COMMUNICATIONS.

REMARKS ON CHRONIC INFLAMMATION.

By C. HANDFIELD JONES, M.B. Cantab., F.R.S., Assistant Physician to St. Mary's Hospital.

IT seems worth while to try if any correct discrimination can be made among the various morbid phenomena, which are commonly regarded as the results of chronic inflammation. It is scarcely too much to affirm that this name is a kind of refuge, to which we betake ourselves when we have very little certain knowledge of the causative conditions of a morbid change. Cirrhosis of the liver we suppose to be chronic inflammation of that organ; morbus Brightii is sub-acute or chronic desquamative nephritis; white pericardial patches indicate pericarditis; enormous fibroid thickenings of the coats of the stomach are set down to chronic gastritis; and various chronic changes in the valves of the heart, the cerebral tissue, and bone, are often regarded as produced by the same cause.

To say simply that such or such a change is due to chronic inflammation, means, in strict language, no more than that a process the same as acute inflammation in kind, but of much slower course, has given rise to it. So at least it is defined by our best English authorities. Dr. Williams says, that an inflammation lasting above three weeks is sub-acute, and, if protracted beyond six weeks, is properly called chronic." Dr. Watson asks, "Is acute inflammation

different from chronic in *kind*? No, they differ only", he replies, "in degree. . . . The process is the same, but its features are less strongly expressed. The disease passes through similar stages in both cases, but it travels at a different pace." Dr. Alison speaks in the same terms, but adds an important reservation. He says, "The term chronic is properly applied to those inflammations which tend to the same consequences, and, in many instances, infer the same danger as the acute, but run their course much more slowly, and generally with less urgent symptoms." After remarking, that the sequelæ of acute may be put down as examples of chronic inflammation, he proceeds, "It is proper also to exclude, at present, from chronic inflammations cases where adventitious textures are formed, distinct from the ordinary products of inflammation, although there be much difficulty in distinguishing these forms of disease by their symptoms." Rokitsky extends more widely the demesne of chronic inflammation; he distinguishes four kinds—(1) that in which the process carries long in each of its stages, even that of congestion taking place very gradually; (2) that in which the inflammation consists in protracted congestion, with retardation of the blood current inclining towards actual stasis; (3) chronic inflammation made up of successive complete attacks of more or less acute character; (4) inflammations producing pus or sanies from internal or external causes, so markedly chronic that they are like a process of secretion. Mr. Paget scarcely mentions chronic inflammation: the only remark I find is, that the acute or chronic character of the process determines the degree in which "the product deviates more or less from the character of the natural effusion or blastematous effusion in the part." Andral, as is well known, rejects the term inflammation altogether, and regards merely varieties of hyperæmia, active, passive, or mechanical. He thinks chronic hyperæmia may be sthenic or asthenic, active or passive. Mr. Wharton Jones, in his *Essay*, does not touch on chronic inflammation.

I am not so presumptuous as to think that I shall completely explain, or even much elucidate, the obscurer form of a process itself obscure; but yet I believe I can, by the following observations, somewhat more clearly define the limits which ought to be assigned to it. Acute inflammation occurring as the result of injury in a healthy person is a *typical* case, certainly not that most commonly met with. The main features of this are, (1) hyperæmic afflux; (2) partial and local stasis of blood in the capillaries; (3) impairment or complete arrest of the nutritive actions of the part; (4) exudation of plasma in excess, the more so as the part is unable to use its ordinary proportion. In the typical case, the inflammatory process runs a tolerably definite course, and naturally tends after a time to decline and cease; the exudation being either absorbed, or converted into induration matter, or changed into pus. Now, from this typical condition, most if not all the instances of what is called chronic inflammation depart, in other respects than in being of slower course. Many of them, such as chronic conjunctivitis and bronchitis, are nothing but congestions of atonic vessels, with increased secretion of the mucous membrane: there is no hyperæmic afflux. In others, such as various skin diseases, syphilitic eruptions, and rheumatic inflammations, there is a continual or oft repeated irritation kept up by the determination of a *materies morbi* to the part affected: the exciting cause does not cease to act. In other cases, fluxes from mucous surfaces take place, or perhaps serous effusions, which may have been initiated by inflammation, but remain as secondary results of that process, which has itself ceased. In others, again, the exudation, which takes place interstitially, organises itself into tissue of a low form, and gives rise to the so called unreal hypertrophies. Now, it does seem to me that, in this last instance, a new and most important feature has appeared, one which is absolutely foreign to the typical case of acute sthenic inflammation. In *that*, the exudation is either wholly reabsorbed, or it is thrown off as pus, or it is partially reabsorbed, and partially remained as a block of induration. In the latter

case, it shows no tendency to grow, to hypertrophy; but, on the contrary, to waste and shrink. We have seen layers of effused lymph on the pleura in course of becoming areolated, and vacuolæ forming in them by absorption, like the holes in the fenestrated membrane; and so the originally solid mass becomes converted into the delicate translucent bands of adhesion with which we are so familiar. Or take the results of inflammatory effusion in other parts. We all know how great is the tendency of organised fibrin to contract and draw together, as seen in the deformities produced by burns, the indentations of even the dense substance of the liver over fibroid cicatrices, and in puckerings of the surface of the lungs from a similar cause. I desire to dwell on the circumstance, that the simple inflammatory exudation does not enlarge itself, and grow, and encroach on the surrounding tissue, but contracts and shrinks together till it becomes, if possible, a mere linear streak. Decidedly, its tendency is to diminish in size.

But let us now take a case of cirrhosis of the liver, such as are not unfrequently met with when the bulk of the organ is not materially diminished. How strikingly different is the condition here! On the surface of a section, we may find considerable tracts of fibroid tissue running in among the lobules of the parenchyma, and grouping them together in irregular masses. The quantity of fibroid tissue may equal that of the remaining parenchyma, as in a case I lately examined; or even, as Rokitsky states, may preponderate over it. Microscopic examination shows the fibroid tissue to consist of a kind of fibrifying blastema, imbedding multitudes of nuclei, round or elongated. Now, it is clear that, in this case, there is a growth and development of tissue quite altogether unlike anything that takes place in acute inflammation, or even in such chronic inflammations as those of skin diseases and rheumatism. In fact, the evidences of inflammation are exceedingly questionable, and, so far as hyperæmia is one, are almost wanting. Neither have we any evidences of stasis occurring, and we know that the nutritive actions of the part are not suspended. All that we certainly know is, that exudation takes place, and is organised, in a way that it ought not. Now, I do very strongly demur to calling a change of this kind by the name of chronic inflammation, if the definitions of Dr. Williams and Dr. Watson are to hold good. Neither does the more extended one of Rokitsky at all fairly include it. I would put it to any one, whether there be not much more real resemblance between such a case of fibrous production in the liver as I have described, and the formation of a fibrous tumour in the uterus, than between the former and the result of any unequivocal inflammation. In the fibroid thickening of the walls of the stomach, which may be such as to make them stiff and resistant, it is well remarked by Andral, that the only difference between this state and that of a fibrous tumour is, that the areolar tunic has thickened itself in the one case as ten locally, in the other as two over a greater extent. Generally, I believe that, in the following instances, viz., cerebral hypertrophy, chronic simple enlargement of lymphatic glands and of the tonsils, Corrigan's cirrhosis of the lungs, the Pacchionian glands, patchy and nodular thickenings of serous membranes, as often seen in the capsule of the spleen, and in thickening and contraction of the cardiac valves taking place without apparent symptoms of endocarditis, the process is not to be regarded as a chronic inflammation, but as an hypertrophy, or new formation, with which there may coexist some, generally a very slight, amount of hyperæmia.

I have said, that acute sthenic inflammation occurring in a healthy person was the type of inflammation; but I am quite aware that it is impossible to draw an exact boundary line between this and the developmental processes that give rise to new products. The types are far apart, but the space between is filled up with innumerable instances of transition from one to the other, in which the distinctive characters become variously blended. This has been recognised and well illustrated by Mr. Humphry, in his *Lectures on Surgery*, published in the *Provincial Medical and Surgical Journal*. He says: "This compartment

of pathology, intervening between inflammation and hypertrophy, to which the term inflammatory hypertrophy may be given, embraces a large number of morbid products which have hitherto remained unclassified, or which have been arranged in such a manner as to convey no idea of their real nature." He distinguishes three classes of cases, in the first of which inflammation lingers on a long time without causing any structural change; in the second, it lingers on in the same way, but is attended with hypertrophy; and in the third, it subsides, after having given a stimulus to the hypertrophy, which then goes on without it. It seems to me in the highest degree probable, that in many of those cases which Mr. Humphry would comprise under inflammatory hypertrophy, there is no true inflammation, but one only of its parts, viz. more or less of hyperæmic afflux. The instance of elephantiasis to which he alludes, seems, from all that we know of its pathology, to be certainly widely different in its real essence from any mere inflammation either of the lymphatics or of the skin. Whatever inflammation may have to do with it, there is, certainly, some other cause infinitely more potent. Were it not so, why should not a severe case of psoriasis, or repeated attacks of rheumatism or gout, or the irritation of diseased bone, or deep-seated cellular inflammation, cause similar hypertrophy? These hyperæmiating causes do not produce this effect, because with them there does not coexist that peculiar alteration of the normal qualities of the plasma and the tissue necessary to healthy nutrition, which is the chief factor in the process giving rise to elephantiasis. I would wish to name all these morbid changes in which the character of growth—of new formation—decidedly predominates over that of inflammation, according to their principal feature. I would call them simply fibroid thickenings, or fibro-cellular growths, and thus avoid giving them a name, either merely trivial, or of doubtful correctness. The matter is not one of nomenclature merely; it has important bearings on practice. Suppose a case intrusted to our care in which the liver was found considerably enlarged, projecting below the ribs, and that we have satisfied ourselves that the enlargement depends neither on engorgement with blood, nor on fatty change, nor on bacony deposit. The probability, then, is very strong that it is in a condition of cirrhosis, the fibrous tissue between the lobules being prodigiously increased in quantity. Can we hope by the administration of mercury or iodine to remove this deposit? If it were simply inflammatory, the attempt might be successful; but as it is a growth, one may confidently predict that it would be fruitless if not injurious. The same remark will apply more or less completely to any of the other instances before mentioned.

It seems to me that observers have not sufficiently held in view, although generally admitting as a matter of course, the vast predominance of that unknown force, call it what we please, which determined and still determines that here bone and there muscle, and in another spot nerve, and in another tendon, should be formed. There is some such force, and it is certainly liable to be deranged, and its derangements are just those which are most difficult to rectify. This perversion of the nutritive act (to borrow Andral's phrase) is that which determines the origin and growth of a cancerous, or a fibrous, or any other kind, even of a fatty tumour. It is the same, I believe, which causes the textural changes above enumerated, and some others which might be added, and not inflammation, which of itself and in its best marked form, produces no exudation which is capable of growing and enlarging. It is this property of vegetative increase which makes the removal of new formations and all allied productions so difficult: mere inflammatory effusions we can melt down and get absorbed, but these resist our "sorbefacient" remedies with the same persistence almost as the natural tissues.

The degenerative process which constitutes true morbus Brightii does not quite come under the above class of morbid changes. The best observers are agreed that production of new interstitial tissue constitutes no essential part of the morbid action. Most writers incline to view it as a nephritis

of more or less chronic character; but the great name of Prout can be cited in support of the view that the substratum of the process is something essentially different from inflammation. My own observation has always inclined me to adhere to this opinion. In the enlarged, often mottled, kidney we see simply a derangement of nutrition, producing hypertrophy of the epithelium concurrently with malperformance of its function. The albuminoid cell-growth does not undergo its normal changes; and instead of forming the secretion, it collects in the tubes, either choking them up and distending them, or getting washed out in the stream from the Malpighian tufts. In further stages, or in more rapid degrees, of change, the tubes and epithelium break up into mere detritus. In all this process we see really nothing to justify us in considering it as inflammation. So, also, in the atrophic form, the small dwindled kidney, we find no satisfactory evidence of anything else than a gradually supervening impairment of the nutritive process. The epithelium wastes, and the tissue decays, and collapses; thus far is certain; but how little is there to show that this is dependent on previous inflammatory disease? On the contrary, the frequency of recovery from acute congestion (as that of scarlatinal dropsy) shows that inflammatory and degenerative actions are widely different in their nature and results. The one exhibits the perturbation of healthy action by an intervening cause, the other is the decay of vital power from innate or induced weakness.

The subjoined scheme illustrates the transitions that seem to exist between two of the chief types of disordered nutritive action. In inflammation of acute sthenic character the hyperæmia is a main element, and the exudation is non-vegetative. In cancer (say encephaloid) there is no apparent or necessary hyperæmia, but the exudation is endowed with a vegetative power of most active growth. In simple deposit, as of tubercle or bacony matter, there is neither hyperæmia nor manifestation of vegetative power; the sole morbid change is the deteriorated state of the plasma.

Inflammation.

Acute sthenic.
Subacute.
Chronic.

Tubercle—bacony matter.
Simple deposit.

Encephaloid cancer.
Fibrous tumour.
Fibroid thickening.

Southwick Place, Hyde Park, November, 1853.

AN EXPERIMENTAL INQUIRY INTO THE EFFECTS OF INJECTING PUS INTO THE VEINS OF ANIMALS.

By JOSEPH SAMPSON GAMGEE, Esq.

EXPERIMENT I. Oct. 17th, 1853, 10 A.M. The subject was a perfectly healthy horse; pulse 33; the respiration 10 in a minute. The left jugular vein was opened, and a mixture of two and a half drachms of good pus, with the same quantity of tepid water, were injected into it slowly, and without the animal being in the least disturbed. It was ascertained that the vein continued quite pervious some moments afterwards, by its filling upon pressing on it just in front of the sternum.

12 meridian. No change had hitherto taken place, but the animal had now begun to breathe twenty-five times per minute. The pulse was 42, of good character.

4 P.M. Pulse 60; respiration 30, thoracic.

8½ P.M. Pulse 64; respiration 24. The horse fed well, and appeared in good health.

Oct. 18th, 7½ P.M. The animal fed, and was lively. The respirations were 20, and much less thoracic than last evening. Pulse 68, full, and oppressed. The vein was pervious.

2½ P.M. Pulse 54; respiration 20.

7½ P.M. Pulse 64; respiration 24.

EXPERIMENT II, instituted on the same animal on October 19th. 10 A.M. The pulse was 51, of good character; the respirations were 20, not manifestly thoracic.

10½ A.M. An opening was made into the right jugular