limbs after fast walking. Has never had rheumatic fever. His father was asthmatic.

Inspection. Chest anteriorly tolerably symmetric; comparative depression of right supra-clavicular space; very slight visible impulse *in situ*, and a little to the outer line of the nipple. Impulse distinct *in epigastrio*; distension of brachial and cervical veins, the latter rapidly distend on downward pressure, but empty to a certain extent during inspiration. No abnormal pulsation of superficial arteries. Bombing of the chest posteriorly.

Palpation. Distinct impulse *in epigastrio*; no *frémissement*. Pulse full, soft, and regular.

Percussion. Pulmonary sound abnormally full; lungs lower than natural; area of heart difficult to appreciate accurately from the encroachment of the lung.

Auscultation. At the base of the heart, a diastolic murmur is heard, of maximum intensity, short, hoarse, exactly resembling the crumpling of parchment. The murmur ascends the aorta, and is audible in the carotids, most distinct in the left; it entirely replaces the second sound of the pulmonary artery. The first sound is distinct at both cartilages. From the base, this parchment-like diastolic sound is conducted vertically downwards to the epigastrium with considerable intensity; but in this region both the first and second sounds acquire the character of friction sounds—hoarse whiffing. This murmur is audible over all the right anterior surface of the chest, and over the left as far as the axilla; it is also transmitted obliquely to the apex, where it is gradually lost towards the inferior axillary region; here both sounds have a slight character of murmur.

Lungs. Occasional inspiratory *rôle sonore* and snoring expiratory murmur; *rôle muqueux à grosses bulles* during expiration at the bases.

[To be continued.]

Original Communications.

CASES IN MIDWIFERY.

By THOMAS RADFORD, M.D., F.R.C.P. Edin., etc., Consulting Physician to St. Mary's Hospital, Manchester.

[Continued from page 126.]

CASE X. January 2nd, 1823, Mrs. Fildes, midwife, sent for me to visit a hospital patient residing in Cock Gates, in labour and flooding. She was at the end of pregnancy, and in going up stairs had fallen, and immediately felt sick and faintish. In about an hour afterwards, she had a discharge of blood, followed by pains, which continued to increase in frequency and strength. The hæmorrhage was now great; her countenance was very pale; her pulse was frequent and feeble. On an examination *per vaginam*, I found the os uteri opened to about the size of a shilling; but it was firm. On passing the finger through it, I detected the placenta. I plugged the vagina, and had the abdominal bandage put on, with the uterine compress placed under it, and then tightened, so as to effectually support the womb; the retaining bandage was also applied. She was carefully watched for some time; and as there was no external bleeding, or indication of any internal loss, I left her in the care of her midwife, strictly directing her to send again for me if there were any grounds for alarm.

In about four hours I called, and found the pains recurring more frequently and stronger. There had been no bleeding, and she seemed much better. I now withdrew the plug, and ascertained that the os uteri was considerably dilated, and softer, and the loosened placenta lying within it. There was some bleeding during the pains. After having placed on the regulating bandage, I passed the hand, and further detached the placenta, to such an extent as I thought would allow the head of the child to

pass, and then ruptured the membranes, directing the midwife at the same time to tighten the bandage. The water freely escaped; and in a short time the head of the child began to press on the os uteri, which soon yielded. The loosened portion of the placenta fell to one side, and the child passed by it, and in about three hours it was born alive. The placenta followed in about half an hour. There was no further hæmorrhage, and her recovery was uninterrupted. A drachm of laudanum was given.

REMARKS. This case is another example of the value of the plug. A very short time elapsed between the accident and the occurrence of labour pain. The location of the placenta on the cervix and os uteri tended to produce these effects sooner than if this organ had been situated elsewhere. The irritation which the os sustained by the mechanical separation of the placenta was soon felt by the fundus and body of the uterus. The hæmorrhage was brought on by the fall; but sooner or later flooding would doubtless have occurred, if no such accident had happened.

CASE XI. May 5th, 1827, I visited a hospital patient residing in Cook Street, Salford, under Mrs. Booth's care, who was stated to be in labour, and in danger from flooding. She was in the last month of her seventh pregnancy. The pains were frequent and sharp; she felt faintish; looked pale; and her pulse was feeble. The discharge of blood had continued for three hours, and was now excessive, and increased on the accession of each pain. She had a slight attack a month before, which was soon suppressed by rest, cool air, and cold external applications. The os uteri was now dilated to the size of a shilling, but extremely rigid: it had the feel of a cartilaginous ring. I passed my finger through it, and I thought I perceived the placenta. Under these circumstances, I determined to effectually plug the vagina, to place on the abdominal bandage, and under it the uterine compress, and to fix the retaining bandage. She was carefully watched for some time, and feeling assured she was safe, I left her, having directed the midwife to send for me if any unfavourable symptom occurred.

In about six hours I was sent for, as the pains were now very frequent and strong. She was much improved in appearance, and her pulse was firmer. There had not been the slightest bleeding. On withdrawing the sponge, some small coagula followed, and immediately afterwards there was a fresh flow of blood. The os uteri was now opened fully to the size of a crown-piece, and felt considerably softer, and, as I thought, dilatable. A portion of the placenta with the membranes were found, in the absence of the pain, within it; and above I could feel the head of the child. As the uterus was now acting well, after having had placed on the regulating bandage, I passed my hand onward to the side where the membranes offered, and having first freely detached a sufficient extent of the placenta to allow the head to pass, I then ruptured them. The bandage was kept so tight as constantly to compress the uterus, as it changed in size by the escape of the waters. The pains were very strong; and the head of the child soon engaged within the os uteri, pushing the placenta aside as it descended into the pelvis. The child was born alive. The placenta was found lying loose in the vagina, and withdrawn. A drachm of tinctura opii was administered; and the circular bandage and uterine compress were applied.

REMARKS. No other means would have answered in this case so well as the plug; blood was saved and time obtained for the os uteri to soften and dilate; in fact, no other plan could have been safely adopted. If the membranes had been ruptured (which might assuredly have been done by means of a stilette), the hazards of protraction would have been very great with the os uteri so hard; and the child to a certainty would have been destroyed by the contusion and the laceration which the placenta must sustain from the pressure of its head on so unyielding a tissue. To prevent such an injurious effect on the placental structure, is one object in my practice of detaching

a considerable portion of it from the uterus before rupturing the membranes is adopted.

CASE XII. On October 25th, 1832, at 11 o'clock P.M., I was desired to see a hospital patient residing in Oldfield Lane, Salford, by Mrs. Blomeley. She was at the latter part of the sixth month of her fifth pregnancy. She had suffered from slight hæmorrhages at different times for several weeks. During the afternoon and evening (of this day, 25th Oct.), she had copious discharges of blood, which recurred with each pain. When I arrived, she was very much exhausted; the pulse was feeble and indistinct; her lips were pale, and her face was deadly white; her forehead was bedewed with cold sweat; and her hands and arms (uncovered) were very cold; her feet felt warmer; her voice was very weak. Upon gently turning her on her side, to examine her, she fainted, and remained in an apparently lifeless state for some time; from which she slowly recovered, and was very much exhausted. The vagina was found full of coagulated blood; the os uteri was high in the pelvis, and was felt (with considerable difficulty) to be firm and undilated. Although I suspected that the placenta was placed here, I was quite unable to verify my suspicion. The hæmorrhage continued, but it was rather less violent.

Her exhausted state demanded that some plan should be adopted, which would immediately suppress the bleeding. The undeveloped cervix, and the hard undilated os uteri, were unfavourable for any but that of effectually plugging the vagina. After the abdominal bandage was put on, and the uterine compress placed under it, the vagina was completely filled with pieces of sponge: the first piece I carried up forcibly against the os uteri; the retaining bandage was afterwards fixed. She was ordered absolute quietude; and as the surface of her body felt cold, she was warmly covered. Some brandy was administered with gruel, and repeated from time to time.

Although the vital power was so depressed, the pains increased in frequency and power, and in the course of five hours the plug was pushed further outwards; and on removing the bandage placed to retain it, the sponges were forcibly expelled. On examination, I found the placenta advanced to the os externum; and this organ, in connexion with the entire ovum, was immediately forced away. The discharge ceased from the moment the plug was passed, and never returned; only a little coagulated blood came along with the ovum. The bandage was tightened over the compress. A drachm of tinctura opii was given.

On examining the placenta, a portion of its edge appeared to have been first separated; its surface was dark-coloured, and its tissue was loaded with coagulated blood.

This poor woman was well nursed, and after some time she recovered, having been kept perfectly quiet, well supported, and her bowels regulated.

REMARKS. The value of the plug is eminently conspicuous in this case; it effectually arrested the bleeding at a time when perhaps the loss of very little more blood would have been fatal. The existence of uterine pain led me to conclude that some dilatation was going on at the upper portion of the cervix, and therefore I pushed the first piece of sponge more forcibly against the os uteri than I should have done whilst it was so high, under other circumstances.

The fallacy of the dogma of some authors is well exemplified in this case; viz., that when hæmorrhage is so great as to require delivery, this operation may be safely performed.

CASE XIII. March 25th, 1819, at the suggestion of Mr. Spence, I was called to Mrs. A., who was in the sixth month of her third pregnancy. She had been well up to this time; but she now had a profuse flooding, which had come on without any obvious cause. Cold vinegar and water had been externally applied, and cool air freely admitted into her apartment. She had taken a mixture with acidum sulphuricum dilutum and tinctura opii, and afterwards plumbi acetate and opium, in suitable doses, all without abating the discharge. She was pale; her skin

felt coldish; her pulse was frequent and small; and she felt faintish. I found some coagula in the vagina, and fresh blood still flowed. The os uteri was high up in the pelvis, and was closed; the cervix was undeveloped. I could not prudently make further inquiries, and therefore I was ignorant as to the precise location of the placenta. I suspected it was fixed on the cervix. There was no pain. The circular abdominal bandage and the uterine compress, placed under it, was firmly applied. The vagina was well plugged with sponges, but I carefully avoided passing the first piece too high, so as to forcibly press against the os uteri. The retaining bandage was fixed. Stimulants and supports were cautiously administered. The external bleeding ceased; and we were convinced there was no internal loss. The plug was allowed to remain for about eight hours. At the expiration of this time, although there was no discharge, but as she complained of irritation, it was removed. As nothing further occurred, I left the patient under the care of her medical attendant, who afterwards informed me that nothing unfavourable happened until she reached the eighth month, when she had a very slight discharge of blood, and which was soon arrested by cold applications, etc.

She went on to the end of her pregnancy, and her labour was natural. The child was born alive. Mr. S. informed me that the membranes had ruptured before his arrival, and that he felt a small portion of the placenta hanging through the os uteri.

REMARKS. We have here a good example of the advantage of not meddling, beyond adopting suitable measures to stop the hæmorrhage.

CASE XIV. May 25th, 1824, Mrs. Such sent for me to see a hospital patient residing in Tib Street, who had been in labour for several hours, and was flooding. This was her tenth pregnancy. She was large in size, and the uterus seemed to project more forwards than usual. The pains were frequent, but they were very weak. When the midwife first visited her, the hæmorrhage was very trifling, but afterwards it rather increased, but still not to any great degree; and therefore she did not send sooner for further assistance. Cold vinegar and water had been externally applied; the apartment had been kept cool; and the patient constantly kept in bed. Although the discharge had continued for some time, the woman did not appear to have suffered from the loss. I found the os uteri situated rather backwards; it was very soft, and dilated to more than the size of a crown-piece; along with the flaccid membranes I felt a small slip of placenta, and higher up I perceived the head of the child. On the accession of pain the membranes were only just made tense.

I had the patient placed on the back, and a regulating bandage applied and tightened. I now gave her half a drachm of secale cornutum, powdered and infused, and repeated the dose in half an hour; after which, the pains increased in power.

Having directed the midwife to tightly draw the bandage, I passed my hand, and, as far as necessary, I detached a portion of the placenta, and then ruptured the membranes. A very large quantity of liquor amnii soon escaped; and the head of the child rapidly descended (finding no obstacle from the os uteri) into the pelvis, and was born alive in about two hours. There was not the slightest bleeding after the completion of the operation. The placenta was immediately expelled. The uterus was well contracted. The bandage was now readjusted and pinned, with a large compress under it.

REMARKS. Why the hæmorrhage was not very great, may be accounted for, partly from the comparatively small portion of the placenta which had been fixed to the os uteri, and partly from the very gradual separation of this organ from the uterus, in consequence of the weak pains, which necessarily effected the dilatation of the os very slowly. The atony of the uterus most likely arose from the large quantity of liquor amnii, and also from frequent pregnancy. It was thought prudent (there being no depression of the vital powers) to administer the secale cor-

nutum before the manual operation was performed, to guard against the risk of further bleeding. Oblliquity of the uterus, to a considerable degree, existed, on which account I had the patient placed, to labour, on the back. The aid derived from the regulating bandage was very great; and when it was drawn tight, the fundus and body of the uterus were raised from the anterior dependant position, and retained in the line of the axis of the inlet of the pelvis.

[To be continued.]

ON THE PLEA OF INSANITY IN CRIMINAL CASES.

By J. G. DAVEY, M.D., Northwoods, Bristol.

[Read at the Meeting of the Bath and Bristol Branch, Feb. 21st, 1856.]

WITHIN these past few weeks there have appeared in the daily papers the recital of the particulars of the several trials of Abraham Baker, Charles Broadfoot Westron, and Thomas William John Corrigan; the first named was arraigned for the murder of one Naomi Kingswell, the second for that of Mr. George Waugh, and the third for the murder of his wife, Louisa Corrigan. In each case the "plea of insanity" was mooted on the part of the defence. These three men were plainly enough insane; they had been so, I believe, for some time before the commission of the several acts of violence recited. The fact of three lunatics being at large, and living, day by day, in the enjoyment of all the privileges of sane men, is greatly to be deplored. There is good reason to believe that insanity is so little understood, and, moreover, that the early indications of the disease are so constantly unheeded, even when understood, by the friends and relatives of him afflicted, that society may quite expect to continue to suffer the consequences of the perverted and unrestrained passions of the madman, permitted as he is to move about in the world, so little heeded or cared for. With reference to the poor men above named, I hesitate not to affirm that a more positive act of cruelty and neglect can hardly be conceived than that one which would leave either of them to his own free will, or in a position to be led by the capricious and disordered emotions and feelings which prey on him and render him but their mere instrument for good or for evil. The frequency of acts of personal violence, the never-ending suicides and homicides, the oft told tale of crime and licentiousness to be referred to the disordered mind, the climax, so to speak, of insanity, seem to compel us, as medical men, to call the attention of the public and the legislature to the means whereby so much of evil may be averted, and so large a proportion of human misery be got rid of. I have thought that the cases of Baker, Westron, and Corrigan may supply us with some valuable clinical facts, whereby to demonstrate the ignorance of, and inattention to the subject of insanity; and that these may be considered of such a nature and tendency as to excuse me trespassing some ten or fifteen minutes on your time and patience this evening.

1. Abraham Baker, as is known, shot his fellow servant, Naomi Kingswell, a respectable young woman, to whom he had been for a long time greatly attached. Baker was evidently a half-witted fellow, not a little crazed in the matter of religion, and full of extravagance about things both temporal and eternal. Without any of the ordinary antecedents of crime, and without a seeming motive, he strays out one fine evening in search of a double-barrelled pistol, from the purchase of which, however, he seems to have been dissuaded; he bought one with a single barrel, and returning home, pursues his avocations, as usual. The next morning (Sunday) he goes out, but not to church as was his custom; it seems he rambled about in an abstracted manner, and returning home he presently finds himself talking in an ordinary manner, and on common-place subjects, with two of his fellow servants, one of them being Naomi Kingswell. Baker, after standing mute

and motionless for two or three minutes, quietly raises his right hand and discharges the pistol at the poor unsuspecting girl named. She falls dead, whilst he makes no effort to escape, but remains a quiet spectator of her corpse. A policeman is called from the street, who takes Baker into custody. I should tell you that a letter written by him to his father before the fatal occurrence contains these words: "this may be the last time I shall have to write to you;" the writer adds, "I will leave all my things for you and mother." The poor young man evidently premeditated suicide. Baker was defended by Mr. Cook, who very properly remarked that "there was nothing to shew that, up to the period of the death of the unhappy young woman, the prisoner did not bear an irreproachable character"—a circumstance in itself incompatible with all the ordinary antecedents of one rightly charged with the appellation of murderer. "In all cases of great crime", remarked Mr. Cook, "such as the present, where a party was charged with wilful murder, they were generally able to trace the advance of crime, step by step, from small beginnings till they came to the accomplishment of the great offence." Mr. Cook proceeded thus: "Maddened and distracted, he went to the shop of the gunsmith, and asked for a double-barrelled pistol; and was not that evidently for the object of sacrificing his own life as well as that of the young woman's—for the purpose of discharging one bullet at the young woman, and the other at himself? Then did not the letter written by him to his father show that his mind was disturbed and overcome, and his reason abandoned! The assertion that it was the last letter he should ever write was indicative of an intention of self-destruction; and supposing he had in that unhappy moment sacrificed his own life, would not they—would not all the world—would not the inquest have said that he died when labouring from the effects of temporary insanity? If so, was it not now within the province of the jury to say—considering his acts from beginning to end, the previous state of his affection for the young woman, his known honesty of character, and his religious principles—that reason was absent from her seat, and that he was not a person who was at that moment in a position to be answerable for what he did? Did he not act as a man devoid of reason at the time when the fatal hour arrived, and the life of the young woman was taken? He did not attempt to escape, but stood there over the bleeding body of his victim, wanting the reason and sense to control, and the judgment to guide him. Was it not rather the act of a man without reason, who knew not the act he had done, or the responsibility he was under for so serious and grave an offence. A policeman came, and so terminated this fatal tragedy. It was not because the prisoner was present there in sound mind, or was able, soon after the occurrence, to make the statement he did, that he was, therefore, of sound mind at the time of the commission of the offence. It was known in the annals of history in these cases, that frequently the very shock—the very act of the man in committing so gross an offence—brought him back again to reason, and reason, taken for a time by temporary insanity, again resumed her seat. He implored and besought them, therefore, to consider that the issue was not whether the prisoner committed the act, but whether he was a responsible person. Let them look at the superior conduct of the man's life, and the object who had fallen his victim; to his affection for that object, his conduct at the time, and the whole of the circumstances, and he thought they would be enabled in humanity—which was one of the attributes they possessed and used—to say that at the time the dreadful act was committed he was not in such a state as to enable him to have control over his actions, and to acquit him on the ground of insanity, when he would not be discharged, but would be disposed of in such a way as would meet the ends of justice. He besought them, therefore, to stand between the prisoner and the executioner, to consider all the circumstances, and if, under the direction of his lordship, they could do so, to give the prisoner—he would not say the benefit of a doubt, but to come to the conclusion he had suggested; and he was sure