best remedy is iodide of potassium joined with sarsaparilla, good diet, and keeping the patient if possible during convalescence in the open air. If it be necessary to vary the treatment, cod-liver oil, or quinine, will be found the best medicines.

MISCELLANEA.

Amongst a few *excerpts minora* of more or less interest in the hospitals this month, is a new form of *écraseur*, by M. Heurteloup, from which great things are expected. A curious and very rare case of fracture of the astragalus was seen at St. Mary's. Several cases also unfortunately of "hospital gangrene" at various hospitals, the best remedy for which seems to be the irrigation of cold water recommended by Mr. Cock. This experienced surgeon states he has tried almost every mode of cure, but the irrigation plan alone has not disappointed him. The disease is said to be as prevalent in some English provincial hospitals as it has been in London. A case of ovarian cyst where we recently saw 3xii of tincture of iodine injected, has ended fatally. A more promising case has been mentioned as having occurred at Cheltenham. In resections of the knee joint there is nothing new, in two cases of diseased knee not very dissimilar. Mr. URE, in one, amputated; Mr. SOUTH, in the other, excised—both are doing very well. The chief want is pure air, as at Jersey or Margate. A new instrument of much power has been constructed and exhibited by the instrument-maker at St. George's Hospital, for breaking large calculi (as a nutcracker almost), when the stone is too large to be extracted through the incision in the prostate. The object is a practical one. K.

Original Communications.

ON ARSENIC-EATING.

By W. B. KESTEVEN, Esq., F.R.C.S.

[Continued from page 722.]

A TRANSLATION of Dr. Von Tschudi's article having in a previous communication been laid before the reader, it will be evident to all who have read the versions of the story of the Styrian arsenic-eaters that have appeared in an English dress, that they have all been derived from that source, and with it therefore must stand or fall. It is true that the picture has in some instances received additional colouring in its passage through the hands of various wonder-dealers. Deprived, however, of all these additions, it still appears as a structure having a foundation of sand—altogether wanting that solid foundation of indisputable fact, which must yet be furnished before it can be received among the undoubted facts of science. S

The eager credence given to mere marvels by person untrained in scientific scepticism, affords ample scope to writers in *pseudo-scientific*, or unscientific, publications; but those who have been accustomed to the stricter logic of medical reasoning, may be excused if they hesitate to accept as proof bare hearsay statements.

In the present article, we propose to criticise the media through which the story has been brought before the British public, and to notice the reception it has met with among those most fitted by education, by ability, and by special study, to judge of its credibility.

The most influential English work in which the tale of the Styrian arsenic-eaters has appeared is, because apparently scientific, that by the late Professor Johnston, entitled *The Chemistry of Common Life*.* The author begins his chapter entitled "The Poisons we Select", by admitting that "arsenic is well known as a violent poison": and then proceeds to inform his readers

that, "in very minute doses, it is known to professional men as a tonic and alterative, and is sometimes administered with a view to these effects. It is remarkable, also", he added, "for exercising a peculiar influence upon the skin, and is therefore occasionally employed in cutaneous diseases." These statements form a plausible preface to the introduction of the Styrian romance; but being nearly equally well founded, must not be suffered to pass unchallenged. The tonic properties of arsenic, for instance, have here been taken for granted. The tedious process of adducing proof thereof, not being, it may be supposed, considered requisite in a popular treatise, all trouble under that head is saved. The late Dr. Pereira, on this question, says: "Some writers go so far as to assert that it is a strengthening remedy, and that it improves the appetite, invigorates digestion, promotes assimilation and secretion, excites the muscular and nervous functions—in a word, acts as a tonic. (*Elements of Materia Medica*, vol. i, p. 701, 4th edit.) I cannot, however, subscribe to this doctrine. It is, indeed, true that patients sometimes experience a temporary increase of appetite from the use of small doses of arsenic; and it is also certain that this remedy is frequently beneficial in agues and other diseases in which tonics have been found efficacious. But the analogy between the action of arsenious acid and that of the vegetable tonics, as cinchona, stops here. I have sought in vain for other evidences of a tonic operation." Dr. Pereira then enumerates the effects the symptoms produced by prolonged use of arsenic in lepra—"effects", he adds, "which are so different from those produced by remedies called strengthening, that I cannot regard arsenic as a tonic." The attribution of tonic properties to arsenic is, in this case, an example of that loose reasoning which seizes upon points of supposed resemblance, and, losing sight altogether of essentially distinctive differences between two things, assumes at once the existence of identity. Arsenic exerts its beneficial influence upon the system by its catalytic operation upon the blood. (Headland, *Essay on the Action of Medicines*, London, 1852, p. 158.) If, in consequence of the changes thereby induced, disease disappears, and an improvement of the health takes place, it does not follow, any more than after the use of depletion or purgation, that a tonic has been administered. If such inferences be accepted, there must ensue an incomprehensible confusion of terms. It is not, however, only for these reasons that I protest against the terms applied by Dr. Johnston to arsenic, but on account of the peril that is occasioned by the inculcation of such erroneous notions into the public mind.

Dr. Johnston thus expatiates upon the alleged advantageous results of this practice of arsenic eating:—

"The Styrian peasant girl, stirred by an unconsciously growing attachment—confiding scarcely to herself her secret feelings, and taking counsel of her inherited wisdom only—really adds, by the use of *hidri*, to the natural graces of her filling and rounding form, paints with brighter hues her blushing cheeks and tempting lips, and imparts a new and winning lustre to her sparkling eye. Every one sees and admires the reality of her growing beauty; the young men sound her praises, and become suppliants for her favour. She triumphs over the affections of all, and compels the chosen one to her feet.

"Thus even cruel arsenic, so often the minister of crime and the parent of sorrow, bears a blessed jewel in its forehead; and, as a love-awakener, becomes at times the harbinger of happiness, the soother of ardent longings, the bestower of contentment and peace!"

Dr. Johnston repeats all the statements of Von Tschudi, and then adding to the supposed tonic powers of arsenic, explains the supposed charm-endowing and renovating attributes of arsenic by a theory that it arrests metamorphosis of tissue. "Experiment", he predicts, "will probably show that it lessens the waste of the body, and especially that it diminishes the quantity of carbonic acid discharged from the lungs in a given time." It is curious that we should meet with this hypothetical explanation in immediate juxtaposition with a confession

* Published in the first instance in the pages of *Blackwood's Magazine*.

of ignorance: "The physiological nature of this influence, and how arsenic comes to exercise it, we cannot even conjecture"; and following also upon the prominent assertion of the tonic properties of arsenic. The only way of accounting for such discrepancies, is to bear in mind the dubious character of the subject under consideration.

Had the life of the clever author been spared, he would doubtless ere now have recognised the danger of so lightly treating so grave a matter. The "felon literature" of modern times has already made many too wise in the art of chronic and secret poisoning. The vitiated tastes of the eager readers of books in which the murderer is endowed with all laudable attributes, commanding talents, and attractive qualities, are only too prone to receive, in all the fulness of their credulity, any assertion, however hazardous, that may tally with the hateful knowledge already acquired. If, moreover, such marvellous statements appear, invested with all the prestige and authority of science, can we be surprised if the poisoner shall seek to screen himself behind seemingly authentic and unanswerable statements of the innocuousness of the agent he has employed, and which chemical analysis has demonstrated beyond possibility of his denial?

De mortuis nil nisi bonum is a hackneyed maxim, but it should nevertheless be strictly regarded, provided the *bonum* of the dead become not the *malum* of the living. In this particular instance, however, of Dr. Johnston's arsenic eating romance, the dangers to the living far outweigh the sacredness of the memory of the dead; and forbid any hesitation or false delicacy in pointing out the evils attendant on the ready acceptance of the marvellous tale set forth in the volumes alluded to.

It has been from no want of respect for the memory of the late Dr. Johnston that the present criticisms have been penned; but from a conviction of the dangers accruing to society from such want of caution and prudence in putting forth such startling statements on mere hearsay evidence, at second and third hand, by a member of the medical profession, with all the responsibilities of his medical character.

Another medium, through which the story of the Styrian arsenic-eaters has been very widely circulated, is *Chambers' Journal*, in which several articles have been published, under the attractive title of "The Poison Eaters". In all the alleged facts, Dr. Von Tschudi's narrative is closely followed; at the same time, certain physiological comments are appended: these, however, not emanating from a medical source, need not here be commented upon. The author, Mr. Boner of Ratisbon, is, I believe, a gentleman of literary pursuits, but, not being a member of the medical profession, is probably not accustomed to so close an exercise of his reasoning powers on medical questions, as is demanded in medical investigations. I cite one instance in illustration of my remarks. I am informed that the habit of arsenic eating, once formed, cannot be discontinued without danger to life, as symptoms of poisoning immediately supervene: yet a case is related of a man who had taken arsenic from his twenty-seventh to his sixty-third year, and then had ceased to take it for upwards of *two years*, and had merely suffered from occasional attacks of colic; no evidence being adduced why he should not have suffered from these independently of the previous arsenic-eating. The accounts published in *Chambers' Journal* have all been derived from "hearsay"; the writer thereof not having personally witnessed the administration of the alleged arsenic, nor scrutinised the substance said to have been taken, nor witnessed the feats he states to have been performed under its influence.*

The latest work, having any pretensions to a scientific character, in which I have found mention of the so-called arsenic eaters, is Von Bibra's *Die Narkotischen Genussmittel und der Mensch*. This author, however, derives all his information on the matter from the published state-

ment of Dr. Von Tschudi. Therefore this chapter, of "Man and his Narcotic Indulgences", is entitled to no more confidence than can be claimed for pseudo-scientific articles in *Chambers' Journal* or *Blackwood's Magazine*.

In the preceding observations, I have stated the principal sources and means of diffusion of this tale in Great Britain. I will now show that it has been altogether discredited by the most eminent British toxicologists; not, I opine, indifferently represented by Drs. Taylor, Christison, Pereira, and Rees.

In the last edition of Dr. Pereira's *Materia Medica*, we have the opinions, on this subject, of the author himself, and of his editors, Drs. Alfred Taylor and Owen Rees. We here, in the first place, cite the author's text:—"We are gravely told that the country people of Upper Styria, in Austria, use arsenic as a condiment for many kinds of food—for example, cheese; and a healthy peasant himself tells us, that he was accustomed to take two grains of arsenic daily, without which, he assures us, he could not live! In further proof of the strengthening action of arsenic, Vogt says that it promotes the appetite, the activity, and the power of old enfeebled horses, and mentions that Jäger noticed the same effects on a pigeon. To the first of these statements, namely, the beneficial effects of arsenic as a condiment, I do not give credence; and, with respect to the action of arsenic on horses, every well informed veterinarian knows that this substance operates on these animals as a poison."

In the editorial note, Drs. Taylor and Rees reject the following "undisputed fact" as incredible. "This absurd and incredible statement, regarding the nutritious and beneficial properties of arsenic, has been lately revived and placed in an attractive form by an English chemist. (*Chemistry of Common Life*, by F. W. Johnston, M.A., F.R.S., etc.) The question, however, is not one of chemistry, but of physiology and pathology; and in this point of view, the so-called 'undisputed facts' regarding the benefits derived from arsenic-eating have been rejected by all authors of repute. . . . It would have been more satisfactory to the public and the profession, and a good proof of the author's sincere belief in the truth of these Styrian tales, had he in the first instance tried the effects of a few doses." The editors further observe, that the publication of such a statement, "unconfirmed, as it is, by those who have had large and ample experience on the subject of poisoning by arsenic, is only likely to be productive of great mischief."

The mischievous purposes hinted at as those to which this fable may be applied, are the perpetration of secret poisoning, and its defence; the countenance it will afford to burial-club monsters; the cloak it may throw over crime.

Dr. Christison, in his account of the "Wooler poisoning case", published in the *Edinburgh Monthly Journal*, Jan. and Feb. 1856, has made some pertinent observations with reference to the alleged Styrian arsenic eaters—observations which are deserving of attentive consideration; and are therefore here quoted at length. "I presume that all medical men, experienced in the use of arsenic as a remedy, will treat the story of the Styrian arsenic eaters as a pure fable. It is undeniable, that, as physicians use it, a dose of a sixteenth of a grain twice of thrice a day, given for the cure of certain chronic cutaneous diseases, will generally begin, in four or five weeks, to excite symptoms, which if neglected, will lead on to poisoning; and that the human body, instead of becoming habituated to these doses, as in the case of opium, tobacco, and some other vegetable poisons, acquires in reality a greater, and not a less, sensitiveness by its action. Nevertheless we are asked to believe that the Styrian mountaineer comes, by long practice, to take so much as three or four grains daily, not only without injury, but even with the effect of heightening the complexion, freshening the countenance, and improving the wind, so that no mountain steep is long enough to blow him: and that, in fact, he only sustains injury when he abandons the habit; and then truly he is apt to die."

* I shall have occasion, further on, to express my obligation to Mr. Boner, for assistance rendered in my endeavour to ascertain the grounds upon which the "Romance" has been related.

"One is entitled to expect that so novel and startling a fact, so dangerous if false, so revolutionary if true, would be admitted only upon proof proportioned to its improbability. Far from it. Like other marvels, the more marvellous, the more facile its reception. It is picked up in a province of a country where medical men are more numerous, more learned, more inquisitive, more addicted to inquire into the wonderful, than perhaps any other country in Europe. Nevertheless, the first and only authority for the fact, in its details, is a professed traveller, Von Tschudi; who after visiting the New World and describing its wonders, returns to retail even greater wonders in the Old. So far as I can discover . . . Von Tschudi describes merely what he was told, and personally tested nothing. He did not even see any clear skinned Styrian peasant take his frightful dose, or afterwards scale his lofty mountain. Yet upon such sorry authority, the fact appears without challenge or hesitation, for the first time, I believe, in detail in an English dress in *Chambers' Journal*. Thence it is transferred into various other public channels of information, gathering as it rolls, till at last one source of intelligence for the community apprises the world, that "it is a very common practice in some parts of the Continent—in Germany, Hungary, and the Tyrol—for persons of all classes to take arsenic in minute quantities as a tonic and stimulant!"

These strictures of Professor Christison possess great weight, as being the deliberate conclusions of one long distinguished by his intimate acquaintance with the properties of poisonous substances.

A physician in Vienna, Dr. Wurmb, has expressed similar opinions. These have been communicated to the ASSOCIATION JOURNAL (Nov. 1855), by Dr. George N. Balfour. Dr. Wurmb says that this statement is without foundation—*hat keinen grund*. Dr. Wurmb, practising at Vienna, may be supposed to be as capable of learning the truth of such statements as those residing at great distances.

It is, moreover, a very significant circumstance, that no countenance of this wonderful trick of poison eating is to be found in either Henke's *Zeitschrift für Staatsarzneikunde*;—nor in Casper's *Vierteljahrsschrift für Gerichtliche Medicin*—nor in the *Deutsche Zeitschrift für Gerichtliche Medicin*—nor in the *Annales d'Hygiène*—nor in the *Journal de Chimie Médicale*—all of which journals devote the whole or a portion of their pages to toxicology, and are the exponents of continental medico-legal and toxicological science. Such silence is ominous, and goes far to confirm the reasonable doubts of those who receive such wonders after transmission through so many hands.

[To be continued.]

CASES OF LITHOTRITY AND LITHOTOMY.

By DRAPER MACKINDER, M.D., Fellow of the Royal Medical and Chirurgical Society, etc., Gainsborough, Lincolnshire.

THE operations of lithotomy and lithotripsy having been a good deal discussed of late, the two following cases will not probably be wholly destitute of interest, more especially the latter, which is very uncommon, if not without parallel.

CASE I. Lithotripsy in a Female. M. Martin, aged 23 years, a spirited, intelligent, and active little woman, a servant in a public house, consulted me, in September last, for a pain at the lower part of the abdomen, which frequently became excruciating, and a weight and constant straining and desire to micturate. Ever since her childhood she had been subject to paroxysms of pain; but from the inattention of her mother, and, subsequently, her own false delicacy, no medical advice had been obtained until a few weeks before I saw her, when, in consequence of an augmentation of her sufferings, she sought the opinion of an elderly practitioner, who thought he could cure her with medicine. Not having, however, derived any benefit from the treatment which had been adopted, she allowed me to ex-

plore the bladder, when a calculus was discovered, of about the size of a duck's egg. She had of course tried various domestic and empirical remedies, not the least pernicious of which was brandy and water, which she had been induced to drink liberally early in the morning, for the purpose of gaining temporary relief.

On September 27th, assisted by Mr. Septimus Lowe and Mr. Jacobson (and afterwards by Dr. Baxter and Mr. Towle), I performed lithotripsy, while the patient was under the influence of chloroform. The irritation that followed was not more than might have been anticipated, and was relieved by opiates. I operated again on October 12th and 20th, November 5th, December 10th and 28th, January 12th and 25th, February 4th and 25th, in all ten times, crushing the stone on an average seven times at each operation. The calculus was an alternating one, the triple phosphate forming its chief ingredient. When dried the detritus weighed fifteen drachms.

This was a very instructive case, not only on account of the great suffering which the poor young woman had endured for so long a period, with so little absolute mischief to her general health, but from the quantity of chloroform necessary to induce anæsthesia. She generally inhaled an ounce, and more than once the resulting depression was so great, that it was thought expedient to protract the periods of its administration. Twice, an ounce was consumed with no better effect than the production of talkative excitement. I have observed, indeed, in many other cases, that when the patient gets into a very talkative humour, it is almost useless to persevere with chloroform. This young woman informed me on these two occasions, after half an ounce had been inhaled, that it was useless to continue, as she felt that she could not go to sleep. Twice this operation was postponed by the appearance of the catamenia.

M. M. has been in perfect health ever since the last portion of calculus passed away, and feels herself "a new being". The external layers of the calculus were composed of the triple phosphate, and the internal, according to the analysis of Mr. John Lowe of Edinburgh, of uric acid and oxalate of lime.

CASE II. Lithotomy. William Gilby, aged 9 years, came under my care in January 1854, when I was requested to devise some means of curing him of what was considered a mere dirty habit of wetting the bed, for which he had been punished many times without avail. On perceiving an elongation of the prepuce, and hearing the boy's statement that he had a constant inclination to urinate, and often the most intense pain, which I soon had an opportunity of observing, I passed a sound into the bladder, and discovered a stone, which by its acute ring, I believed to be a mulberry calculus. It was situated above the pubis, and never changed its position, though it was struck by the sound (which it scratched), many times prior to its removal. The urethra was small, and its dilatation caused so much suffering that I was compelled to have a staff made for me, those in common use being too large.

On January 25th, assisted by Messrs. Jepson, Sharp, and Jacobson, I performed lithotomy by the lateral operation, the boy being anæsthetised by chloroform. On introducing the forceps into the bladder, I found that I could not extract the calculus, though I could feel it; which convinced me, as I had previously suggested to my medical coadjutors, that it was encysted. I then passed the forefinger of my right hand into the bladder, and with my left bore heavily on the abdomen, when I could distinctly feel the cyst or pouch, from which a portion of the calculus protruded. By a little manipulation I was fortunately enabled to dislodge the stone, which fell into the bladder, and was extracted with ease. It was a beautiful mulberry calculus, weighing exactly three drachms. The little fellow did well, and was cured in six weeks.

REMARKS. Whilst this patient was under my care, he had two attacks of spasmodic croup, one a week or two prior to, and the other about a week after, the operation. The first, I referred to the irritation pro-

preference, and both died of cholera. Two remarkable instances of comparative exemption in the same locality of persons not partaking of this, but of other water, prove the same truth conversely. In the workhouse in Poland Street, out of 530 inmates, only 5 had cholera; the other cases of cholera were brought from without. Here the Broad Street pump water was never partaken of; but there was a well on the premises, besides a supply of water obtained from the Grand Junction Water Works. Secondly, in the brewery in Broad Street, out of 70 workmen employed, only two had slight attacks of cholera. The reason was, they drank little or no water, but malt liquor, and, besides, there was a well on the premises. The pump water was, then, the cause of this cholera; and it has now been shown that, on the day preceding the outbreak, a boy had had cholera in an opposite house, the water closet pipe of which passed about three feet from the well pipe, that the mortar work between the two pipes was defective, and that thus there was a communication allowing admixture of their contents.

So far, therefore, as these facts go, they appear to shew that the choleraic matters in solution in water do communicate the disease. But the mass of other evidence in the same direction, recorded by Dr. Snow, has proved this to demonstration. The immediate poison being a ferment, hitherto undiscoverable, because too minute even for the most powerful microscope of the day, Dr. Snow calls it a cholera cell; but, after all, the action of this cell is the same as that of a ferment. It is a distinction of words without a difference in meaning.

The examinations of waters in choleraic seasons may be thus detailed; and I have adopted a tabular form especially, as bringing the points of difference between the water from our companies, or from wells, or pumps, more saliently forward.

Water Companies.

1. Contained organic matter, dead and living, annelida, entomostraca, infusoria, confervæ, dromidaceæ, diatomaceæ, fungi, hairs of animals, starchy matter, dead and decaying fragments of vegetable tissue.

2. No animal peculiar to cholera was found. One kind only gave room for suspicion, but it has been found since in harmless waters; viz., a brown, fat, lenticular, moving, spiral-like body.

3. Vibriones also abound.

4. The purest of the metropolitan waters was that of the Lambeth Water Company; the impurest was that of the Southwark and Vauxhall. In the latter, there were visible quantities of faecal matters.

5. In some of the water of the Southwark and Vauxhall, Lambeth, and West Middlesex Companies, animalcules were found, which exist only in brackish waters, showing admixture of sea water, viz., the tritychelia, trigma, melosura nemuloides, and coccinodiscus eccentricus.

Typhus and Typhoid Fever. These are two diseases which have for centuries infected this country, and which may, I fear, be traced to a similar origin—cesspool water. In proof of this, I shall first adduce the example of the fever at Hastings, which I before detailed to the Society. The first case occurred in a large room in the uppermost story of one of the largest and best ventilated houses in St. Leonard's, on the Hastings side. There does not appear

Pump Water or Wells.

1. The same, excepting hairs and starchy matter, among most wells. But deep wells, and spring water, were remarkably free from organic matter. In some there was total absence. In a few, as Wadden water, and Painham water, there were a few confervæ, dromidaceæ, and diatomaceæ, but no fungi.

2. *Ibid.* This body was also found in the Golden Square pump water.

3. The same.

4. In some sewage matter was found. In the water of two pumps especially in Putney—in Prie's Folly and Creek Buildings.

5. Not found.

to have been any other cases of typhus in the place before, and I am also bound to add that this patient had not, so far as could be collected from inquiry in this point, been exposed to typhoid contagion. In this house, however, a woman—the cook to the family, and the inhabitant of this upper room—was seized with fever, which soon passed into malignant typhus. Owing to insufficient attendance, and by reason of the water-closet being placed two stories lower down, the evacuations from this woman's bowels, which were fearfully offensive, were frequently retained in the room for nearly a whole day before removal. The crisis in this fever was, in fact, a copious diarrhœa, during which the pulse fell from about 160 to 90 in the course of a few hours. Six persons who were living in that house caught the fever, and one gentleman died. All had feverish symptoms, accompanied with copious vomitings; though, in some, the disease fortunately stopped there. I learnt, subsequently, that after the house had been purified, two new visitors, who took the lower rooms, were also seized with fever. The origin of the disease was traced to a direct communication between the cistern of the water drunk by the inmates and the pipe from the water-closet. As the house was beautifully ventilated, and there was no communication between many of those who caught the fever, it is most probable that the disease was produced in the sick by the drinking of the polluted water. A similar result has been observed in other cases of typhus. My information, however, on this subject is necessarily meagre. I applied to Dr. Corrigan, of Dublin, to know whether such an effect had ever been noticed in the Richmond Fever Hospital. "In a fever hospital," he remarks, "there is such cleanliness observed, that there is little exposure to the action of fæces, and the purity of the water supplied would certainly give no room for this source of contagion." The Croydon typhoid fever, which proved so fatal, was due to the water being impregnated with drains of a very fœtid character. This fact has been equally dwelt upon by Drs. Snow and Richardson. Croydon is gravelly in its soil, and thus porous to the transudation of liquid matters. The place, moreover, like most country places, abounds with cesspools. Up to the beginning of 1852 the water supplied was obtained from shallow wells and stagnant ponds. In 1852 these were abandoned, and the water supplied from a deep well, dug fifty feet in the chalk, worked by a steam engine. Towards the end of 1852, this supply was interfered with, owing to the new drainage works established by the Board of Health; the inhabitants had recourse to the old pumps, wells, and ponds, the former contaminated with cesspool matters, and the result was a virulent epidemic of typhoid fever. In the following account of an epidemic, quoted by Dr. Jenner in his Gulstonian lectures, the same origin probably existed. The facts are given on the authority of Dr. Hunt, of Buffalo.

At North Boston, Erie County, U.S., in 1843, resided nine families. Taking a tavern for the centre, seven of the nine lived within an area of one hundred rods in diameter. All the inhabitants, with the exception of the members of one family, were in the habit of frequenting the tavern. A feud existed between the master of that one and the tavern keeper. A man labouring under typhoid fever—a disease previously unknown at North Boston—took up his residence at the tavern September 21st, and died October 29th. Between October 19th and December 7th, twenty-eight persons in this little community had typhoid fever. Three families only escaped the disease, viz., the two residing the farthest from the tavern, and that of the man who had a quarrel with the tavern keeper, and, consequently, never visited at his house. Now, a fact of interest in this case is, that all the families in which the disease appeared drew their supply of water from the well of the tavern, while two out of three that escaped had their water from other sources. The man at feud with the tavern keeper was accused of having poisoned the well of the tavern. He resided nearer than any of the others to the tavern. None who visited the village simply for the purpose of rendering assistance to the inhabitants con-