Learning in practice

Pilot study of the roles of personality, references, and personal statements in relation to performance over the five years of a medical degree

Eamonn Ferguson, David James, Fiona O'Hehir, Andrea Sanders

Abstract

Objectives To compare the power of three traditional selection procedures (A levels, personal statements, and references) and one non-traditional selection procedure (personality) to predict performance over the five years of a medical degree.

Design Cohort study over five years.

Setting Nottingham medical school.

Participants Entrants in 1995.

Main outcome measures A level grades, amounts of information contained in teacher's reference and the student's personal statement, and personality scores examined in relation to 18 different assessments.

Results Information in the teacher's reference did not consistently predict performance. Information in the personal statement was predictive of clinical aspects of training, whereas A level grades primarily predicted preclinical performance. The personality domain of conscientiousness was consistently the best predictor across the course. A structural model indicated that conscientiousness was positively related to A level grades and preclinical performance but was negatively related to clinical grades.

Conclusion A teacher's reference is of no practical use in predicting clinical performance of medical students, in contrast to the amount of information contained in the personal statement. Therefore, simple quantification of the personal statement should aid selection. Personality factors, in particular conscientiousness, need to be considered and integrated into selection procedures.

Introduction

A recent review of published research of predictors of performance of students at medical school highlighted several issues requiring further study.¹ Specifically the relative contribution of references, personal statements, and personality traits to predict performance across the medical degree has not been examined in single study. Work that has been conducted on each of these factors is consistent with studies in other occupations.² It shows that references do not predict performance; the value of personal statements is mixed, and the personality domain of conscientiousness predicts preclinical performance but not performance as qualified general practitioners.³⁻⁵

We examined the role of four variables (A levels, the applicant's personal statement, the teacher's reference, and personality) in all stages of undergraduate medical training. We also examined how these variables are interrelated with performance by using a structural equation.^{6 7}

Methods

We followed the 1995 entry cohort at Nottingham medical school over the five years of training. The mean age of the 176 entrants was 19.7 (SD 2.11) years (range 18-35). Of these, 102 (58%) were women. We coded the students' A level grades and the contents of their UCAS personal statements and their references. Two and a half years into the course, 67% of the original cohort gave consent for their personality scores to be assessed. We recorded the performance of the students in 18 formal assessments over the preclinical (years 1 and 2; four assessments), BMedSci (year 3; four assessments), and clinical (years 4 and 5; 10 assessments) components of the course.

Measures

A level points score

Overall, 86% of the students had taken A levels. We recorded points scores for A levels for each student (10 points for A grade, 8 for B grade, 6 for C grade, 4 for D grade, and 2 for E grade).

Personal statement and reference coding

We analysed the content of the free response personal statement and reference in the student's UCAS

School of Psychology, University of Nottingham, Nottingham NG7 2RD

Eamonn Ferguson
reader in health psychology

Fiona O'Hehir
MSc student in occupational psychology

Andrea Sanders
MSc student in occupational psychology

School of Human Development, Faculty of Medicine, Queen's Medical Centre, Nottingham NG7 2UH

David James
professor of fetal/maternal medicine

Correspondence to:
E Ferguson
eamonn.ferguson@nottingham.ac.uk

BMJ 2003;326:429-32

Personality domains of the big five⁸

Emotional stability—high scores equate to being relaxed and unemotional (mean score 43.1 (SD 8.4), Cronbach's $\alpha=0.79$)

Surgey—high scores equate to extroversion (44.4 (7.7), 0.82)

Intellect—high scores equate to being creative, reflective, and imaginative (47.2 (6.6), 0.71)

Agreeableness—high scores equate to cooperativeness (49.3 (5.8), 0.74)

Conscientiousness—high scores equate to being hardworking and organised (45.5 (9.1), 0.86)

Tables and details of coding and structural modelling appear on bmj.com

Best fitting structural model (* $P < 0.05$)

application form by using manifest coding.^{w2 w3} Most of the personal statement categories covered motivation and hobbies whereas the reference categories covered character and social skills. See bmj.com for details of the coding scheme and procedures.

Personality

We used Goldberg's bipolar adjectives to measure the "big five" domains for personality (see box).⁸

Outcome measures

Overall, four themes are recorded for the preclinical years: A (the cell: mean score 65.3%, range 50-80%), B (the person: 61.4%, 61-80%), C (the community: 65.7%, 49-86%), and D (the doctor—personal and professional development: 63%, 42-86%).

Four assessments make up the BMedSci year: marks for a project (mean score 65.3%, range 36-85%), a viva voce (65.3%, 30-90%), a data analysis paper (64.2%, 48-82%), and a theoretical paper (53%, 6-74%).

We made 10 assessments during the clinical years. Seven of these were scored as a grade and converted by standard α numeric conversion: D=0, C=1, B=2, and A=3.⁹⁻¹¹ The results of these clinical assessments comprised junior surgery (median grade 2, range 1-3), junior medicine (2, 1-3), psychiatry (2, 0-3), obstetrics and gynaecology (2, 0-3), dermatology (mean score 73.6%, range 46-86%), child health (median grade 2, range 0-3), general practice (2, 1-3), ophthalmology (mean score 55%, range 27-83%), ear, nose, and throat (50%, 28-75%), and senior medicine and surgery (60%, 43-77%). We calculated the average scores for the main course components by summing the four preclinical assessments, the four BMedSci assessments, and the 10 clinical assessments.

Analyses

We analysed the data with a mixture of univariate (zero order correlations, t test, χ^2 test) and multivariate

methods (multivariate analysis of variance; hierarchical multiple linear regression, and structural equations modelling).^{12 w4 w5} See bmj.com for details on the structural modelling.

Results

Potential sampling bias

Students who completed the personality questionnaire did not differ significantly from those who did not for age ($t_{1,173}=1.1$, $P=0.27$), sex ($\chi^2=3.06$ (df=1), $P=0.08$), pre-clinical, BMedSci, and clinical performance (multivariate $F_{3,140}=0.007$, $P=0.79$), and whether or not they obtained honours ($\chi^2=1.6$ (df=1), $P=0.20$).

Univariate analyses

Table 1 shows the zero order correlations (Pearson's r) between each of the predictors and each of the 18 assessments. Better A level grades significantly predicted better performance in six of the 18 assessments (33%). Three of these six assessments were the preclinical marks (themes A, B, and C).

More information in the personal statement was predictive of 33% of the assessments and specifically better clinical performance (theme D, junior surgery, senior surgery, obstetrics and gynaecology, ophthalmology, and dermatology). Higher scores on conscientiousness were significantly related to better performance across most (78%) of the assessments. Students scoring higher on agreeableness performed better on 33% of the assessments. Those scoring higher on emotional stability or lower on surgency performed better on 17% of the assessments. Finally, the amount of information in the reference and scores on intellect were both correlated with 0.055% of the assessments (chance level).

Multivariate analyses

To examine the relative predictive power of the traditional and non-traditional predictors for preclinical, BMedSci, or clinical performance, we conducted a series of three hierarchical multiple linear regression analyses. The traditional selection measures were entered at step 1 and personality at step 2 (table 2).

A level points predicted assessment scores across the course. The amount of information contained within the personal statement was a significant predictor of clinical performance. The addition of the personality scores significantly improved the fit of the regression models. Conscientiousness was the only personality variable that showed a consistent pattern of significant effects across all three general assessments.

Table 1 Zero order bivariate associations between predictors and outcomes

Predictor	Medical assessments																
	Preclinical				BMedSci				Clinical								
	A	B	C	D	Empirical project	Viva voce	Analytical paper	Theory paper	Junior surgery	Senior surgery	Junior medicine	Child health	General practice	Psychiatry	Obstetrics and gynaecology	Ophthalmics	Dermatology
Information in reference	-0.02	-0.08	0.06	0.09	0	0.09	-0.10	-0.06	-0.11	0.08	0.17*	0.08	0.02	0.07	0.09	-0.02	-0.07
Information in personal statement	0.11	0.05	0.10	0.14*	0.08	0.08	-0.09	0.09	-0.19*	0.16*	0.12	0.02	0.05	0.09	0.14*	0.18*	0.18*
Previous academic performance	0.40*	0.32*	0.30*	0.10	0.11	0.06	0.04	0.19*	-0.02	0.19*	0.06	0.04	-0.09	0.05	0.24*	0.12	0.11
Emotional stability	0.09	0.15*	0.06	0.04	0.17*	0.25*	0.07	0.03	0.03	0.09	0.06	0.11	-0.06	0	0	0.11	0
Surgency	-0.10	-0.16*	-0.01	0.07	0.07	-0.07	-0.04	-0.21*	0.14	-0.05	0.01	-0.01	-0.04	0.01	0	-0.23*	0.13
Intellect	-0.02	0.04	-0.10	-0.02	-0.08	0.08	0.07	-0.05	0.16*	0.00	-0.12	0.05	0.09	0.01	-0.07	0.03	0.02
Agreeableness	0.16*	0.13	0.24*	0.23*	0.16*	0.28*	0.07	0.05	0.03	0.13	0.13	0.09	0.09	0	0.27*	0.07	0.13
Conscientiousness	0.46*	0.47*	0.49*	0.38*	0.30*	0.38*	0.25*	0.33*	0.08	0.28*	0.04	0.18*	0.17*	0.15	0.21*	0.17*	0.17*

* $P \leq 0.05$, ** $P < 0.01$ (range 104-175).

Table 2 Hierarchical multiple linear regression analyses for predictors and aggregate outcome measures

Source of information	Preclinical	BMedSci	Clinical
Previous academic performance	0.39***	0.34**	0.32**
Information in personal statement	0.16	0.10	0.23*
Information in reference	-0.03	-0.03	-0.14
R ² †	0.18***	0.13*	0.15**
Emotional stability	-0.03	0.03	0
Surgency	-0.11	-0.13	-0.26*
Intellect	0.01	0	0.03
Agreeableness	0.10	0.08	0.07
Conscientiousness	0.58***	0.57***	0.26*
R ²	0.51***	0.47***	0.28*
Change in R ²	0.33***	0.33***	0.13*
No of students	89	85	81

*P<0.05, **P<0.01, ***P<0.001.

†Variance accounted for (range 0-1).

Model fitting

The figure presents the best fitting structural model ($\chi^2=5.82$, $df=6$), $P=0.44$, comparative fit index=1.0, root mean square approximation of error=0.0 (90% confidence interval 0 to 0.14), $n=87$). Higher scores on the preclinical assessments significantly predicted better clinical performance. Higher scores on A levels were directly related to better preclinical performance. Higher scores for conscientiousness were significantly correlated with better A level scores and related to better scores on preclinical assessments and to worse performance on clinical assessments.

Discussion

The amount of information contained in a teacher's reference does not reliably predict performance of a student at medical school. A level scores were a good predictor of performance, and the amount of information in the personal statements related to clinical performance. The personality domain of conscientiousness showed the most consistent pattern of significant relations with the outcome measures, a finding that is consistent with results reported for other occupations.¹³ The structural model indicated that those scoring high for conscientiousness were more likely to have better A levels grades and to do better on preclinical assessments but less well in clinical assessments. It may be that the behaviours (for example, organised, methodical) associated with high scores for conscientiousness are more suited to the factual nature of preclinical learning; which in turn is related to better clinical performance. Once any benefit from preclinical learning has been accounted for, these same behaviours may, however, be less well suited to clinical learning, such as strategic problem solving. Practically, our results suggest a combination of A level scores, an index of the amount of information in the personal statement, and scores for conscientiousness could aid selection for interview.

Limitations

The small sample size limits the statistical power of our study, and this may account for null results seen for the reference. However, the findings reported for the reference are consistent with previous work.^{1,2} That the results are based on a single cohort may introduce sample bias and limit the generalisability of our findings. The effects of conscientiousness, however, are

consistent with a large body of findings outside medicine and a small, but growing, body of findings reported in medicine.^{3,4,13} Indeed, we see our study as a pilot investigation, and we are currently following a second cohort, where the results show conscientiousness as the main personality predictor of preclinical performance (data not shown).

We thank Jane Schroeder for additional help with data input.

Contributors: EF conceived the study, helped with aspects of data collection, input some data, analysed the data, and wrote the paper; he will act as guarantor. DJ conceived the study, commented on earlier drafts of the paper, and helped to write the final draft. FO'H collected the data for personality assessments, input data for the personality measures and aspects of the students' medical exams, and helped to analyse some of the initial data. AS coded the data for references and personal statements, entered data on these and the A level scores, and analysed and entered data on performance in the first year exam.

Funding: None.

Competing interests: None declared.

- 1 Ferguson E, James D, Maddeley L. Factors associated with success in medical school and in a medical career. *BMJ* 2002;324:952-7.
- 2 Anderson N, Shackleton V. *Successful selection interviewing*. Oxford: Blackwell, 1993.
- 3 Ferguson E, Sanders A, O'Hehir F, James D. Predictive validity of personal statement and the role of the five factor model of personality in relation to medical training. *J Occ Org Psychol* 2000;73:321-44.
- 4 Ievens F, Coetsier P, De Fruyt F, De Maesseneer J. Medical students' personality characteristics and academic performance: a five-factor model perspective. *Med Educ* 2002;36:1050-6.
- 5 Patterson F, Ferguson E, Lane P, Norfolk T. A new competency based selection system for general practitioners. Paper presented as part of a symposium on personality and medicine. The 10th international conference of the International Society for the Study of Individual Differences. Edinburgh, Scotland, 7-11 Jul, 2001.
- 6 McManus IC, Richards P. Admission for medicine in the United Kingdom: a structural model of background factors. *Med Educ* 1986;20:181-6.
- 7 McManus IC, Maitlis SL, Richards P. Shortlisting of applicants from UCCA forms: the structure of pre-selection judgements. *Med Educ* 1989;23:136-46.
- 8 Goldberg LR. The development of markers for the big-five factor structure. *Psychol Assess* 1992;4:26-42.
- 9 Jones B. Can trait anxiety, grades, and test scores measured prior to medical school matriculation predict clerkship performance? *Acad Med* 1991;66:S22-4.
- 10 Hall ML, Stocks MT. Relationship between quantity of undergraduate science preparation and preclinical performance in medical school. *Acad Med* 1995;70:230-5.
- 11 McManus IC, Richards P, Winder BC. Intercollegiate degrees, learning styles, and career preferences: prospective longitudinal study of UK medical students. *BMJ* 1999;319:542-6.
- 12 Cohen J, Cohen P. *Applied multiple regression/correlation analyses for the behavioral sciences*. London: Lawrence Erlbaum, 1983.
- 13 Tett R, Jackson D, Rothstein M. Personality measures as predictors of job performance: a meta-analytic review. *Personnel Psychol* 1991;44:703-42.

(Accepted 20 November 2002)

Commentary: How to derive causes from correlations in educational studies

I C McManus

Department of
Psychology,
University College
London, London
WC1E 6BT
I C McManus
professor of psychology
and medical
education

Ferguson and colleagues' paper contains much of methodological and substantive interest. Many *BMJ* readers will be unaware of structural equation modelling, a widespread technique in social research, the synonyms for which include path analysis, covariance modelling, latent variable modelling, and causal modelling. Structural equation modelling uses programs such as LISREL, EQS, and AMOS to fit models that combine multiple regression, factor analysis, psychometrics, and multigroup modelling and which answer subtle statistical questions.¹

Hermann Goering famously (but erroneously) reached for his revolver on hearing the word culture. Causal modelling may have a similar effect in students taught in elementary statistics classes that "correlation does not imply causation." It doesn't, but that doesn't mean statisticians don't infer causation. They can, and they do, for science is about understanding causes.²

The problem of inferring causation is that if A and B correlate, then this may be because A causes B, B causes A, or that something else, X, causes both A and B. Although often presented as an intractable problem, it is far from that. David Hume in his *Treatise of Human Nature* of 1739, described the principle of priority of time whereby cause comes before effect. In the present case, the correlation between A level scores and preclinical performance cannot reasonably be interpreted as preclinical performance causing A level scores, since that would mean performing well at university caused students earlier in their lives to achieve better A level grades, which is nonsense. And so we infer A level scores cause preclinical performance.³ The third option, that some third factor (X) causes both A level scores and preclinical performance, is directly testable if X has been measured (and so A level scores causing preclinical performance cannot result from both correlating with conscientiousness). If X has not been measured then the claim is not falsifiable, but structural equation modelling does help design the study which would make it testable.

Hume talked also of distant objects being "link'd by a chain of causes," the principle of contiguity. That can be seen in the academic backbone of this model. A level scores cause better performance indirectly, by causing better preclinical performance, which in turn causes better BMedSci performance and better clinical performance. A similar chain can be seen in a drinking song by Henry Purcell:

'Tis women make us love,
'Tis loving makes us sad,
'Tis sadness makes us drink,
And drinking makes us mad.

Ferguson and colleagues' paper has two important educational messages. Preclinical performance is predicted by conscientiousness, one of the "big five" personality dimensions, which meta-analysis confirms is often a predictor of job performance and job trainability.^{4,5} Individuals with high conscientiousness see themselves as practical, thorough, and hardwork-

ing, rather than disorganised, lazy, and careless, and not surprisingly such individuals do better in preclinical examinations. Less obvious is the diminishing impact of conscientiousness on later performance, particularly clinical performance, perhaps because conscientiousness is less important for the self directed, more conceptual, less fact dominated learning required of clinical students. That is problematic for those wishing to use conscientiousness as a basis for student selection. Conscientiousness may be predictive of job performance only for repetitive, well organised, relatively closed tasks, and not for the more imaginative, thoughtful, open thinking required of an actor, an artist, a research scientist, or a creative clinician.

The other important result concerns the personal statement on the UCAS form, which although often claimed to have little validity, may be predictive but only for clinical performance. Once again, what is good for preclinical may not be good for clinical. Studies of student selection have to consider long term outcomes, not just the first one or two undergraduate years.

Competing interests: None declared.

- 1 Maruyama GM. *Basics of structural equation modelling*. Thousand Oaks, CA: Sage, 1998.
- 2 Pearl J. *Causality: models, reasoning, and inference*. Cambridge: Cambridge University Press, 2000.
- 3 Davis JA. *The logic of causal order*. London: Sage, 1985.
- 4 Matthews G, Deary IJ. *Personality traits*. Cambridge: Cambridge University Press, 1998.
- 5 Schmidt FL, Hunter JE. The validity and utility of selection methods in personnel psychology: practical and theoretical implications of 85 years of research findings. *Psychol Bull* 1998;124:262-74.

Corrections and clarifications

Drug points

In their drug point reporting that leflunomide can potentiate the anticoagulant effect of warfarin, V Lim and I Pande stated in the last paragraph that the Committee on Safety of Medicines (CSM) had received over 300 reports of raised international normalised ratio (INR) in patients taking leflunomide concurrently with warfarin (*BMJ* 2002;325:1333). This is wrong. The CSM has in fact received over 300 reports of raised INR associated with warfarin and some other drug; four of these reports (up to mid-December 2002) were of raised INR associated with leflunomide. The authors say that the message remains the same, however—that care is needed when prescribing leflunomide in patients already taking warfarin.

Application of Framingham risk estimates to ethnic minorities in United Kingdom and implications for primary prevention of heart disease in general practice: cross sectional population based study

The authors of this paper, Francesco P Cappuccio and colleagues (*BMJ* 2002;325:1271-4), would like to thank Peter Macfarlane and his group in Glasgow for electronically coding about 1600 electrocardiograms according to the Minnesota rules.