



CORRECTIONS

Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study)

© (1) SOPEN ACCESS

Several acknowledgments and funding details were omitted from this paper (BMJ 2018;360:k211, doi:10.1136/bmj.k211) by Adab and colleagues. The authors would like to thank their collaborators at the Institute of Metabolic Science at the Medical Research Council (MRC) Epidemiology Unit (University of Cambridge) for their support and assistance, particularly Soren Brage, Kate Westgate, and Stefanie Hollidge, for training of field staff on use and maintenance of Actihearts, for overseeing data preparation, and for analysis and interpretation of the physical activity data; Timo Lakka (principal investigator of the PANIC study, University of Eastern Finland) for sharing exercise data in a similarly aged cohort of children to allow

translation of observed heart rate into activity energy expenditure; staff who are working, or have previously worked, at the Nutrition Epidemiology Group in Leeds, who have supported the trial team in terms of administration of the CADET food tick list and processing of the data to enable us to undertake dietary intake analysis, in particular Neil Hancock, Cristina Cleghorn, Meagan Christian, Jayne Hutchinson, Holly Rippin, and Catherine Rycroft. Ulf Ekelund, Soren Brage, Kate Westgate, and Stefanie Hollidge were funded in part by the MRC (MC_UU_12015/3) and the National Institute for Health Research Biomedical Research Centre, Cambridge (IS-BRC-1215-20014).